

Features

- 1) Bottom electrode configuration results in significantly greater compactness.
- 2) Filet formation enables easy visibility after mounting.
- 3) Ideal for noise removal on power supply lines with limited space.
- 4) Eco-friendly halogen-free products.

Dimensions



Part No. Explanation



① Series name TCT

④ Nominal capacitance

Nominal capacitance in pF in 3 digits:

2 significant figures followed by the figure representing the number of 0's.

2 Case style AL : 3216-3216(12)size

③ Rated voltage

CODE	Rated voltage(V)
0E	2.5
0G	4
OJ	6.3
1A	10
1C	16
1D	20
1E	25
1V	35
1H	50

- (5) Capacitance tolerance M: ±20%
- 6 Taping
 - 8: Tape width

R: Positive electrode on the side opposite to sprocket hole

⑦ Discrimination code

									Impe	dance(Ω)
Capa	citance	Rated voltage (V.DC)								
()	uF)	2.5	4	6.3	10	16	20	25	35	50
1.0	(105)									
2.2	(225)									
3.3	(335)								8	
4.7	(475)							8		
6.8	(685)									
10	(106)						8			
15	(156)									
22	(226)					4	4			
33	(336)					4				
47	(476)				4					
68	(686)									
100	(107)			3	☆2.5					
150	(157)			2.7						
220	(227)		2.5	☆2.5						

☆Contact us

Marking

The indications listed below should be given on the surface of a capacitor.

(1) Polarity: The polarity should be shown by bar. (on the anode side)

(2) Rated DC voltage: A voltage code is shown as below table.

(3) Capacitance: A capacitance code is shown as below table.


Voltage Code	Rated DC
Vollage Code	Voltage (V)
е	2.5
g	4
j	6.3
A	10
С	16
D	20
E	25
V	35
Н	50

Capacitance	Nominal	Capacitance	Nominal
Code	Capacitance (µF)	Code	Capacitance (µF)
<u>E</u>	0.15	е	15
<u>N</u>	0.33	j	22
<u>S</u>	0.47	n	33
А	1.0	S	47
E	1.5	W	68
J	2.2	а	100
Ν	3.3	e	150
S	4.7	j	220
W	6.8	n	330
а	10	s	470

Visual typical example

voltage code and capacitance code are variable with parts number.

[TCT series AL case]





Characteristics

Item		Performance	Test conditions (based on JIS C 5101-1 and JIS C 5101-3)				
Operating Temp	erature	-55°C~+125°C	Voltage reduction when temperature exceeds +85°C				
Maximum opera	ting	+85℃					
temperature with	n no						
voltage derating							
Rated voltage (\	/.DC)	Refer to " Standard list ".	at 85℃				
Category voltage		Refer to " Standard list ".	at 125°C				
Surge voltage (\	,	Refer to " Standard list ".	at 85℃				
DC Leakage current		Shall be satisfied the value on	As per 4.9 JIS C 5101-1				
		" Standard list ".	As per 4.5.1 JIS C 5101-3				
			Voltage : Rated voltage for 5min				
Capacitance tole	erance	Shall be satisfied allowance range.	As per 4.7 JIS C 5101-1				
		±20%	As per 4.5.2 JIS C 5101-3				
			Measuring frequency :120 ± 12Hz				
			Measuring voltage :0.5Vrms + 1.5V.DC				
			Measuring circuit :DC Equivalent series circuit				
Tangent of loss	angle	Shall be satisfied the value on	As per 4.8 JIS C 5101-1				
(Df,tanδ)		" Standard list ".	As per 4.5.3 JIS C 5101-3				
			Measuring frequency :120 ± 12Hz				
			Measuring voltage :0.5Vrms + 1.5V.DC				
			Measuring circuit :DC Equivalent series circuit				
Impedance		Shall be satisfied the value on	As per 4.10 JIS C 5101-1				
		" Standard list ".	As per 4.5.4 JIS C 5101-3				
			Measuring frequency :100 ± 10kHz				
			Measuring voltage :0.5Vrms or less				
			Measuring circuit :DC Equivalent series circuit				
Resistance to	Appe-	There should be no significant	As per 4.14 JIS C 5101-1				
Soldering	arance	abnormality.	As per 4.6 JIS C 5101-3				
heat		The indications should be clear.	Dip in the solder bath				
	L.C.	Less than 200% of initial limit.	Solder temp $:240 \pm 5^{\circ}C$				
	10/0		Duration $:10 \pm 0.5s$				
	⊿C/C	Within +20/-30% of initial value.	Repetition :1				
			After the specimens, leave it at room temperature				
	DF	Less than 200% of initial limit.	for over 24h and then measure the sample.				
Tamparatura	(tanδ)	There should be no significant					
Temperature	Appe-	There should be no significant abnormality.	As per 4.16 JIS C 5101-1				
cycle	arance	The indications should be clear.	As per 4.10 JIS C 5101-3				
	L.C.	Less than 200% of initial limit.	Repetition : 5 cycles (1 cycle : steps 1 to 4) without discontinuation.				
	L.O.		Temp. Time				
	⊿C/C	Within ±30% of initial value.	1 -55±3℃ 30±3min				
	20/0		2 Room Temp. 3min or less				
	DF	Less than 200% of initial limit.	3 125±2℃ 30±3min				
	tanδ)		4 Room Temp. 3min or less				
			After the specimens, leave it at room temperature				
			for over 24h and then measure the sample.				
			· · · ·				
			Initial value for \angle C/C shall be the value after				

Item		Performance	Test conditions (based on JIS C 5101-1 and JIS C 5101-3)				
Moisture	Appe-	There should be no significant	As per 4.22 JIS C 5101-1				
resistance	arance	abnormality.	As per 4.12 JIS C 5101-3				
		The indications should be clear.	After leaving the sample under such atmospheric				
	L.C.	Less than 200% of initial limit.	condition that the temperature and humidity are				
			$60\pm2^{\circ}$ C and 90 to 95% RH, respectively, for				
	⊿C/C	Within ±20% of initial value.	500+12/0h leave it at room temperature for				
	20/0		over 24h and then measure the sample.				
	DF	Less than 300% of initial limit.	Initial value for $\angle C/C$ shall be the value after				
	(tanδ)		mounted.				
Temperature	Temp. : -	55°C	As per 4.29 JIS C 5101-1				
Stability	⊿C/C	Within 0/-15% of initial value.	As per 4.13 JIS C 5101-1 As per 4.13 JIS C 5101-3				
Stability	20/0		Initial value for \angle C/C shall be the value after				
	DF	Shall be satisfied the value on	—				
			mounted.				
	(tanδ)	" Standard list "					
	L.C.	-					
	Temp.: +	<u>I</u> ⊦85°C					
	⊿C/C	Within +15/0% of initial value.					
	20/0						
	DF	Shall be satisfied the value on	-				
	(tanδ)	" Standard list "					
	L.C.	Less than 1000% of initial limit.					
	Temp.: +	-125°C					
	⊿C/C	Within +20/0% of initial value.					
	DF	Shall be satisfied the value on	-				
	(tanδ)	" Standard list "					
	L.C.	Less than 1250% of initial limit.					
Surge	Appe-	There should be no significant	As per 4.26JIS C 5101-1				
-	Appe- arance	There should be no significant abnormality.	As per 4.26JIS C 5101-1 As per 4.14JIS C 5101-3				
Surge voltage		-					
-		abnormality.	As per 4.14JIS C 5101-3				
-	arance	abnormality. The indications should be clear.	As per 4.14JIS C 5101-3 Apply the specified surge voltage via the serial				
-	arance	abnormality. The indications should be clear.	As per 4.14JIS C 5101-3 Apply the specified surge voltage via the serial resistance of $1k\Omega$ ever 5±0.5 min. for 30±5 s.				
-	arance L.C.	abnormality. The indications should be clear. Less than 200% of initial limit.	As per 4.14JIS C 5101-3 Apply the specified surge voltage via the serial resistance of $1k\Omega$ ever 5±0.5 min. for 30±5 s. each time in the atmospheric condition of				
-	arance L.C.	abnormality. The indications should be clear. Less than 200% of initial limit.	As per 4.14JIS C 5101-3Apply the specified surge voltage via the serialresistance of 1kΩ ever 5±0.5 min. for 30±5 s.each time in the atmospheric condition of85±2°C. Repeat this procedure 1,000 times.				
-	arance L.C. ⊿C/C	abnormality. The indications should be clear. Less than 200% of initial limit. Within ±20% of initial value.	 As per 4.14JIS C 5101-3 Apply the specified surge voltage via the serial resistance of 1kΩ ever 5±0.5 min. for 30±5 s. each time in the atmospheric condition of 85±2°C. Repeat this procedure 1,000 times. After the specimens, leave it at room temperature for over 24h and then measure the sample. 				
-	arance L.C. ⊿C/C DF	abnormality. The indications should be clear. Less than 200% of initial limit. Within ±20% of initial value.	 As per 4.14JIS C 5101-3 Apply the specified surge voltage via the serial resistance of 1kΩ ever 5±0.5 min. for 30±5 s. each time in the atmospheric condition of 85±2°C. Repeat this procedure 1,000 times. After the specimens, leave it at room temperature 				
voltage	arance L.C. ⊿C/C DF	abnormality. The indications should be clear. Less than 200% of initial limit. Within ±20% of initial value.	As per 4.14JIS C 5101-3 Apply the specified surge voltage via the serial resistance of 1kΩ ever 5±0.5 min. for 30±5 s. each time in the atmospheric condition of 85±2°C. Repeat this procedure 1,000 times. After the specimens, leave it at room temperature for over 24h and then measure the sample. Initial value for ∠C/C shall be the value after				
voltage Loading at	arance L.C. ⊿C/C DF (tanδ)	abnormality. The indications should be clear. Less than 200% of initial limit. Within ±20% of initial value. Less than 200% of initial limit. There should be no significant	 As per 4.14JIS C 5101-3 Apply the specified surge voltage via the serial resistance of 1kΩ ever 5±0.5 min. for 30±5 s. each time in the atmospheric condition of 85±2°C. Repeat this procedure 1,000 times. After the specimens, leave it at room temperature for over 24h and then measure the sample. Initial value for ∠C/C shall be the value after mounted. As per 4.23 JIS C 5101-1 				
voltage Loading at High	arance L.C. ⊿C/C DF (tanδ) Appe-	abnormality. The indications should be clear. Less than 200% of initial limit. Within ±20% of initial value. Less than 200% of initial limit.	As per 4.14JIS C 5101-3 Apply the specified surge voltage via the serial resistance of 1kΩ ever 5±0.5 min. for 30±5 s. each time in the atmospheric condition of 85±2°C. Repeat this procedure 1,000 times. After the specimens, leave it at room temperature for over 24h and then measure the sample. Initial value for ∠C/C shall be the value after mounted. As per 4.23 JIS C 5101-1 As per 4.15 JIS C 5101-3				
voltage Loading at High	arance L.C. ⊿C/C DF (tanδ) Appe- arance	abnormality. The indications should be clear. Less than 200% of initial limit. Within ±20% of initial value. Less than 200% of initial limit. There should be no significant abnormality. The indications should be clear.	 As per 4.14JIS C 5101-3 Apply the specified surge voltage via the serial resistance of 1kΩ ever 5±0.5 min. for 30±5 s. each time in the atmospheric condition of 85±2°C. Repeat this procedure 1,000 times. After the specimens, leave it at room temperature for over 24h and then measure the sample. Initial value for ∠IC/C shall be the value after mounted. As per 4.23 JIS C 5101-1 As per 4.15 JIS C 5101-3 After applying the rated voltage for 1000+72/0 h 				
voltage Loading at	arance L.C. ⊿C/C DF (tanδ) Appe-	abnormality. The indications should be clear. Less than 200% of initial limit. Within ±20% of initial value. Less than 200% of initial limit. There should be no significant abnormality.	 As per 4.14JIS C 5101-3 Apply the specified surge voltage via the serial resistance of 1kΩ ever 5±0.5 min. for 30±5 s. each time in the atmospheric condition of 85±2°C. Repeat this procedure 1,000 times. After the specimens, leave it at room temperature for over 24h and then measure the sample. Initial value for ∠IC/C shall be the value after mounted. As per 4.23 JIS C 5101-1 As per 4.15 JIS C 5101-3 After applying the rated voltage for 1000+72/0 h without discontinuation via the serial resistance 				
voltage Loading at High	arance L.C. ⊿C/C DF (tanδ) Appe- arance L.C.	abnormality. The indications should be clear. Less than 200% of initial limit. Within ±20% of initial value. Less than 200% of initial limit. There should be no significant abnormality. The indications should be clear. Less than 200% of initial limit.	 As per 4.14JIS C 5101-3 Apply the specified surge voltage via the serial resistance of 1kΩ ever 5±0.5 min. for 30±5 s. each time in the atmospheric condition of 85±2°C. Repeat this procedure 1,000 times. After the specimens, leave it at room temperature for over 24h and then measure the sample. Initial value for ∠IC/C shall be the value after mounted. As per 4.23 JIS C 5101-1 As per 4.15 JIS C 5101-3 After applying the rated voltage for 1000+72/0 h without discontinuation via the serial resistance of 3Ω or less at a temperature of 85±2°C, leave 				
voltage Loading at High	arance L.C. ⊿C/C DF (tanδ) Appe- arance	abnormality. The indications should be clear. Less than 200% of initial limit. Within ±20% of initial value. Less than 200% of initial limit. There should be no significant abnormality. The indications should be clear.	 As per 4.14JIS C 5101-3 Apply the specified surge voltage via the serial resistance of 1kΩ ever 5±0.5 min. for 30±5 s. each time in the atmospheric condition of 85±2°C. Repeat this procedure 1,000 times. After the specimens, leave it at room temperature for over 24h and then measure the sample. Initial value for ∠IC/C shall be the value after mounted. As per 4.23 JIS C 5101-1 As per 4.15 JIS C 5101-3 After applying the rated voltage for 1000+72/0 h without discontinuation via the serial resistance of 3Ω or less at a temperature of 85±2°C, leave the sample at room temperature / humidity for 				
voltage Loading at High	arance L.C. ⊿C/C DF (tanδ) Appe- arance L.C.	abnormality. The indications should be clear. Less than 200% of initial limit. Within ±20% of initial value. Less than 200% of initial limit. There should be no significant abnormality. The indications should be clear. Less than 200% of initial limit.	 As per 4.14JIS C 5101-3 Apply the specified surge voltage via the serial resistance of 1kΩ ever 5±0.5 min. for 30±5 s. each time in the atmospheric condition of 85±2°C. Repeat this procedure 1,000 times. After the specimens, leave it at room temperature for over 24h and then measure the sample. Initial value for ∠IC/C shall be the value after mounted. As per 4.23 JIS C 5101-1 As per 4.15 JIS C 5101-3 After applying the rated voltage for 1000+72/0 h without discontinuation via the serial resistance of 3Ω or less at a temperature of 85±2°C, leave 				

Item		Performance	Test conditions (based on JIS C 5101-1 and JIS C 5101-3)			
Terminal	Capa-	The measured value should be	As per 4.35 JIS C 5101-1			
strength	citance	stable.	As per 4.9 JIS C 5101-3			
strength	Appe-	There should be no significant	A force is applied to the terminal until it bends to			
	arance	-				
	arance	abnormality.	1mm and by a prescribed tool maintains the condition for 5s.			
			(See the figure below)			
			50/20			
			F(Apply force)			
			1.0mm			
			thickness=1.6mm			
			45 45			
Adhesiveness		The terminal should not come off.	As per 4.34 JIS C 5101-1			
Cancolveneos		The terminal should not come on.	As per 4.8 JIS C 5101-3			
			Apply force of 2N in the two directions shown in			
			the figure below for 10±1s after mounting the			
			terminal on a circuit board.			
			Products			
			Apply force			
			A circuit board			
Dimensions		Refer to "External dimensions".	Measure using a caliper of JIS B 7507 Class			
			2 or higher grade.			
Resistance to		The indication should be clear.	As per 4.32 JIS C 5101-1			
solvents			As per 4.18 JIS C 5101-3			
			Dip in the isopropyl alcohol for 30±5s, at room			
			temperature.			
Solderability		3/4 or more surface area of the	As per 4.15.2 JIS C 5101-1			
		solder coated terminal dipped in	As per 4.7 JIS C 5101-3			
		the soldering bath should be	Dip speed=25±2.5mm / s			
		covered with the new solder.	Pre-treatment (accelerated aging):			
			Leave the sample on the boiling distilled water			
			for 1h.			
			Solder temp. : 245±5°C			
			Duration : 3±0.5s			
			Solder : M705			
			Flux : Rosin 25% IPA 75%			
/ibration	Capa-	Measure value should not fluctuate	As per 4.17 JIS C 5101-1			
	citance	during the measurement.	Frequency : 10 to 55 to 10Hz/min.			
	Appe-	There should be no significant	Amplitude : 1.5mm			
	arance	abnormality.	Time : 2h each in X and Y directions			
	1		Mounting : The terminal is soldered on a print			

• Standard products list


	Rated	Category	Surge	Cap.	Tole-	Leakage		tanδ		Impedance
	voltage	voltage	voltage		rance	current		120Hz		
	85°C	105°C	85°C	120Hz		25℃				100kHz
Part No.						1WV	-55℃	25℃	105℃	
						5min				
	(V)	(V)	(V)	(µF)	(%)	(µA)	(%)	(%)	(%)	(Ω)
TCTAL0G227M8R-D	4	2.5	5	220	±20	20.0	35	20	25	2.5
TCTAL0J107M8R	6.3	4	8	100	±20	6.3	34	18	24	3
TCTAL0J157M8R	6.3	4	8	150	±20	94.5	80	30	40	2.7
* TCTAL0J227M8R-V1	6.3	4	6.3	220	±20	280.0	80	30	40	2.5
TCTAL1A476M8R	10	6.3	13	47	±20	4.7	35	20	25	4
* TCTAL1A107M8R-V1	10	6.3	10	100	±20	50.0	80	30	40	2.5
TCTAL1C226M8R	16	10	20	22	±20	3.6	35	20	25	4
TCTAL1C336M8R	16	10	20	33	±20	5.3	35	20	25	4
TCTAL1D106M8R	20	13	26	10	±20	2.0	30	15	20	8
TCTAL1D226M8R-V1	20	13	20	22	±20	4.4	35	20	25	4
TCTAL1E475M8R	25	16	32	4.7	±20	1.2	30	15	20	8
TCTAL1V335M8R	35	22	44	3.3	±20	1.2	30	15	20	8

*Contact us


Please ask for latest specification to our sales.



Packaging specifications



• Reel dimensions







	Notes
1)	The information contained herein is subject to change without notice.
2)	Before you use our Products, please contact our sales representative and verify the latest specifica- tions.
3)	Although ROHM is continuously working to improve product reliability and quality, semicon- ductors can break down and malfunction due to various factors. Therefore, in order to prevent personal injury or fire arising from failure, please take safety measures such as complying with the derating characteristics, implementing redundant and fire prevention designs, and utilizing backups and fail-safe procedures. ROHM shall have no responsibility for any damages arising out of the use of our Poducts beyond the rating specified by ROHM.
4)	Examples of application circuits, circuit constants and any other information contained herein are provided only to illustrate the standard usage and operations of the Products. The periphera conditions must be taken into account when designing circuits for mass production.
5)	The technical information specified herein is intended only to show the typical functions of and examples of application circuits for the Products. ROHM does not grant you, explicitly or implicitly any license to use or exercise intellectual property or other rights held by ROHM or any other parties. ROHM shall have no responsibility whatsoever for any dispute arising out of the use of such technical information.
6)	The Products are intended for use in general electronic equipment (i.e. AV/OA devices, communi- cation, consumer systems, gaming/entertainment sets) as well as the applications indicated in this document.
7)	The Products specified in this document are not designed to be radiation tolerant.
8)	For use of our Products in applications requiring a high degree of reliability (as exemplified below), please contact and consult with a ROHM representative : transportation equipment (i.e cars, ships, trains), primary communication equipment, traffic lights, fire/crime prevention, safety equipment, medical systems, servers, solar cells, and power transmission systems.
9)	Do not use our Products in applications requiring extremely high reliability, such as aerospace equipment, nuclear power control systems, and submarine repeaters.
10)	ROHM shall have no responsibility for any damages or injury arising from non-compliance with the recommended usage conditions and specifications contained herein.
11)	ROHM has used reasonable care to ensure the accuracy of the information contained in this document. However, ROHM does not warrants that such information is error-free, and ROHM shall have no responsibility for any damages arising from any inaccuracy or misprint of such information.
12)	Please use the Products in accordance with any applicable environmental laws and regulations such as the RoHS Directive. For more details, including RoHS compatibility, please contact a ROHM sales office. ROHM shall have no responsibility for any damages or losses resulting non-compliance with any applicable laws or regulations.
13)	When providing our Products and technologies contained in this document to other countries you must abide by the procedures and provisions stipulated in all applicable export laws and regulations, including without limitation the US Export Administration Regulations and the Foreign Exchange and Foreign Trade Act.
14)	This document, in part or in whole, may not be reprinted or reproduced without prior consent o ROHM.



Thank you for your accessing to ROHM product informations. More detail product informations and catalogs are available, please contact us.

ROHM Customer Support System

http://www.rohm.com/contact/

General Precaution

- 1. Before you use our Products, you are requested to care fully read this document and fully understand its contents. ROHM shall not be in an y way responsible or liable for failure, malfunction or accident arising from the use of a ny ROHM's Products against warning, caution or note contained in this document.
- 2. All information contained in this docume nt is current as of the issuing date and subject to change without any prior notice. Before purchasing or using ROHM's Products, please confirm the latest information with a ROHM sale s representative.
- 3. The information contained in this document is provided on an "as is" basis and ROHM does not warrant that all information contained in this document is accurate an d/or error-free. ROHM shall not be in an y way responsible or liable for any damages, expenses or losses incurred by you or third parties resulting from inaccuracy or errors of or concerning such information.