

## Specification Sheet

Part Number: SNP12AGHS0M4

Installation and removal can be five times faster than conventional clamps

.

Heat stabilized material is suitable for high temperature applications.

Completely reusable

.

Will not rust or corrode

.

Safety engineered.

No protruding band or cluster.

Can be installed with hose in place

.

One-hand installation for tight places.



Snapper Hose Clamp, .62"—.72" Bundle Diameter, PA66GF13, Black, 1000/pkg

Article Number	190-00255
----------------	-----------

Type	SNP12A
------	--------

Color	Black (BK)
-------	------------

<b>Quantity Per</b>	bag
<b>Product Description</b>	HellermannTyton snapper hose clamps are designed to provide a quick, ratcheted closure reducing installation time. The design also allows the clamp to be easily removed and re-applied when necessary. Snappers are made of high performing materials providing stability in a variety of diverse environments. Available in 32 standard sizes.
<b>Short Description</b>	Snapper Hose Clamp, .62"—.72" Bundle Diameter, PA66GF13, Black, 1000/pkg
<b>Global Part Name</b>	SNP12A-PA66GF13-BK
<b>Fixation Method</b>	Plug-in mounting
<b>Variant</b>	Closed
<b>Bundle Diameter Min (Imperial)</b>	0.61
<b>Bundle Diameter Min (Metric)</b>	15.6
<b>Bundle Diameter Max (Imperial)</b>	0.72
<b>Bundle Diameter Max (Metric)</b>	18.3
<b>Wall Thickness WT (Imperial)</b>	.070
<b>Wall Thickness WT (Metric)</b>	1.78

<b>Material</b>	Polyamide 6.6 glass filled impact modified heat stabilized (PA66GF13%)
<b>Material Shortcut</b>	PA66GF13
<b>Flammability</b>	UL 94 HB
<b>UV Resistant (Yes/No)</b>	No
<b>Operating Temperature</b>	-40°F to +221°F (-40°C to +105°C)
<b>ROHS Compliant</b>	Yes
<b>Package Quantity (Imperial)</b>	1000
<b>Package Quantity (Metric)</b>	1000
<b>Customs Number</b>	3926909988