




Quality Products. Service Excellence.

Adjustable Rack Mount DIN Rail Kit *RMAD Series*

Features



- Mounts to standard EIA 19" rack rails.
- Includes a 0.3" thick, top-hat standard DIN rail.
- Knockdown design ships unassembled for easy handling and shipping protection.
- TAA-compliant for GSA Schedule purchases.
- RoHS Compliant.
- Manufactured in North America.

RMAD (Light Duty) Features



- Constructed of 14 and 16 gauge steel.
- Provides up to 8.38" of adjustable depth for DIN rail-mounted equipment.
- Cutouts on both the rear and sides provide cable pass-through.
- Suggested load rating of up to 26 lbs (11 kg).
- Finished in rugged textured RAL9005 black powder paint.

RMHD (Heavy Duty) Features

- Constructed of 14-gauge steel.
- Provides up to 8.00" of depth options for DIN rail-mounted equipment.
- Suggested load rating of up to 100 lbs (45 kg).
- Finished in smooth RAL9005 black powder paint.



RMAD Improvement Survey

Would you prefer a larger form factor? *

3U 4U 5U

What depth adjustment would you prefer? *

A shorter option would be preferred.
 The current depth is fine.
 A deeper option would be preferred.

What options would you prefer *

Include a cable manager Multiple din rail options

What weight capacity do you require? *

30 lbs 50 lbs 75 lbs 100 lbs or more

Paint Finish *

RAL9005 Black Finish (Current Design)
 RAL7035 Gray Finish

Accessories

- Mounting Hardware
- Hook and Loop Roll



Part No.	Mounting Dimensions			DIN Rail Overall Dimensions		Weight Capacity
	Height	Rack Units	Depth	Width	Depth	
RMAD19003BK	3.50	2U	11.25	17.18	0.30	26 lbs
RMHD19003BK	3.50	2U	9.25	16.88	0.30	100 lbs

Tags: Industrial Automation Bracket, TransRack

Data subject to change without notice

© 2022. Hammond Manufacturing Ltd. All rights reserved.