HellermannTyton

Specification Sheet

Part Number: 181-91000

A temporary film is applied to the covers to protect against scratches and is writable for identification during installation.

Cover is flush with the side of the duct for increased wire capacity and allows for tight, side by side duct placement.

Covers are provided with a non-slip lining, which insures the covers remain in place during vibration, yet they easily snap on and off. (Covers to be purchased separately)



Wiring Duct Cover for 1" Duct, 6 ft Long, PVC, Black, 120 ft/carton

Article Number	181-91000

Type TC1

Color Black (BK)

Quantity Per carton

Product DescriptionHellermannTyton's Pro-Duct wiring duct covers are sold separately

and interchangeable among the 3 styles of duct (solid, slotted and high density). Manufactured from high impact, rigid PVC, Pro-Duct covers come in standard colors of white, gray and black. Wiring duct

covers are available in 6 foot lengths.

Short Description Wiring Duct Cover for 1" Duct, 6 ft Long, PVC, Black, 120 ft/carton

Global Part Name

TC1-PVC-BK

Wiring Duct Cover for 1" Duct, Black

Length L (Imperial)

6.0

Width W (Imperial) 1.0

1.83

Length L (Metric)

Width W (Metric) 25.4

Height H (Imperial) 0.290

Height H (Metric) 7.36

Material Polyvinylchloride (PVC)

Material Shortcut PVC

Flammability Self-extinguishing

Halogen Free No

Operating Temperature +122°F (+50°C)

Reach Compliant (Article 33) No

ROHS Compliant
Yes

Certification/Specification
UL CSA EN 50085-1:2005 + A1:2013 EN 50085-2-3_1A

UL Recognized (US)
Yes

Package Quantity (Imperial)
120

Package Quantity (Metric)
36.58

3925900000

© 2022 HellermannTyton. All Rights Reserved.

Customs Number

Contact Us RoHS/WEEE Compliance Disclaimer Terms and Conditions