

# Data sheet

## 28783.7 KDS/KES-VS 4 WH



Sealing plug for sealing elements, cable glands and cable entries, Material: Polyamide 6.6

RAL: 9010

### Business data

|                                            |                 |
|--------------------------------------------|-----------------|
| Article number                             | <u>28783.7</u>  |
| Article name                               | KDS/KES-VS 4 WH |
| GTIN (EAN)                                 | 4044211233884   |
| Colour                                     | White           |
| Packaging unit                             | 25              |
| Quantity unit                              | PC              |
| Weight per piece (not including packaging) | 0.29 g          |
| Weight per piece (including packaging)     | 0.3 g           |
| Unit of weight                             | G               |
| Customs number                             | 39269097        |
| Country of origin                          | DE              |
| Product description                        | Seal plugs      |

---

### Technical data

---

#### Dimensions

|                |         |
|----------------|---------|
| Length         | 18.6 mm |
| Outer diameter | 4 mm    |
| Diameter head  | 5.8 mm  |

#### Materials

|                           |               |
|---------------------------|---------------|
| Material                  | Polyamide 6.6 |
| Flammability class UL 94  | V-0           |
| Working temperature, min. | -40 °C        |
| Working temperature, max. | 120 °C        |
| Halogen-free              | ✓             |
| Silicone-free             | ✓             |

#### Environmental Product Compliance

|                                |            |
|--------------------------------|------------|
| REACH Conform                  | yes        |
| REACH Reference date           | 2022-01-07 |
| REACH Candidate Substance Note | No         |
| RoHS Conform                   | yes        |

---

Media

---

---

**Accessories**

---