

# Data sheet

## 28792.7 KDS/KES-VS 13 WH



Sealing plug for sealing elements, cable glands and cable entries, Material: Polyamide 6.6

**RAL:** 9010

### Business data

|                                            |                  |
|--------------------------------------------|------------------|
| Article number                             | 28792.7          |
| Article name                               | KDS/KES-VS 13 WH |
| GTIN (EAN)                                 | 4044211233969    |
| Colour                                     | White            |
| Packaging unit                             | 25               |
| Quantity unit                              | PC               |
| Weight per piece (not including packaging) | 1.6 g            |
| Weight per piece (including packaging)     | 1.7 g            |
| Unit of weight                             | G                |
| Customs number                             | 39269097         |
| Country of origin                          | DE               |
| Product description                        | Seal plugs       |

---

### Technical data

---

#### Dimensions

|                |         |
|----------------|---------|
| Length         | 18.6 mm |
| Outer diameter | 13 mm   |
| Diameter head  | 14.8 mm |

#### Materials

|                           |               |
|---------------------------|---------------|
| Material                  | Polyamide 6.6 |
| Flammability class UL 94  | V-0           |
| Working temperature, min. | -40 °C        |
| Working temperature, max. | 120 °C        |
| Halogen-free              | ✓             |
| Silicone-free             | ✓             |

#### Environmental Product Compliance

|                                |            |
|--------------------------------|------------|
| REACH Conform                  | yes        |
| REACH Reference date           | 2022-01-07 |
| REACH Candidate Substance Note | No         |
| RoHS Conform                   | yes        |

---

### Media

---

---

### Accessories

---