

GlobTek, Inc. www.globtek.com 186 Veterans Drive, Northvale, NJ 07647 Tel. (201) 784-1000 Fax (201) 784-0111	Drawing Title: GP3021J (JIS 8303 TYPE) Japan JIS C 8303 3P plug to IEC320-C13 (appr for Japan), GT Cable #333-PSE: 2.0mm ² / 3 Conductors, 8.6 +/- 0.15mm OD, VCTF, 70 Deg.C, 300V, Black/White/Green, Approvals: PSE, 2800 +/- 50mm, GlobTek Black				
	<table border="1"> <tr> <td data-bbox="308 161 1663 207">Model No. Power Cord</td><td data-bbox="1663 161 1915 207"></td></tr> <tr> <td data-bbox="308 207 1663 295">Part No./Ordering No. 3003339F701(R)</td><td data-bbox="1663 207 1915 295">Rev F1</td></tr> </table>	Model No. Power Cord		Part No./Ordering No. 3003339F701(R)	Rev F1
Model No. Power Cord					
Part No./Ordering No. 3003339F701(R)	Rev F1				

CUSTOMIZED LENGTHS, COLORS, CABLE TYPES, TERMINATIONS/PLUGS/RECEPTACLES AVAILABLE UPON REQUEST. ADDITIONAL PLUG OPTIONS ARE AVAILABLE AT <https://www.globtek.com/connectors/> STANDARD PLUGS AND CONNECTORS CAN BE SEEN ONLINE AT <https://www.globtek.com/connectors/> ACTUAL CONNECTORS, OVERMOLDS, FERRITES MAY VARY SLIGHTLY FROM THE PICTURE BELOW DIMENSIONS ARE IN MM UNLESS SPECIFIED OTHERWISE

In Addition to GlobTek Inc.'s renewed ISO9001:2008 - Quality Management System Certification, GlobTek Inc. is now certified to:

ISO13485:2003 - Medical Devices Quality Management System Certification
ISO14001:2004 - Environmental Management System Certification

ISO Certificates are available online at <https://www.globtek.com/iso-certificates/>
Prop 65 Statement: <https://en.globtek.com/prop-65-statement.pdf>

The acceptance of this specification and use of the product described in this document indicates the acceptance and binding of the customer to Globtek TERMS AND CONDITIONS (attached to the end of this document), which supersede all other agreements, terms, and conditions (<https://en.globtek.com/terms-and-conditions/>).

The purchaser of this product (Customer) agrees that it is their sole responsibility to determine suitability/fitness of the product described in this specification for their application and to take precautions for protection against any hazards attendant to the handling and use of the product.

Footnote:

GlobTek Inc. will not be liable for the safety and performance of these power supplies if unauthorized access and repair occurs. End user should consult applicable UL, CSA or EN standards for proper installation instruction.

Limitation of Use:

GlobTek products are intended for use with commercial, medical, and/or industrial equipment only. GlobTek product are not authorized for use as mission critical components in life support hazardous environment, nuclear or aircraft applications without prior written approval from the CEO of GlobTek Inc.
Contents of this document are subject to change without prior notice.

Customer Approval of Specification:

Please approve, sign and send back to GlobTek so we can complete order processing.
A delay in receipt of this form will delay delivery schedule.

Company Name:	Customer P/N:
Quote Number:	Date:
Authorized Representative Name:	Authorized Representative Signature:

GlobTek, Inc. www.globtek.com 186 Veterans Drive, Northvale, NJ 07647 Tel. (201) 784-1000 Fax (201) 784-0111	Drawing Title: GP3021J (JIS 8303 TYPE) Japan JIS C 8303 3P plug to IEC320-C13 (appr for Japan), GT Cable #333-PSE: 2.0mm ² / 3 Conductors, 8.6 +/- 0.15mm OD, VCTF, 70 Deg.C, 300V, Black/White/Green, Approvals: PSE, 2800 +/- 50mm, GlobTek Black		
	Model No. Power Cord		
	Part No./Ordering No. 3003339F701(R)		Rev F1

CUSTOMIZED LENGTHS, COLORS, CABLE TYPES, TERMINATIONS/PLUGS/RECEPTACLES AVAILABLE UPON REQUEST. ADDITIONAL PLUG OPTIONS ARE AVAILABLE AT <https://www.globtek.com/connectors/> STANDARD PLUGS AND CONNECTORS CAN BE SEEN ONLINE AT <https://www.globtek.com/connectors/> ACTUAL CONNECTORS, OVERMOLDS, FERRITES MAY VARY SLIGHTLY FROM THE PICTURE BELOW DIMENSIONS ARE IN MM UNLESS SPECIFIED OTHERWISE

REVISION HISTORY

REV	DESCRIPTION	SUB	DATE	APPROVED
F1	Update cable wire color to Black/White/Green, add connectors picture	QA	05/23/2022	QA
F	Update to SF format	bsiep	05/01/2020	QA

Cordset Information:

CordsetColor:GlobTek Black

Cord Length (mm):2800 +/- 50

NOTES:

PROPRIETARY INFORMATION


PROPRIETARY OF GLOBTEK, INC. ANY REPRODUCTION, DISCLOSURE OR USE OF THIS DRAWING, IN WHOLE OR IN PART, IS HEREBY PROHIBITED EXCEPT AS SPECIFIED IN WRITING BY GLOBTEK, INC. © GlobTek, Inc.

2011 - 2022

quest /08/23/2022 12:54:09 AM


GlobTek, Inc. www.globtek.com 186 Veterans Drive, Northvale, NJ 07647 Tel. (201) 784-1000 Fax (201) 784-0111	Drawing Title: GP3021J (JIS 8303 TYPE) Japan JIS C 8303 3P plug to IEC320-C13 (appr for Japan), GT Cable #333-PSE: 2.0mm ² / 3 Conductors, 8.6 +/- 0.15mm OD, VCTF, 70 Deg.C, 300V, Black/White/Green, Approvals: PSE, 2800 +/- 50mm, GlobTek Black	
	Model No. Power Cord	
	Part No./Ordering No. 3003339F701(R)	Rev F1

CUSTOMIZED LENGTHS, COLORS, CABLE TYPES, TERMINATIONS/PLUGS/RECEPTACLES AVAILABLE UPON REQUEST. ADDITIONAL PLUG OPTIONS ARE AVAILABLE AT <https://www.globtek.com/connectors/> STANDARD PLUGS AND CONNECTORS CAN BE SEEN ONLINE AT <https://www.globtek.com/connectors/> ACTUAL CONNECTORS, OVERMOLDS, FERRITES MAY VARY SLIGHTLY FROM THE PICTURE BELOW DIMENSIONS ARE IN MM UNLESS SPECIFIED OTHERWISE



GlobTek, Inc. www.globtek.com 186 Veterans Drive, Northvale, NJ 07647 Tel. (201) 784-1000 Fax (201) 784-0111	Drawing Title: GP3021J (JIS 8303 TYPE) Japan JIS C 8303 3P plug to IEC320-C13 (appr for Japan), GT Cable #333-PSE: 2.0mm ² / 3 Conductors, 8.6 +/- 0.15mm OD, VCTF, 70 Deg.C, 300V, Black/White/Green, Approvals: PSE, 2800 +/- 50mm, GlobTek Black	
	Model No. Power Cord	
	Part No./Ordering No. 3003339F701(R)	Rev F1

CUSTOMIZED LENGTHS, COLORS, CABLE TYPES, TERMINATIONS/PLUGS/RECEPTACLES AVAILABLE UPON REQUEST. ADDITIONAL PLUG OPTIONS ARE AVAILABLE AT <https://www.globtek.com/connectors/> STANDARD PLUGS AND CONNECTORS CAN BE SEEN ONLINE AT <https://www.globtek.com/connectors/> ACTUAL CONNECTORS, OVERMOLDS, FERRITES MAY VARY SLIGHTLY FROM THE PICTURE BELOW DIMENSIONS ARE IN MM UNLESS SPECIFIED OTHERWISE



GlobTek, Inc. www.globtek.com 186 Veterans Drive, Northvale, NJ 07647 Tel. (201) 784-1000 Fax (201) 784-0111	Drawing Title: GP3021J (JIS 8303 TYPE) Japan JIS C 8303 3P plug to IEC320-C13 (appr for Japan), GT Cable #333-PSE: 2.0mm ² / 3 Conductors, 8.6 +/- 0.15mm OD, VCTF, 70 Deg.C, 300V, Black/White/Green, Approvals: PSE, 2800 +/- 50mm, GlobTek Black	
	Model No. Power Cord	
	Part No./Ordering No. 3003339F701(R)	Rev F1

CUSTOMIZED LENGTHS, COLORS, CABLE TYPES, TERMINATIONS/PLUGS/RECEPTACLES AVAILABLE UPON REQUEST. ADDITIONAL PLUG OPTIONS ARE AVAILABLE AT <https://www.globtek.com/connectors/> STANDARD PLUGS AND CONNECTORS CAN BE SEEN ONLINE AT <https://www.globtek.com/connectors/> ACTUAL CONNECTORS, OVERMOLDS, FERRITES MAY VARY SLIGHTLY FROM THE PICTURE BELOW DIMENSIONS ARE IN MM UNLESS SPECIFIED OTHERWISE

End A Code:300 Description:GP3021J (JIS 8303 TYPE) Japan JIS C 8303 3P plug Rating (V):125 Rating (A):15.0 Gender:Male Overmolded:Yes	Cable Code:333-PSE Description:GT Cable #333-PSE: 2.0mm ² / 3 Conductors, 8.6 +/- 0.15mm OD, VCTF, 70 Deg.C, 300V, Black/White/Green, Approvals: PSE Color:GlobTek Black Wire Gauge(AWG):2.0mm ² Cond:3 Type:VCTF Temperature:70° C Amps:15 Volts:300 OD:8.6 +/- 0.15 ConductorsColors:Black/White/Green	End B Code:701PSE-15A Description:IEC320-C13 (appr for Japan) Rating (V):125 Rating (A):15.0 Gender:Female Overmolded:Yes
Overall cable rating:15A / 125VAC		
Plug Approvals	Cable Approvals	Connector Approvals
 Japan PSE	 Japan PSE	 Japan PSE
AGENCY ONLINE DOCUMENTS http://en.globtek.com/cordsets/		
RoHS/RoHS3 Declaration https://www.globtek.com/pdf/rohs_cert/01t30000002oxIfAAA		
REACH Declaration https://www.globtek.com/pdf/iso_certificates/REACH.pdf		
Conflict Minerals Declaration https://www.globtek.com/pdf/conflict-minerals.pdf		
Prop 65 Statement https://en.globtek.com/prop-65-statement.pdf		
CE.UKCA.Cord https://globtek.secure.force.com/spec/ec_decl_product_model_family_incl_cord?id=01t30000002oxIf		
IPXY rating is based on 3rd party testing and customers should check suitability and test system level IPXY rating before ordering.		

PROPRIETARY INFORMATION


PROPRIETARY OF GLOBTEK, INC. ANY REPRODUCTION, DISCLOSURE OR USE OF THIS DRAWING, IN WHOLE OR IN PART, IS HEREBY PROHIBITED EXCEPT AS SPECIFIED IN WRITING BY GLOBTEK, INC. © GlobTek, Inc.
2011 - 2022

quest /08/23/2022 12:54:09 AM

GlobTek, Inc. www.globtek.com 186 Veterans Drive, Northvale, NJ 07647 Tel. (201) 784-1000 Fax (201) 784-0111	Drawing Title: GP3021J (JIS 8303 TYPE) Japan JIS C 8303 3P plug to IEC320-C13 (appr for Japan), GT Cable #333-PSE: 2.0mm ² / 3 Conductors, 8.6 +/- 0.15mm OD, VCTF, 70 Deg.C, 300V, Black/White/Green, Approvals: PSE, 2800 +/- 50mm, GlobTek Black	
	Model No. Power Cord	
	Part No./Ordering No. 3003339F701(R)	Rev F1

CUSTOMIZED LENGTHS, COLORS, CABLE TYPES, TERMINATIONS/PLUGS/RECEPTACLES AVAILABLE UPON REQUEST. ADDITIONAL PLUG OPTIONS ARE AVAILABLE AT <https://www.globtek.com/connectors/> STANDARD PLUGS AND CONNECTORS CAN BE SEEN ONLINE AT <https://www.globtek.com/connectors/> ACTUAL CONNECTORS, OVERMOLDS, FERRITES MAY VARY SLIGHTLY FROM THE PICTURE BELOW DIMENSIONS ARE IN MM UNLESS SPECIFIED OTHERWISE

Hanking:302-701
Description:200 +/- 20mm
Image:



Notes/Modifications/Customizations (notes in this section supersede the values shown in the standard spec):