




CONFIDENTIAL





503500-0991	9
EMBOSSED TAPE	極数
ORDER No. オーダー番号	CIRCUITS
CONNECTOR SERIES NO. 503500-***11	

tb_frame_A3_J_AM_S
Rev. E 2006/04/15



REVISED EC NO: J2010-1552 DRWN:YNAITO CHKD:MTOMITA APPR:NUKITA REV B	DESCRIPTION 2010/02/01 2010/02/01 2010/02/01	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 2:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION
		10 UNDER	± 0.2	DRAWN BY YNAITO	DATE 2009/09/11	TITLE SD CARD CONN.PUSH/PUSH NORMAL ASSY		
		10 OVER 30 UNDER	± 0.25	CHECKED BY MTOMITA	DATE 2009/09/11			
		30 OVER	± 0.3	APPROVED BY NUKITA	DATE 2009/09/11			
		ANGULAR ±1 °		MATERIAL NO. SEE CHART			DOCUMENT NO. SD-503500-001	
	REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

EN-02DA(021)





SECTION Y-Y



DETAIL A
(5-1)

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE	CURRENT REV DESC:					molex							
mm		4:1													
GENERAL TOLERANCES (UNLESS SPECIFIED)			SD CARD CONN. NORMAL PUSH/PUSH EMBOSSED TAPE PACKAGE												
ANGULAR TOL ± 1.0 °															
4 PLACES		± 0.2													
3 PLACES		± 0.25													
2 PLACES		± 0.3													
1 PLACE		±	PRODUCT CUSTOMER DRAWING					DOCUMENT NUMBER SD-503500-002					DOC TYPE PSD	DOC PART 001	REVISION E
0 PLACES		±													
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			INITIAL REVISION: DRWN: YNAITO APPR: NUKITA					2010/01/15	2010/01/18	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
			THIRD ANGLE PROJECTION		DRAWING	SERIES		SEE CHART		GENERAL MARKET		2 OF 2			