



NOTES

1. 製品詳細寸法については図面 **512811000-SD** を参照下さい。
RE DETAILED DIMENSION, SEE **512811000-SD**
2. 梱包数量：3000個／リール
NUMBER OF CONNECTORS：3000PCS／REEL
3. リードテープ長さ LEAD TAPE LENGTH




4. トップテープの剥離強度：0.1N～1.3N {10gf～130gf}
(剥離方向は下図参照)


尚、本規格値は出荷時に適用。(但し、輸送時に剥離が発生しないこと。)
PEELING OFF FORCE OF TOP TAPE：0.1N～1.3N {10gf～130gf}
(PEELING DIRECTION AS SHOWN IN FOLLOWING FIG.)
THIS REQUIREMENT SHOULD BE APPLIED AT SHIPMENT.
PEEL OFF SHOULD NOT BE ALLOWED , DURING TRANSPORTATION.




5. 材料 (MATERIAL)
キャリアテープ (CARRIER TAPE)：ポリプロピレン (POLYPROPYLENE)
トップテープ (TOPTAPE)：PET , PE , PEF
リール (REEL)：ポリスチレン (PS) <リサイクル材含む>
POLYSTYREN (PS) <RECYCLE MATERIAL CONTAINED>


6. C,D 寸法は SHEET 2 ～ 3 を参照下さい。
SEE SHEET 2 ～ 3 (DIMENSION C,D).




THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex		
mm		NTS								
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 708402 DRWN: NARENC 2022/05/27 CHK'D: SMARUYAMA 2022/05/30 APPR: YNAITO 2022/05/30						
ANGULAR TOL ± 3.0 °										
4 PLACES		± 0.2		INITIAL REVISION: DRWN: NARENC 2022/05/16 APPR: YNAITO 2022/05/30						
3 PLACES		± 0.2								
2 PLACES		± 0.2		PRODUCT CUSTOMER DRAWING						
1 PLACE		± 0.2								
0 PLACES		± 0.2		DOCUMENT NUMBER				DOC TYPE	DOC PART	REVISION
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				512810000-SD				PSD	000	A
				MATERIAL NUMBER		CUSTOMER		SHEET NUMBER		
THIRD ANGLE PROJECTION 				DRAWING A3-SIZE		SERIES 51281		SEE SHEET 2 TO 4 GENERAL MARKET		1 OF 4



16	21.4	17.4	4.3	6.3	51281-0898	8
			3.8	5.8	51281-0798	7
			3.3	5.3	51281-0698	6
			2.8	4.8	51281-0598	5
キャリアテープ幅 CARRIER TAPE WIDTH	D	C	(B)	(A)	製品番号 MATERIAL No.	極数 CIRCUIT


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex						
mm		NTS											
GENERAL TOLERANCES (UNLESS SPECIFIED)				0.5 FPC CONN NON-ZIF (HGT=1.2MM) EMBSTP PKG									
ANGULAR TOL ± 3.0 °													
4 PLACES		± 0.2		EC NO: 708402			PRODUCT CUSTOMER DRAWING						
3 PLACES		± 0.2		DRWN: NARENC 2022/05/27									
2 PLACES		± 0.2		CHK'D: SMARUYAMA 2022/05/30									
1 PLACE		± 0.2		APPR: YNAITO 2022/05/30			DOCUMENT NUMBER			DOC TYPE	DOC PART	REVISION	
0 PLACES		± 0.2		INITIAL REVISION:									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				DRWN: NARENC 2022/05/16			512810000-SD		PSD	000	A		
				APPR: YNAITO 2022/05/30									
THIRD ANGLE PROJECTION				DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
				A3-SIZE		51281		SEE TABLE		GENERAL MARKET		2 OF 4	


DOCUMENT STATUS	P1	RELEASE DATE	2022/05/30	07:47:18
-----------------	----	--------------	------------	----------



24mm幅キャリアテープ
24mm WIDTH CARRIER TAPE






24	29.4	25.4	12.3	14.3	51281-2498	24
			11.3	13.3	51281-2298	22
			10.3	12.3	51281-2098	20
			9.3	11.3	51281-1898	18
			8.3	10.3	51281-1698	16
			7.3	9.3	51281-1498	14
			6.3	8.3	51281-1298	12
			5.8	7.8	51281-1198	11
			5.3	7.3	51281-1098	10
			4.8	6.8	51281-0998	9
キャリアテープ幅 CARRIER TAPE WIDTH	D	C	(B)	(A)	製品番号 MATERIAL No.	極数 CIRCUIT

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
DIMENSION UNITS		SCALE		CURRENT REV DESC:		molex				
mm	NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)										
ANGULAR TOL ± 3.0 °										
EC NO: 708402										
4 PLACES ± 0.2		DRWN: NARENC		2022/05/27		0.5 FPC CONN NON-ZIF (HGT=1.2MM) EMBSTP PKG				
3 PLACES ± 0.2		CHK'D: SMARUYAMA		2022/05/30		PRODUCT CUSTOMER DRAWING				
2 PLACES ± 0.2		APPR: YNAITO		2022/05/30						
1 PLACE ± 0.2		INITIAL REVISION:				DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
0 PLACES ± 0.2		DRWN: NARENC		2022/05/16		512810000-SD		PSD	000	A
		APPR: YNAITO		2022/05/30						
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER
				A3-SIZE	51281	SEE TABLE		GENERAL MARKET		3 OF 4




32mm幅キャリアテープ
32mm WIDTH CARRIER TAPE

32		37.4	33.4	13.3	15.3	51281-2698	26			
キャリアテープ幅 CARRIER TAPE WIDTH		D	C	(B)	(A)	製品番号 MATERIAL No.	極数 CIRCUIT			
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
DIMENSION UNITS mm		SCALE NTS			molex 0.5 FPC CONN NON-ZIF (HGT=1.2MM) EMBSTP PKG					
GENERAL TOLERANCES (UNLESS SPECIFIED)		CURRENT REV DESC: EC NO: 708402 DRWN: NARENC CHK'D: SMARUYAMA APPR: YNAITO 2022/05/27 2022/05/30 2022/05/30								
ANGULAR TOL ± 3.0 °										
4 PLACES ± 0.2										
3 PLACES ± 0.2		INITIAL REVISION: DRWN: NARENC APPR: YNAITO 2022/05/16 2022/05/30			PRODUCT CUSTOMER DRAWING					
2 PLACES ± 0.2					DOCUMENT NUMBER			DOC TYPE	DOC PART	REVISION
1 PLACE ± 0.2					512810000-SD			PSD	000	A
0 PLACES ± 0.2										
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER				
			A3-SIZE	51281	SEE TABLE	GENERAL MARKET				
						SHEET NUMBER				
						4 OF 4				




ISO VIEW (参考)



13.5	12.5	15.1	51281-2698	26
12.5	11.5	14.1	51281-2498	24
11.5	10.5	13.1	51281-2298	22
10.5	9.5	12.1	51281-2098	20
9.5	8.5	11.1	51281-1898	18
8.5	7.5	10.1	51281-1698	16
7.5	6.5	9.1	51281-1498	14
6.5	5.5	8.1	51281-1298	12
6.0	5.0	7.6	51281-1198	11
5.5	4.5	7.1	51281-1098	10
5.0	4.0	6.6	51281-0998	9
4.5	3.5	6.1	51281-0898	8
4.0	3.0	5.6	51281-0798	7
3.5	2.5	5.1	51281-0698	6
3.0	2.0	4.6	51281-0598	5

C	B	A	EMBOSSED TAPE	CIRCUIT
			ORDER No. オーダー番号	
CONNECTOR SERIES NO. : 51281-**48				

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE	CURRENT REV DESC:				molex				
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)			EC NO: 708402 DRWN: NARENC 2022/05/27 CHK'D: SMARUYAMA 2022/05/30 APPR: YNAITO 2022/05/30				0.5 FPC CONN NON-ZIF HSG ASSY (HGT=1.2MM)				
ANGULAR TOL ± 3.0 °							PRODUCT CUSTOMER DRAWING				
4 PLACES		± 0.2					DOCUMENT NUMBER		DOC TYPE	DOC PART	REVIS
3 PLACES		± 0.2					512811000-SD		PSD	000	A
2 PLACES		± 0.2					INITIAL REVISION:				
1 PLACE		± 0.2	DRWN: NARENC 2022/05/17								
0 PLACES		± 0.2	APPR: YNAITO 2022/05/30								
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
				A3-SIZE	51281	SEE TABLE		GENERAL MARKET		1 OF 2	

