



**ENGINEERING NO. - NUMERICAL CODE** (Available parts see PART LIST table. Other parts available upon request).








## OPTIONS

Overmold color:  
Blank (Standard)=Black TPU  
Blank=Yellow PVC for cables  
A09, S19, S20, S26  
Blank=Yellow TPE-E for cables  
K03, K05  
A=Grey / G=Black / Y=Yellow


Coupling Nut:  
Blank (Standard)=Knurled Brass Ni Plated \_\_\_\_\_  
1=Hexagonal Stainless steel \_\_\_\_\_  
5=Knurled Derlin \_\_\_\_\_  
7=Knurled Brass Ni Plated, Teflon Coated \_\_\_\_\_  
Blank=7 for cables I20, I26, K03, K05, P82, S26  
8=Type 316 stainless steel \_\_\_\_\_  
9=Knurled / Hexagonal Brass Ni Plated SW13 \_\_\_\_\_

H= 2 pcs. of I/D Carrier PVC Transparent  
(Cables lxx & P82 always with 2 pcs. of —  
I/D Carrier even if no H in Engineering No.)

COUPLING NUT  
FEMALE MALE



| CABLE LENGTH TOLERANCES |                          |                        |
|-------------------------|--------------------------|------------------------|
| OVER [mm]               | UP TO AND INCLUDING [mm] | TOLERANCES [mm]        |
| 0                       | 305                      | +19                    |
| 305                     | 915                      | +45                    |
| 915                     | 1830                     | +56                    |
| 1830                    | 3660                     | +89                    |
| 3660                    | 7320                     | +165                   |
| 7320                    | 14640                    | +317                   |
| 14640                   | 30500                    | +610                   |
| 30500                   | >                        | +2% OF FINISHED LENGTH |

|                                                                                                                                               |  |                                                                                       |  |                                                              |  |          |  |                 |  |                |  |              |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|--|--------------------------------------------------------------|--|----------|--|-----------------|--|----------------|--|--------------|--|
| THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |  |                                                                                       |  |                                                              |  |          |  |                 |  |                |  |              |  |
| DIMENSION UNITS<br>mm                                                                                                                         |  | SCALE<br>1:1                                                                          |  | CURRENT REV DESC: OBSOLETE PART NUMBERS<br>AS PER PCN#506884 |  | molex    |  |                 |  |                |  |              |  |
| GENERAL TOLERANCES<br>(UNLESS SPECIFIED)                                                                                                      |  |                                                                                       |  |                                                              |  |          |  |                 |  |                |  |              |  |
| ANGULAR TOL ± 1.0°                                                                                                                            |  | EC NO: 662770                                                                         |  | CSE M12 XP AC FE STR MA STR XM DE                            |  |          |  |                 |  |                |  |              |  |
| 4 PLACES ±                                                                                                                                    |  | DRWN: SUGEEB 2021/02/23                                                               |  |                                                              |  |          |  |                 |  |                |  |              |  |
| 3 PLACES ±                                                                                                                                    |  | CHK'D: GGA 2021/06/02                                                                 |  | PRODUCT CUSTOMER DRAWING                                     |  |          |  |                 |  |                |  |              |  |
| 2 PLACES ± 0.05                                                                                                                               |  | APPR: GGA 2021/06/02                                                                  |  |                                                              |  |          |  |                 |  |                |  |              |  |
| 1 PLACE ± 0.3                                                                                                                                 |  | INITIAL REVISION:                                                                     |  | DOCUMENT NUMBER                                              |  | DOC TYPE |  | DOC PART        |  | REVISION       |  |              |  |
| 0 PLACES ± 0.5                                                                                                                                |  | DRWN: JMARSZALEK 2016/09/19                                                           |  | 1200668165                                                   |  | PSD      |  | 000             |  | A4             |  |              |  |
| APPR: RSILLER 2016/12/08                                                                                                                      |  |                                                                                       |  |                                                              |  |          |  |                 |  |                |  |              |  |
| DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS                                                                                    |  | THIRD ANGLE PROJECTION                                                                |  | DRAWING                                                      |  | SERIES   |  | MATERIAL NUMBER |  | CUSTOMER       |  | SHEET NUMBER |  |
|                                                                                                                                               |  |  |  | A3-SIZE                                                      |  | 120066   |  | SEE TABLE       |  | GENERAL MARKET |  | 2 OF 5       |  |

|                 |    |              |            |          |
|-----------------|----|--------------|------------|----------|
| DOCUMENT STATUS | P1 | RELEASE DATE | 2021/06/02 | 05:45:39 |
|-----------------|----|--------------|------------|----------|

CABLE INFORMATION(for more information see Cable Data Sheet).

| CABLE TYPE | NO. OF WIRES | CROSS SECTION | CABLE JACKET   | UL             | CSA                   | STATIC: TEMP. / BENDING RADIUS | DYNAMIC: TEMP. / BENDING RADIUS | DRAG CHAIN                 | SHIELD |
|------------|--------------|---------------|----------------|----------------|-----------------------|--------------------------------|---------------------------------|----------------------------|--------|
| A09        | 4            | 22AWG         | PVC YELLOW     | UL 2661        | I/II A/B 80°C/300V    | -                              | -                               | -                          | -      |
| B02        | 4            | 18AWG         | PUR YELLOW     | UL 20549       | I/II A/B 80°C/300V    | -                              | -                               | -                          | -      |
| E52        | 3 / 4        | 0.34mm²       | PVC GREY       | -              | -                     | -30°C to +70°C                 | -5°C to +70°C                   | -                          | -      |
| E57        | 5            | 0.34mm²       | PVC GREY       | -              | -                     | -                              | -5°C to +70°C                   | -                          | -      |
| I02        | 3 / 4 / 8    | 0.25mm²       | PVC CEI GREY   | -              | -                     | -30°C to +70°C                 | -5°C to +70°C                   | -                          | -      |
| I03        | 3 / 4 / 5    | 0.34mm²       | PVC CEI GREY   | -              | -                     | -30°C to +70°C                 | -5°C to +70°C                   | -                          | -      |
| I20        | 3 / 4        | 0.34mm²       | PVC CEI GREY   | -              | -                     | -30°C to +70°C                 | -5°C to +70°C                   | -                          | YES    |
| I26        | 5            | 0.34mm²       | PVC CEI GREY   | -              | -                     | -30°C to +70°C                 | -5°C to +70°C                   | -                          | YES    |
| K03        | 4 / 5        | 18AWG         | TPE YELLOW     | UL ITC or PLC  | I/II A/B 90°C/300V    | max 105°C                      | -                               | -                          | -      |
| K05        | 3 / 4 / 5    | 22AWG         | TPE YELLOW     | UL ITC or PLTC | I/II A/B 90°C/300V    | max 105°C                      | -                               | -                          | -      |
| P04        | 4            | 0.50mm²       | PUR BLACK      | -              | -                     | -40°C to +90°C, >7.5xO.D.      | -15°C to +90°C, >12.5xO.D.      | -                          | -      |
| P19        | 8            | 0.25mm²       | PUR BLACK      | -              | -                     | -40°C to +90°C, >7.5xO.D.      | -15°C to +90°C, >12.5xO.D.      | 2 000 000 cycles, >15xO.D. | YES    |
| P20        | 3 / 4 / 5    | 0.34mm²       | PUR BLACK LS0H | -              | -                     | -30°C to +80°C                 | -                               | -                          | YES    |
| P82        | 3 / 4 / 5    | 0.34mm²       | PUR IRR ORANGE | -              | -                     | -50°C to +105°C, >5xO.D.       | -40°C to +105°C, >7.5xO.D.      | -                          | -      |
| S19        | 8            | 0.25mm²       | PVC YELLOW     | UL 2661/1569   | C22.2 II A 105°C/300V | -30°C to +105°C, >10xO.D.      | -15°C to +105°C, >15xO.D.       | -                          | YES    |
| S20        | 3 / 4 / 5    | 0.34mm²       | PVC YELLOW     | UL 2661/1731   | C22.2 II A 105°C/300V | -30°C to +105°C                | -                               | -                          | YES    |
| S26        | 5            | 0.34mm²       | PVC YELLOW     | UL 2661/1731   | C22.2 II A 105°C/300V | -30°C to +105°C                | -                               | -                          | YES    |

|                                                                                                                                               |  |         |  |                                                               |        |           |                                                                                                   |                 |  |                                        |          |          |
|-----------------------------------------------------------------------------------------------------------------------------------------------|--|---------|--|---------------------------------------------------------------|--------|-----------|---------------------------------------------------------------------------------------------------|-----------------|--|----------------------------------------|----------|----------|
| THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |  |         |  |                                                               |        |           |                                                                                                   |                 |  |                                        |          |          |
| DIMENSION UNITS                                                                                                                               |  | SCALE   |  | CURRENT REV DESC: OBSOLETED PART NUMBERS<br>AS PER PCN#506884 |        |           | <div>molex</div> <div>CSE M12 XP AC FE STR MA STR XM DE</div> <div>PRODUCT CUSTOMER DRAWING</div> |                 |  |                                        |          |          |
| mm                                                                                                                                            |  | 1:1     |  |                                                               |        |           |                                                                                                   |                 |  |                                        |          |          |
| GENERAL TOLERANCES (UNLESS SPECIFIED)                                                                                                         |  |         |  | EC NO: 662770<br>DRWN: SUGEEB<br>CHK'D: GGA<br>APPR: GGA      |        |           |                                                                                                   |                 |  | 2021/02/23<br>2021/06/02<br>2021/06/02 |          |          |
| ANGULAR TOL                                                                                                                                   |  | ± 1.0 ° |  |                                                               |        |           |                                                                                                   |                 |  |                                        |          |          |
| 4 PLACES                                                                                                                                      |  | ±       |  |                                                               |        |           |                                                                                                   |                 |  |                                        |          |          |
| 3 PLACES                                                                                                                                      |  | ±       |  |                                                               |        |           |                                                                                                   |                 |  |                                        |          |          |
| 2 PLACES                                                                                                                                      |  | ± 0.05  |  |                                                               |        |           |                                                                                                   |                 |  |                                        |          |          |
| 1 PLACE                                                                                                                                       |  | ± 0.3   |  | INITIAL REVISION:<br>DRWN: JMARSZALEK<br>APPR: RSILLER        |        |           | 2016/09/19<br>2016/12/08                                                                          |                 |  |                                        |          |          |
| 0 PLACES                                                                                                                                      |  | ± 0.5   |  |                                                               |        |           |                                                                                                   |                 |  |                                        |          |          |
| DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS                                                                                    |  |         |  | THIRD ANGLE PROJECTION                                        |        | DRAWING   | SERIES                                                                                            | DOCUMENT NUMBER |  | DOC TYPE                               | DOC PART | REVISION |
|                                                                                                                                               |  |         |  | A3-SIZE                                                       | 120066 | SEE TABLE |                                                                                                   | GENERAL MARKET  |  | 3 OF 5                                 |          |          |
|                                                                                                                                               |  |         |  |                                                               |        |           |                                                                                                   | 1200668165      |  | PSD                                    | 000      | A4       |

|                          |  |  |  |            |  |  |  |                 |  |  |  |              |  |  |  |          |  |  |  |            |  |  |  |                 |  |  |  |              |  |  |  |     |  |  |  |            |  |  |  |                 |  |  |  |              |  |  |  |
|--------------------------|--|--|--|------------|--|--|--|-----------------|--|--|--|--------------|--|--|--|----------|--|--|--|------------|--|--|--|-----------------|--|--|--|--------------|--|--|--|-----|--|--|--|------------|--|--|--|-----------------|--|--|--|--------------|--|--|--|
| 10                       |  |  |  | 9          |  |  |  | 8               |  |  |  | 7            |  |  |  | 6        |  |  |  | 5          |  |  |  | 4               |  |  |  | 3            |  |  |  | 2   |  |  |  | 1          |  |  |  |                 |  |  |  |              |  |  |  |
| PART LIST                |  |  |  |            |  |  |  |                 |  |  |  |              |  |  |  |          |  |  |  |            |  |  |  |                 |  |  |  |              |  |  |  |     |  |  |  |            |  |  |  |                 |  |  |  |              |  |  |  |
| No.                      |  |  |  | Part No.   |  |  |  | Engineering No. |  |  |  | Cable Length |  |  |  | No.      |  |  |  | Part No.   |  |  |  | Engineering No. |  |  |  | Cable Length |  |  |  | No. |  |  |  | Part No.   |  |  |  | Engineering No. |  |  |  | Cable Length |  |  |  |
| 1                        |  |  |  | 1200070023 |  |  |  | 884030S20M060H  |  |  |  | 6m           |  |  |  | 48       |  |  |  | 1200071238 |  |  |  | 884030S20M015H  |  |  |  | 1.5m         |  |  |  | 95  |  |  |  | 1200660887 |  |  |  | 884030K03M030   |  |  |  | 3m           |  |  |  |
| 2                        |  |  |  | 1200070095 |  |  |  | 883030I03M003   |  |  |  | 0.3m         |  |  |  | 49       |  |  |  | 1200071254 |  |  |  | 884030P82M050   |  |  |  | 5m           |  |  |  | 96  |  |  |  | 1200660891 |  |  |  | 884030K03M040   |  |  |  | 4m           |  |  |  |
| 3                        |  |  |  | 1200070096 |  |  |  | 883030I03M006   |  |  |  | 0.6m         |  |  |  | 50       |  |  |  | 1200071264 |  |  |  | 884030S20M040H  |  |  |  | 4m           |  |  |  | 97  |  |  |  | 1200660895 |  |  |  | 884030K03M050   |  |  |  | 5m           |  |  |  |
| 4                        |  |  |  | 1200070097 |  |  |  | 883030I03M010   |  |  |  | 1m           |  |  |  | 51       |  |  |  | 1200071272 |  |  |  | 884030S20M005   |  |  |  | 0.5m         |  |  |  | 98  |  |  |  | 1200660898 |  |  |  | 884030K03M060   |  |  |  | 6m           |  |  |  |
| 5                        |  |  |  | 1200070098 |  |  |  | 883030I03M020   |  |  |  | 2m           |  |  |  | 52       |  |  |  | 1200071279 |  |  |  | 885030I26M050   |  |  |  | 5m           |  |  |  | 99  |  |  |  | 1200660899 |  |  |  | 884030K03M070   |  |  |  | 7m           |  |  |  |
| 6                        |  |  |  | 1200070099 |  |  |  | 883030I03M030   |  |  |  | 3m           |  |  |  | 53       |  |  |  | 1200071338 |  |  |  | 884030I20M030   |  |  |  | 3m           |  |  |  | 100 |  |  |  | 1200660900 |  |  |  | 884030K03M080   |  |  |  | 8m           |  |  |  |
| 7                        |  |  |  | 1200070100 |  |  |  | 883030I03M050   |  |  |  | 5m           |  |  |  | 54       |  |  |  | 1200071343 |  |  |  | 883030E52M003A  |  |  |  | 0.3m         |  |  |  | 101 |  |  |  | 1200660901 |  |  |  | 884030K03M090   |  |  |  | 9m           |  |  |  |
| 8                        |  |  |  | 1200070101 |  |  |  | 883030I03M100   |  |  |  | 10m          |  |  |  | 55       |  |  |  | 1200071428 |  |  |  | 884030P82M0407  |  |  |  | 4m           |  |  |  | 102 |  |  |  | 1200660902 |  |  |  | 884030K03M100   |  |  |  | 10m          |  |  |  |
| 9                        |  |  |  | 1200070110 |  |  |  | 883030S20M010   |  |  |  | 1m           |  |  |  | 56       |  |  |  | 1200071501 |  |  |  | 884030P82M003   |  |  |  | 0.3m         |  |  |  | 103 |  |  |  | 1200660904 |  |  |  | 884030K03M120   |  |  |  | 12m          |  |  |  |
| 10                       |  |  |  | 1200070111 |  |  |  | 883030S20M020   |  |  |  | 2m           |  |  |  | 57       |  |  |  | 1200071580 |  |  |  | 884030P82M030   |  |  |  | 3m           |  |  |  | 104 |  |  |  | 1200660905 |  |  |  | 884030K03M140   |  |  |  | 14m          |  |  |  |
| 11                       |  |  |  | 1200070480 |  |  |  | 884030I03M010   |  |  |  | 1m           |  |  |  | 58       |  |  |  | 1200071582 |  |  |  | 884030P82M015   |  |  |  | 1.5m         |  |  |  | 105 |  |  |  | 1200660906 |  |  |  | 884030K03M150   |  |  |  | 15m          |  |  |  |
| 12                       |  |  |  | 1200070481 |  |  |  | 884030I03M020   |  |  |  | 2m           |  |  |  | 59       |  |  |  | 1200071624 |  |  |  | 884030E52M030A  |  |  |  | 3m           |  |  |  | 106 |  |  |  | 1200660907 |  |  |  | 884030K03M160   |  |  |  | 16m          |  |  |  |
| 13                       |  |  |  | 1200070483 |  |  |  | 884030I03M050   |  |  |  | 5m           |  |  |  | 60       |  |  |  | 1200071627 |  |  |  | 884030I03M0205  |  |  |  | 2m           |  |  |  | 107 |  |  |  | 1200660909 |  |  |  | 884030K03M200   |  |  |  | 20m          |  |  |  |
| 14                       |  |  |  | 1200070484 |  |  |  | 884030I03M060   |  |  |  | 6m           |  |  |  | 61       |  |  |  | 1200071647 |  |  |  | 884030P82M0307  |  |  |  | 3m           |  |  |  | 108 |  |  |  | 1200660911 |  |  |  | 884030K03M250   |  |  |  | 25m          |  |  |  |
| 15                       |  |  |  | 1200070485 |  |  |  | 884030I03M100   |  |  |  | 10m          |  |  |  | 62       |  |  |  | 1200072106 |  |  |  | 885030I26M005   |  |  |  | 0.5m         |  |  |  | 109 |  |  |  | 1200660915 |  |  |  | 884030K05M070   |  |  |  | 7m           |  |  |  |
| 16                       |  |  |  | 1200070494 |  |  |  | 884030P82M0057  |  |  |  | 0.5m         |  |  |  | 63       |  |  |  | 1200072359 |  |  |  | 885030I26M015   |  |  |  | 1.5m         |  |  |  | 110 |  |  |  | 1200660918 |  |  |  | 884030K05M140   |  |  |  | 14m          |  |  |  |
| 17                       |  |  |  | 1200070499 |  |  |  | 884030S20M020   |  |  |  | 2m           |  |  |  | 64       |  |  |  | 1200072601 |  |  |  | 884030P82M0201  |  |  |  | 2m           |  |  |  | 111 |  |  |  | 1200660921 |  |  |  | 884030K05M200   |  |  |  | 20m          |  |  |  |
| 18                       |  |  |  | 1200070500 |  |  |  | 884030S20M030   |  |  |  | 3m           |  |  |  | 65       |  |  |  | 1200660271 |  |  |  | 884030A09M020   |  |  |  | 2m           |  |  |  | 112 |  |  |  | 1200660922 |  |  |  | 884030K05M210   |  |  |  | 21m          |  |  |  |
| 19                       |  |  |  | 1200070502 |  |  |  | 884030S20M050   |  |  |  | 5m           |  |  |  | 66       |  |  |  | 1200660273 |  |  |  | 884030A09M0208  |  |  |  | 2m           |  |  |  | 113 |  |  |  | 1200661034 |  |  |  | 885030K03M010   |  |  |  | 1m           |  |  |  |
| 20                       |  |  |  | 1200070504 |  |  |  | 884030S20M100   |  |  |  | 10m          |  |  |  | 67       |  |  |  | 1200660277 |  |  |  | 884030A09M030   |  |  |  | 3m           |  |  |  | 114 |  |  |  | 1200661035 |  |  |  | 885030K03M020   |  |  |  | 2m           |  |  |  |
| 21                       |  |  |  | 1200070597 |  |  |  | 885030S26M010   |  |  |  | 1m           |  |  |  | 68       |  |  |  | 1200660286 |  |  |  | 884030A09M0508  |  |  |  | 5m           |  |  |  | 115 |  |  |  | 1200661036 |  |  |  | 885030K03M030   |  |  |  | 3m           |  |  |  |
| 22                       |  |  |  | 1200070653 |  |  |  | 884030E52M200A  |  |  |  | 20m          |  |  |  | 69       |  |  |  | 1200660291 |  |  |  | 884030A09M070   |  |  |  | 7m           |  |  |  | 116 |  |  |  | 1200661038 |  |  |  | 885030K03M050   |  |  |  | 5m           |  |  |  |
| 23                       |  |  |  | 1200070774 |  |  |  | 884030I03M006   |  |  |  | 0.6m         |  |  |  | 70       |  |  |  | 1200660683 |  |  |  | 884030K05M003   |  |  |  | 0.3m         |  |  |  | 117 |  |  |  | 1200661042 |  |  |  | 885030K03M090   |  |  |  | 9m           |  |  |  |
| 24                       |  |  |  | 1200070785 |  |  |  | 884030I03M030   |  |  |  | 3m           |  |  |  | 71       |  |  |  | 1200660684 |  |  |  | 884030K05M005   |  |  |  | 0.5m         |  |  |  | 118 |  |  |  | 1200661043 |  |  |  | 885030K03M100   |  |  |  | 10m          |  |  |  |
| 25                       |  |  |  | 1200070798 |  |  |  | 884030P82M010   |  |  |  | 1m           |  |  |  | 72       |  |  |  | 1200660686 |  |  |  | 884030K05M006   |  |  |  | 0.6m         |  |  |  | 119 |  |  |  | 1200661044 |  |  |  | 885030K03M150   |  |  |  | 15m          |  |  |  |
| 26                       |  |  |  | 1200070799 |  |  |  | 884030P82M020   |  |  |  | 2m           |  |  |  | 73       |  |  |  | 1200660687 |  |  |  | 884030K05M010   |  |  |  | 1m           |  |  |  | 120 |  |  |  | 1200661434 |  |  |  | 884030E52M020A  |  |  |  | 2m           |  |  |  |
| 27                       |  |  |  | 1200070867 |  |  |  | 884030E52M100A  |  |  |  | 10m          |  |  |  | 74       |  |  |  | 1200660688 |  |  |  | 884030K05M015   |  |  |  | 1.5m         |  |  |  | 121 |  |  |  | 1200661438 |  |  |  | 884030K05M250   |  |  |  | 25m          |  |  |  |
| 28                       |  |  |  | 1200070890 |  |  |  | 885030I26M010   |  |  |  | 1m           |  |  |  | 75       |  |  |  | 1200660689 |  |  |  | 884030K05M020   |  |  |  | 2m           |  |  |  | 122 |  |  |  | 1200661441 |  |  |  | 884030K05M190   |  |  |  | 19m          |  |  |  |
| 29                       |  |  |  | 1200070891 |  |  |  | 885030I26M020   |  |  |  | 2m           |  |  |  | 76       |  |  |  | 1200660690 |  |  |  | 884030K05M030   |  |  |  | 3m           |  |  |  | 123 |  |  |  | 1200661472 |  |  |  | 884030E52M050A  |  |  |  | 5m           |  |  |  |
| 30                       |  |  |  | 1200070892 |  |  |  | 885030I26M030   |  |  |  | 3m           |  |  |  | 77       |  |  |  | 1200660691 |  |  |  | 884030K05M040   |  |  |  | 4m           |  |  |  | 124 |  |  |  | 1200661543 |  |  |  | 884030K03M180   |  |  |  | 18m          |  |  |  |
| 31                       |  |  |  | 1200070937 |  |  |  | 884030P82M100   |  |  |  | 10m          |  |  |  | 78       |  |  |  | 1200660692 |  |  |  | 884030K05M050   |  |  |  | 5m           |  |  |  | 125 |  |  |  | 1200661574 |  |  |  | 888030S19M120   |  |  |  | 12m          |  |  |  |
| 32                       |  |  |  | 1200070956 |  |  |  | 883030E52M020A  |  |  |  | 2m           |  |  |  | 79       |  |  |  | 1200660693 |  |  |  | 884030K05M060   |  |  |  | 6m           |  |  |  | 126 |  |  |  | 1200661575 |  |  |  | 888030S19M030   |  |  |  | 3m           |  |  |  |
| 33                       |  |  |  | 1200070961 |  |  |  | 885030I03M030   |  |  |  | 3m           |  |  |  | 80       |  |  |  | 1200660694 |  |  |  | 884030K05M080   |  |  |  | 8m           |  |  |  | 127 |  |  |  | 1200661576 |  |  |  | 888030S19M050   |  |  |  | 5m           |  |  |  |
| 34                       |  |  |  | 1200071026 |  |  |  | 884030E52M010A  |  |  |  | 1m           |  |  |  | 81       |  |  |  | 1200660695 |  |  |  | 884030K05M100   |  |  |  | 10m          |  |  |  | 128 |  |  |  | 1200661577 |  |  |  | 888030S19M100   |  |  |  | 10m          |  |  |  |
| 35                       |  |  |  | 1200071035 |  |  |  | 884030S20M010H  |  |  |  | 1m           |  |  |  | 82       |  |  |  | 1200660696 |  |  |  | 884030K05M120   |  |  |  | 12m          |  |  |  | 129 |  |  |  | 1200661664 |  |  |  | 885030K03M005   |  |  |  | 0.5m         |  |  |  |
| 36                       |  |  |  | 1200071066 |  |  |  | 884030P82M0067  |  |  |  | 0.6m         |  |  |  | 83       |  |  |  | 1200660697 |  |  |  | 884030K05M150   |  |  |  | 15m          |  |  |  | 130 |  |  |  | 1200661685 |  |  |  | 885030K03M120   |  |  |  | 12m          |  |  |  |
| 37                       |  |  |  | 1200071067 |  |  |  | 884030P82M0037  |  |  |  | 0.3m         |  |  |  | 84       |  |  |  | 1200660698 |  |  |  | 884030K05M180   |  |  |  | 18m          |  |  |  | 131 |  |  |  | 1200661906 |  |  |  | 884030K03M500   |  |  |  | 50m          |  |  |  |
| 38                       |  |  |  | 1200071068 |  |  |  | 884030P82M0107  |  |  |  | 1m           |  |  |  | 85       |  |  |  | 1200660699 |  |  |  | 884030K05M230   |  |  |  | 23m          |  |  |  | 132 |  |  |  | 1200665012 |  |  |  | 885030P82M0307  |  |  |  | 3m           |  |  |  |
| 39                       |  |  |  | 1200071069 |  |  |  | 884030P82M0157  |  |  |  | 1.5m         |  |  |  | 86       |  |  |  | 1200660700 |  |  |  | 884030K05M300   |  |  |  | 30m          |  |  |  |     |  |  |  |            |  |  |  |                 |  |  |  |              |  |  |  |
| 40                       |  |  |  | 1200071088 |  |  |  | 884030P82M0207  |  |  |  | 2m           |  |  |  | 87       |  |  |  | 1200660857 |  |  |  | 884030B02M020   |  |  |  | 2m           |  |  |  |     |  |  |  |            |  |  |  |                 |  |  |  |              |  |  |  |
| 41                       |  |  |  | 1200071137 |  |  |  | 884030S20M030H  |  |  |  | 3m           |  |  |  | 88       |  |  |  | 1200660860 |  |  |  | 884030B02M030   |  |  |  | 3m           |  |  |  |     |  |  |  |            |  |  |  |                 |  |  |  |              |  |  |  |
| 42                       |  |  |  | 1200071141 |  |  |  | 884030S20M020H  |  |  |  | 2m           |  |  |  | 89       |  |  |  | 1200660862 |  |  |  | 884030B02M050   |  |  |  | 5m           |  |  |  |     |  |  |  |            |  |  |  |                 |  |  |  |              |  |  |  |
| 43                       |  |  |  | 1200071161 |  |  |  | 884030S20M100H  |  |  |  | 10m          |  |  |  | 90       |  |  |  | 1200660867 |  |  |  | 884030B02M100   |  |  |  | 10m          |  |  |  |     |  |  |  |            |  |  |  |                 |  |  |  |              |  |  |  |
| 44                       |  |  |  | 1200071162 |  |  |  | 884030P82M006   |  |  |  | 0.6m         |  |  |  | 91       |  |  |  | 1200660878 |  |  |  | 884030K03M003   |  |  |  | 0.3m         |  |  |  |     |  |  |  |            |  |  |  |                 |  |  |  |              |  |  |  |
| 45                       |  |  |  | 1200071178 |  |  |  | 884030S20M006H  |  |  |  | 0.6m         |  |  |  | 92       |  |  |  | 1200660880 |  |  |  | 884030K03M006   |  |  |  | 0.6m         |  |  |  |     |  |  |  |            |  |  |  |                 |  |  |  |              |  |  |  |
| 46                       |  |  |  | 1200071188 |  |  |  | 884030S20M050H  |  |  |  | 5m           |  |  |  | 93       |  |  |  | 1200660881 |  |  |  | 884030K03M010   |  |  |  | 1m           |  |  |  |     |  |  |  |            |  |  |  |                 |  |  |  |              |  |  |  |
| 47                       |  |  |  | 1200071237 |  |  |  | 884030S20M005H  |  |  |  | 0.5m         |  |  |  | 94       |  |  |  | 1200660883 |  |  |  | 884030K03M020   |  |  |  | 2m           |  |  |  |     |  |  |  |            |  |  |  |                 |  |  |  |              |  |  |  |
| DOCUMENT STATUS          |  |  |  | P1         |  |  |  | RELEASE DATE    |  |  |  | 2021/06/02   |  |  |  | 05:45:39 |  |  |  |            |  |  |  |                 |  |  |  |              |  |  |  |     |  |  |  |            |  |  |  |                 |  |  |  |              |  |  |  |
| FORMAT: master-B-prod-A3 |  |  |  |            |  |  |  | 9               |  |  |  | 8            |  |  |  | 7        |  |  |  | 6          |  |  |  | 5               |  |  |  | 4            |  |  |  | 3   |  |  |  | 2          |  |  |  | 1               |  |  |  |              |  |  |  |
| REVISION: J              |  |  |  |            |  |  |  |                 |  |  |  |              |  |  |  |          |  |  |  |            |  |  |  |                 |  |  |  |              |  |  |  |     |  |  |  |            |  |  |  |                 |  |  |  |              |  |  |  |
| DATE: 2020/01/14         |  |  |  |            |  |  |  |                 |  |  |  |              |  |  |  |          |  |  |  |            |  |  |  |                 |  |  |  |              |  |  |  |     |  |  |  |            |  |  |  |                 |  |  |  |              |  |  |  |



