

EVK-M8xZOE

Evaluation kits for ZOE-M8 series


Highlights

- Easy to use
- Extensive visualization and evaluation features
- Supports AssistNow Online, AssistNow Offline and AssistNow Autonomous A-GNSS services
- All ports accessible outside
- USB (V2.0 compatible) available for power supply and data transfer

Experience u-blox EVK-M8xZOE performance in 4 simple steps:

- Step 1:** Download EVK-M8xZOE software (and documentation) and install the software
- Step 2:** Connect the Evaluation Kit to a PC with the USB cable ("Interface Switch" at RS232 / USB side)
- Step 3:** Connect to active antenna or connect to simulator
- Step 4:** Start u-center

For EVK-M8xZOE Quick Start Guide, see start.u-blox.com.



Kit includes

- EVK-M8GZOE or EVK-M8BZOE unit
- USB cable
- Active GNSS antenna with 3 m cable

Features

- Micro USB for easy connection to a PC
- 20-pin connector for access to interface pins
- 9-pin D-SUB female connector to provide a standard RS232 interface
- Switch to select between RS232 / USB and SPI communication interface
- Onboard LED to indicate power supply and GNSS fix (only available on EVK-M8GZOE)
- RF_IN (Passive): connect with simulator
- RF_IN (Active): connect with external active GNSS antenna

u-center GNSS evaluation software

EVK-M8xZOE software package includes u-center, which is an interactive tool for configuration, testing, visualization and data analysis of positioning chips and modules. u-center provides useful assistance during all phases of a system integration project.

Product description

The EVK-M8xZOE evaluation kits make evaluating the ultra small concurrent ZOE-M8 GNSS SiPs (System in Package) simple. The built-in USB interface provides both power supply and high speed data transfer, and eliminates the need for an external power supply. The u-blox EVK-M8xZOE evaluation kit is compact, and its user-friendly interfaces and power supply make it ideally suited for use in laboratories, vehicles and outdoor locations. Furthermore, it can be used with a PDA or notebook PC, and serves as reference design, making it the perfect companion through all stages of design-in

System requirements

- PC with USB 2.0 or RS232 interface
- Operating system: Windows 7 onwards (x86 and x64 versions)
- Windows system will automatically search and install USB driver

Ordering information

EVK-M8GZOE-0	u-blox M8 GNSS evaluation kit, supports ZOE-M8G and ZOE-M8Q
EVK-M8BZOE-0	u-blox M8 low power GNSS evaluation kit, supports ZOE-M8B

Legal Notice

u-blox reserves all rights to this document and the information contained herein. Products, names, logos and designs described herein may in whole or in part be subject to intellectual property rights. Reproduction, use, modification and disclosure to third parties of this document or any part thereof without the express permission of u-blox is strictly prohibited.

The information contained herein is provided "as is". No warranty of any kind, either express or implied, is made in relation to the accuracy, reliability, fitness for a particular purpose or content of this document. This document may be revised by u-blox at any time. For most recent documents, please visit www.u-blox.com.

Copyright © 2017, u-blox AG

Contact us

For contact information, see www.u-blox.com/contact-us.