


FEMALE PLUG M12 STRAIGHT



NOTES:

RATED VOLTAGE: 3, 4 contacts 250V

5 contacts 60V



8 contacts 30V

RATED CURRENT: 3, 4, 5 contacts 4A


8 contacts 2A

PROTECTION CLASS: IP 67

TEMPERATURE: -25°C / +85°C



Thicker Overmold for Cables with bigger Outer Diameter



CONTACTS POSITION FRONT VIEW:

3 CONTACTS		4 CONTACTS		5 CONTACTS		8 CONTACTS	
PIN	WIRE	PIN	WIRE	PIN	WIRE	PIN	WIRE
1	BROWN	1	BROWN	1	BROWN	1	WHITE
2	---	2	WHITE	2	WHITE	2	BROWN
3	BLUE	3	BLUE	3	BLUE	3	GREEN
4	BLACK	4	BLACK	4	BLACK	4	YELLOW
5	---	5	---	5	GREY	5	GREY
						6	PINK
						7	BLUE
						8	RED
CODING REQUIRED TO IEC 61076-2-101							

FOR OPTIONS SEE - NUMERICAL CODE - ON SHEET 2

8	SEE MATRIX	ID CARRIER	PVC	TRANSPARENT
7	1	LABEL YELLOW	VINYL	---
6	-	CABLE	SEE SHEET 2	---
5	-	OVERMOLDING	TPU	SEE PART LIST
4	1	COUPLING NUT FEMALE	SEE PART LIST	SEE PART LIST
3	1	INSERT FEMALE BLACK	PUR	---
2	1	ORING RED	FPM	---
1	3 / 4 / 5	CONTACT M12 FEMALE	BRONZE	SELECTIVE Au OVER Ni
	8		BRASS	SELECTIVE Au OVER Ni
ITEM	QTY.	DESCRIPTION	MATERIAL	FINISH

FUNCTIONAL SYMBOLS </
--

ENGINEERING NO. - NUMERICAL CODE (Available parts see PART LIST table. Others on request).

OPTIONS

8 0 X 0 0 0 X X X X X X X X X

80=M12x1
Single ended

Contacts:
3=3 Contacts
4=4 Contacts
5=5 Contacts
8=8 Contacts

Heads style:
000=Plug Female Straight

Cable type: See Table

Units:
M=Meter


Length
Examples:
005=0.5 unit
010=1 unit
100=10 units

Overmold color:
Blank (Standard)=Black
A=Grey / G=Black / Y=Yellow

Coupling Nut:
Blank (Standard) & 3=Knurled Brass Ni Plated
1=Hexagonal Stainless steel
5=Knurled Derlin
7=Knurled Brass Ni Plated, Teflon Coated
9=Knurled / Hexagonal Brass Ni Plated

H= 2 pcs. of I/D Carrier PVC Transparent

COUPLING NUTS




CABLE INFORMATION (for more information see Cable Data Sheet).

CABLE TYPE	NO. OF WIRES	CROSS SECTION	CABLE JACKET	UL	CSA	STATIC: TEMP. / BENDING RADIUS	DYNAMIC: TEMP. / BENDING RADIUS	DRAG CHAIN	SHIELD
E02	3 / 4 / 5 / 8	0.25mm ²	PVC BLACK	UL 2464/1729	C22.2 I/II A/B 80°C/300V	-30°C to +80°C, 10xO.D.	-10°C to +80°C, 15xO.D.	-	-
E03	3 / 4 / 5	0.34mm ²	PVC BLACK	UL 2464/1729	C22.2 I/II A/B 80°C/300V	-30°C to +80°C, 10xO.D.	-10°C to +80°C, 15xO.D.	-	-
H08	3 / 4 / 5 / 8	0.25mm ²	PUR BLACK LS0H	UL 21198/10493	C22.2 I/II A/B 80°C/300V	-40°C to +80°C, 5xO.D.	-25°C to +80°C, 10xO.D.	2 000 000 cycles at 20°C, Temp. range +5°C to +60°C	-
H09	3 / 4 / 5	0.34mm ²	PUR BLACK LS0H	UL 21198/10493	C22.2 I/II A/B 80°C/300V	-40°C to +80°C, 5xO.D.	-25°C to +80°C, 10xO.D.	2 000 000 cycles at 20°C, Temp. range +5°C to +60°C	-
P02	3 / 4 / 5 / 8	0.25mm ²	PUR / PVC BLACK	-	-	-30°C to +80°C, 7xO.D.	-5°C to +80°C, 15xO.D.	-	-
P03	3 / 4 / 5	0.34mm ²	PUR / PVC BLACK	-	-	-30°C to +80°C, 7xO.D.	-5°C to +80°C, 15xO.D.	-	-

CABLE LENGTH TOLERANCES

OVER	UP TO AND INCLUDING	TOLERANCES
0	305mm	+19mm
305mm	915mm	+45mm
915mm	1830mm	+56mm
1830mm	3660mm	+89mm
3660mm	7320mm	+165mm
7320mm	14640mm	+317mm
14640mm	30500mm	+610mm
30500mm	>	+2% of finished length



SCALE 1:1

FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
	DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex				
= 0	mm		1:1									
= 0	GENERAL TOLERANCES (UNLESS SPECIFIED)				CSE M12 XP AC FE STR XM SE UNSH							
= 0	ANGULAR TOL ± 1.0 °											
DIVISIONAL SYMBOLS	4 PLACES				EC NO: 703046 DRWN: APAWLAK01 2022/04/12 CHK'D: RSILLER 2022/04/14 APPR: RSILLER 2022/04/14			PRODUCT CUSTOMER DRAWING				
	3 PLACES		±									
	2 PLACES		± 0.05									
	1 PLACE		± 0.3		INITIAL REVISION: DRWN: JMARSZALEK 2016/01/11 APPR: RSILLER 2016/04/08			DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
	0 PLACES		± 0.5					1200651978		PSD	000	A10
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER	SHEET NUMBER
						A3-SIZE	120065	SEE SHEET 3-4		GENERAL MARKET	2 OF 4	

DOCUMENT STATUS	P1	RELEASE DATE	2022/04/14	06:15:29
-----------------	----	--------------	------------	----------

PART LIST															
No.	Part No.	Engineering No.	Cable Length	No.	Part No.	Engineering No.	Cable Length	No.	Part No.	Engineering No.	Cable Length	No.	Part No.	Engineering No.	Cable Length
1	1200060001	803000E03M020	2m	36	1200060458	804000P03M0501	5m	71	1200063673	803000P03M1001	10m	106	1200658008	804000H09M050H	5m
2	1200060002	803000E03M050	5m	37	1200060461	804000P03M200	20m	72	1200063779	805000E03M300	30m	107	1200658009	804000H09M100H	10m
3	1200060003	803000E03M100	10m	38	1200060634	805000E03M020	2m	73	1200063940	804000P03M0051	0.5m	108	1200658020	805000P03M040	4m
4	1200060004	803000P03M020	2m	39	1200060638	805000E03M100	10m	74	1200064033	804000P03M120	12m	109	1200658021	808000P02M150	15m
5	1200060005	803000P03M050	5m	40	1200060646	805000P03M003	0.3m	75	1200064093	803000P03M003	0.3m	110	1200658022	808000P03M030	3m

PART LIST

No.	Part No.	Engineering No.	Cable Length
1	1200060001	803000E03M020	2m
2	1200060002	803000E03M050	5m
3	1200060003	803000E03M100	10m
4	1200060004	803000P03M020	2m
5	1200060005	803000P03M050	5m
6	1200060006	803000P03M100	10m
7	1200060014	804000E03M020	2m
8	1200060015	804000E03M050	5m
9	1200060016	804000E03M100	10m
10	1200060018	804000P03M020	2m
11	1200060019	804000P03M050	5m
12	1200060027	803000E03M006	0.6m
13	1200060032	804000E03M005	0.5m
14	1200060034	804000P03M025	2.5m
15	1200060107	803000E03M003	0.3m
16	1200060113	803000E03M030	3m
17	1200060116	803000E03M0505	5m
18	1200060117	803000E03M1005	10m
19	1200060119	803000E03M150	15m
20	1200060121	803000E03M200	20m
21	1200060124	803000E03M2505	25m
22	1200060152	803000P03M010	1m
23	1200060153	803000P03M030	3m
24	1200060157	803000P03M150	15m
25	1200060158	803000P03M200	20m
26	1200060426	804000E03M010	1m
27	1200060427	804000E03M0201	** 2m
28	1200060428	804000E03M030	3m
29	1200060429	804000E03M0501	* 5m
30	1200060430	804000E03M0505	5m
31	1200060431	804000E03M150	15m
32	1200060432	804000E03M200	20m
33	1200060432	804000E03M200	20m
34	1200060456	804000P03M0201	2m
35	1200060457	804000P03M030	3m

No.	Part No.	Engineering No.	Cable Length
36	1200060458	804000P03M0501	5m
37	1200060461	804000P03M200	20m
38	1200060634	805000E03M020	2m
39	1200060638	805000E03M100	10m
40	1200060646	805000P03M003	0.3m
41	1200060647	805000P03M020	2m
42	1200060649	805000P03M100	10m
43	1200061337	804000E03M0205	2m
44	1200061431	805000P03M150	15m
45	1200061528	804000E03M250	25m
46	1200061765	803000P03M002	0.2m
47	1200061785	804000P03M006	0.6m
48	1200061913	804000E03M300	30m
49	1200061958	803000E03M021	2.1m
50	1200062071	803000E03M060	6m
51	1200062098	803000P03M006	0.6m
52	1200062130	804000E03M050H	5m
53	1200062167	804000P03M100H	10m
54	1200062264	804000E03M1505	15m
55	1200062347	804000P03M050H	5m
56	1200062521	805000P03M030	3m
57	1200062772	803000P03M250	25m
58	1200062811	803000P03M100H	10m
59	1200062853	804000P03M150	15m
60	1200062866	804000E03M020H	2m
61	1200062992	804000E03M200H	20m
62	1200063121	804000P03M0053	0.5m
63	1200063224	804000E03M003	0.3m
64	1200063314	805000E03M010	1m
65	1200063402	804000P03M003	0.3m
66	1200063407	804000E03M1001	* 10m
67	1200063415	803000P03M0707	7m
68	1200063443	804000E03M030H	3m
69	1200063647	804000E03M2001	20m

No.	Part No.	Engineering No.	Cable Length
70	1200063673	803000P03M1001	10m
71	1200063779	805000E03M300	30m
72	1200063940	804000P03M0051	0.5m
73	1200064033	804000P03M120	12m
74	1200064093	803000P03M032	3.2m
75	1200064292	805000P03M200	20m</

PART LIST

No.	Part No.	Engineering No.	Cable Length
1	1200060001	803000E03M020	2m
2	1200060002	803000E03M050	5m
3	1200060003	803000E03M100	10m
4	1200060004	803000P03M020	2m
5	1200060005	803000P03M050	5m
6	1200060006	803000P03M100	10m
7	1200060014	804000E03M020	2m
8	1200060015	804000E03M050	5m
9	1200060016	804000E03M100	10m
10	1200060018	804000P03M020	2m
11	1200060019	804000P03M050	5m
12	1200060027	803000E03M006	0.6m
13	1200060032	804000E03M005	0.5m
14	1200060034	804000P03M025	2.5m
15	1200060107	803000E03M003	0.3m
16	1200060113	803000E03M030	3m
17	1200060116	803000E03M0505	5m
18	1200060117	803000E03M1005	10m
19	1200060119	803000E03M150	15m
20	1200060121	803000E03M200	20m
21	1200060124	803000E03M2505	25m
22	1200060152	803000P03M010	1m
23	1200060153	803000P03M030	3m
24	1200060157	803000P03M150	15m
25	1200060158	803000P03M200	20m
26	1200060426	804000E03M010	1m
27	1200060427	804000E03M0201	**2m
28	1200060428	804000E03M030	3m
29	1200060429	804000E03M0501	*5m
30	1200060430	804000E03M0505	5m
31	1200060431	804000E03M150	15m
32	1200060432	804000E03M200	20m
33	1200060432	804000E03M200	20m
34	1200060456	804000P03M0201	2m
35	1200060457	804000P03M030	3m

No.	Part No.	Engineering No.	Cable Length
36	1200060458	804000P03M0501	5m
37	1200060461	804000P03M200	20m
38	1200060634	805000E03M020	2m
39	1200060638	805000E03M100	10m
40	1200060646	805000P03M003	0.3m
41	1200060647	805000P03M020	2m
42	1200060649	805000P03M100	10m
43	1200061337	804000E03M0205	2m
44	1200061431	805000P03M150	15m
45	1200061528	804000E03M250	25m
46	1200061765	803000P03M002	0.2m
47	1200061785	804000P03M006	0.6m
48	1200061913	804000E03M300	30m
49	1200061958	803000E03M021	2.1m
50	1200062071	803000E03M060	6m
51	1200062098	803000P03M006	0.6m
52	1200062130	804000E03M050H	5m
53	1200062167	804000P03M100H	10m
54	1200062264	804000E03M1505	15m
55	1200062347	804000P03M050H	5m
56	1200062521	805000P03M030	3m
57	1200062772	803000P03M250	25m
58	1200062811	803000P03M100H	10m
59	1200062853	804000P03M150	15m
60	1200062866	804000E03M020H	2m
61	1200062992	804000E03M200H	20m
62	1200063121	804000P03M0053	0.5m
63	1200063224	804000E03M003	0.3m
64	1200063314	805000E03M010	1m
65	1200063402	804000P03M003	0.3m
66	1200063407	804000E03M1001	*10m
67	1200063415	803000P03M0707	7m
68	1200063443	804000E03M030H	3m
69	1200063647	804000E03M2001	20m

No.	Part No.	Engineering No.	Cable Length
70	1200063673	803000P03M1001	10m
71	1200063779	805000E03M300	30m
72	1200063940	804000P03M0051	0.5m
73	1200064033	804000P03M120	12m
74	1200064093	803000P03M032	3.2m
75	1200064292	805000P03M200	20m
76	1200064422	804000E03M120	12m
77	1200064434	804000H09M050G	5m
78	1200065004	805000P03M0201	2m
79	1200065006	804000H09M250G	25m
80	1200065012	803000P03M030G	3m
81	1200650951	808000P02M020	2m
82	1200650952	808000P02M040	4m
83	1200650953	808000P02M050	5m
84	1200650954	808000P02M060	6m
85	1200650955	808000P02M080	8m
86	1200650956	808000P02M0801	8m
87	1200650957	808000P02M100	10m
88	1200651769	803000P03M050G	5m
89	1200651780	804000P03M050G	5m
90	1200651782	804000P03M100	10m
91	1200651792	805000P03M050	5m
92	1200651794	808000P02M010	1m
93	1200651795	808000P02M070	7m
94	1200651817	808000P02M200	20m
95	1200651818	808000P02M250	25m
96	1200651820	808000P02M300	30m
97	1200651978	805000E03M050	5m
98	1200652143	804000P03M040	4m
99	1200652144	804000P03M060	6m
100	1200652154	805000P03M060	6m
101	1200655073	808000P02M003	0.3m
102	1200655081	805000E03M150	15m

No.	Part No.	Engineering No.	Cable Length
103	1200658008	804000H09M050H	5m
104	1200658009	804000H09M100H	10m
105	1200658020	805000P03M040	4m
106	1200658021	808000P02M150	15m
107	1200658022	808000P02M030	3m
108	1200658064	804000P03M010	1m
109	1200658081	805000E03M200	20m
110	1200658165	805000E03M030	3m
111	1200658172	805000H09M020	2m
112	1200658173	805000H09M050	5m
113	1200658174	805000H09M100	10m
114	1200658175	803000H09M020	2m
115	1200658176	803000H09M050	5m
116	1200658177	803000H09M100	10m
117	1200658178	804000H09M020	2m
118	1200658179	804000H09M050	5m
119	1200658190	804000H09M100	10m
120	1200658197	805000P03M010	1m
121	1200658208	805000E03M0061	*0.6m
122	1200658210	805000E03M0501	*5m
123	1200658219	803000E03M0201	*2m
124	1200658224	808000E02M050	5m
125	1200658228	804000E03M3001	*30m
126	1200658244	808000H08M050	5m
127	1200658264	808000H08M100	10m
128	1200658277	808000E02M020	2m
129	1200658278	808000E02M100	10m
130	1200658288	804000E03M050G	5m
131	1200658309	808000E02M0501	5m
132	1200658321	804000P03M005	0.5m
133	1200658331	805000E03M050H	5m
134	1200658350	803000E03M1001	*10m

PART LIST

No.	Part No.	Engineering No.	Cable Length
1	1200060001	803000E03M020	2m
2	1200060002	803000E03M050	5m
3	1200060003	803000E03M100	10m
4	1200060004	803000P03M020	2m
5	1200060005	803000P03M050	5m
6	1200060006	803000P03M100	10m
7	1200060014	804000E03M020	2m
8	1200060015	804000E03M050	5m
9	1200060016	804000E03M100	10m
10	1200060018	804000P03M020	2m
11	1200060019	804000P03M050	5m
12	1200060027	803000E03M006	0.6m
13	1200060032	804000E03M005	0.5m
14	1200060034	804000P03M025	2.5m
15	1200060107	803000E03M003	0.3m
16	1200060113	803000E03M030	3m
17	1200060116	803000E03M0505	5m
18	1200060117	803000E03M1005	10m
19	1200060119	803000E03M150	15m
20	1200060121	803000E03M200	20m
21	1200060124	803000E03M2505	25m
22	1200060152	803000P03M010	1m
23	1200060153	803000P03M030	3m
24	1200060157	803000P03M150	15m
25	1200060158	803000P03M200	20m
26	1200060426	804000E03M010	1m
27	1200060427	804000E03M0201	**2m
28	1200060428	804000E03M030	3m
29	1200060429	804000E03M0501	*5m
30	1200060430	804000E03M0505	5m
31	1200060431	804000E03M150	15m
32	1200060432	804000E03M200	20m
33	1200060432	804000E03M200	20m
34	1200060456	804000P03M0201	2m
35	1200060457	804000P03M030	3m

No.	Part No.	Engineering No.	Cable Length
36	1200060458	804000P03M0501	5m
37	1200060461	804000P03M200	20m
38	1200060634	805000E03M020	2m
39	1200060638	805000E03M100	10m
40	1200060646	805000P03M003	0.3m
41	1200060647	805000P03M020	2m
42	1200060649	805000P03M100	10m
43	1200061337	804000E03M0205	2m
44	1200061431	805000P03M150	15m
45	1200061528	804000E03M250	25m
46	1200061765	803000P03M002	0.2m
47	1200061785	804000P03M006	0.6m
48	1200061913	804000E03M300	30m
49	1200061958	803000E03M021	2.1m
50	1200062071	803000E03M060	6m
51	1200062098	803000P03M006	0.6m
52	1200062130	804000E03M050H	5m
53	1200062167	804000P03M100H	10m
54	1200062264	804000E03M1505	15m
55	1200062347	804000P03M050H	5m
56	1200062521	805000P03M030	3m
57	1200062772	803000P03M250	25m
58	1200062811	803000P03M100H	10m
59	1200062853	804000P03M150	15m
60	1200062866	804000E03M020H	2m
61	1200062992	804000E03M200H	20m
62	1200063121	804000P03M0053	0.5m
63	1200063224	804000E03M003	0.3m
64	1200063314	805000E03M010	1m
65	1200063402	804000P03M003	0.3m
66	1200063407	804000E03M1001	*10m
67	1200063415	803000P03M0707	7m
68	1200063443	804000E03M030H	3m
69	1200063647	804000E03M2001	20m

No.	Part No.	Engineering No.	Cable Length
70	1200063673	803000P03M1001	10m
71	1200063779	805000E03M300	30m
72	1200063940	804000P03M0051	0.5m
73	1200064033	804000P03M120	12m
74	1200064093	803000P03M032	3.2m
75	1200064292	805000P03M200	20m
76	1200064422	804000E03M120	12m
77	1200064434	804000H09M050G	5m
78	1200065004	805000P03M0201	2m
79	1200065006	804000H09M250G	25m
80	1200065012	803000P03M030G	3m
81	1200650951	808000P02M020	2m
82	1200650952	808000P02M040	4m
83	1200650953	808000P02M050	5m
84	1200650954	808000P02M060	6m
85	1200650955	808000P02M080	8m
86	1200650956	808000P02M0801	8m
87	1200650957	808000P02M100	10m
88	1200651769	803000P03M050G	5m
89	1200651780	804000P03M050G	5m
90	1200651782	804000P03M100	10m
91	1200651792	805000P03M050	5m
92	1200651794	808000P02M010	1m
93	1200651795	808000P02M070	7m
94	1200651817	808000P02M200	20m
95	1200651818	808000P02M250	25m
96	1200651820	808000P02M300	30m
97	1200651978	805000E03M050	5m
98	1200652143	804000P03M040	4m
99	1200652144	804000P03M060	6m
100	1200652154	805000P03M060	6m
101	1200655073	808000P02M003	0.3m
102	1200655081	805000E03M150	15m

No.	Part No.	Engineering No.	Cable Length
103	1200658008	804000H09M050H	5m
104	1200658009	804000H09M100H	10m
105	1200658020	805000P03M040	4m
106	1200658021	808000P02M150	15m
107	1200658022	808000P02M030	3m
108	1200658064	804000P03M010	1m
109	1200658081	805000E03M200	20m
110	1200658165	805000E03M030	3m
111	1200658172	805000H09M020	2m
112	1200658173	805000H09M050	5m
113	1200658174	805000H09M100	10m
114	1200658175	803000H09M020	2m
115	1200658176	803000H09M050	5m
116	1200658177	803000H09M100	10m
117	1200658178	804000H09M020	2m
118	1200658179	804000H09M050	5m
119	1200658190	804000H09M100	10m
120	1200658197	805000P03M010	1m
121	1200658208	805000E03M0061	*0.6m
122	1200658210	805000E03M0501	*5m
123	1200658219	803000E03M0201	*2m
124	1200658224	808000E02M050	5m
125	1200658228	804000E03M3001	*30m
126	1200658244	808000H08M050	5m
127	1200658264	808000H08M100	10m
128	1200658277	808000E02M020	2m
129	1200658278	808000E02M100	10m
130	1200658288	804000E03M050G	5m
131	1200658309	808000E02M0501	5m
132	1200658321	804000P03M005	0.5m
133	1200658331	805000E03M050H	5m
134	1200658350	803000E03M1001	*10m

PART LIST

No.	Part No.	Engineering No.	Cable Length
1	1200060001	803000E03M020	2m
2	1200060002	803000E03M050	5m
3	1200060003	803000E03M100	10m
4	1200060004	803000P03M020	2m
5	1200060005	803000P03M050	5m
6	1200060006	803000P03M100	10m
7	1200060014	804000E03M020	2m
8	1200060015	804000E03M050	5m
9	1200060016	804000E03M100	10m
10	1200060018	804000P03M020	2m
11	1200060019	804000P03M050	5m
12	1200060027	803000E03M006	0.6m
13	1200060032	804000E03M005	0.5m
14	1200060034	804000P03M025	2.5m
15	1200060107	803000E03M003	0.3m
16	1200060113	803000E03M030	3m
17	1200060116	803000E03M0505	5m
18	1200060117	803000E03M1005	10m
19	1200060119	803000E03M150	15m
20	1200060121	803000E03M200	20m
21	1200060124	803000E03M2505	25m
22	1200060152	803000P03M010	1m
23	1200060153	803000P03M030	3m
24	1200060157	803000P03M150	15m
25	1200060158	803000P03M200	20m
26	1200060426	804000E03M010	1m
27	1200060427	804000E03M0201	**2m
28	1200060428	804000E03M030	3m
29	1200060429	804000E03M0501	*5m
30	1200060430	804000E03M0505	5m
31	1200060431	804000E03M150	15m
32	1200060432	804000E03M200	20m
33	1200060432	804000E03M200	20m
34	1200060456	804000P03M0201	2m
35	1200060457	804000P03M030	3m

No.	Part No.	Engineering No.	Cable Length
36	1200060458	804000P03M0501	5m
37	1200060461	804000P03M200	20m
38	1200060634	805000E03M020	2m
39	1200060638	805000E03M100	10m
40	1200060646	805000P03M003	0.3m
41	1200060647	805000P03M020	2m
42	1200060649	805000P03M100	10m
43	1200061337	804000E03M0205	2m
44	1200061431	805000P03M150	15m
45	1200061528	804000E03M250	25m
46	1200061765	803000P03M002	0.2m
47	1200061785	804000P03M006	0.6m
48	1200061913	804000E03M300	30m
49	1200061958	803000E03M021	2.1m
50	1200062071	803000E03M060	6m
51	1200062098	803000P03M006	0.6m
52	1200062130	804000E03M050H	5m
53	1200062167	804000P03M100H	10m
54	1200062264	804000E03M1505	15m
55	1200062347	804000P03M050H	5m
56	1200062521	805000P03M030	3m
57	1200062772	803000P03M250	25m
58	1200062811	803000P03M100H	10m
59	1200062853	804000P03M150	15m
60	1200062866	804000E03M020H	2m
61	1200062992	804000E03M200H	20m
62	1200063121	804000P03M0053	0.5m
63	1200063224	804000E03M003	0.3m
64	1200063314	805000E03M010	1m
65	1200063402	804000P03M003	0.3m
66	1200063407	804000E03M1001	*10m
67	1200063415	803000P03M0707	7m
68	1200063443	804000E03M030H	3m
69	1200063647	804000E03M2001	20m

No.	Part No.	Engineering No.	Cable Length
70	1200063673	803000P03M1001	10m
71	1200063779	805000E03M300	30m
72	1200063940	804000P03M0051	0.5m
73	1200064033	804000P03M120	12m
74	1200064093	803000P03M032	3.2m
75	1200064292	805000P03M200	20m
76	1200064422	804000E03M120	12m
77	1200064434	804000H09M050G	5m
78	1200065004	805000P03M0201	2m
79	1200065006	804000H09M250G	25m
80	1200065012	803000P03M030G	3m
81	1200650951	808000P02M020	2m
82	1200650952	808000P02M040	4m
83	1200650953	808000P02M050	5m
84	1200650954	808000P02M060	6m
85	1200650955	808000P02M080	8m
86	1200650956	808000P02M0801	8m
87	1200650957	808000P02M100	10m
88	1200651769	803000P03M050G	5m
89	1200651780	804000P03M050G	5m
90	1200651782	804000P03M100	10m
91	1200651792	805000P03M050	5m
92	1200651794	808000P02M010	1m
93	1200651795	808000P02M070	7m
94	1200651817	808000P02M200	20m
95	1200651818	808000P02M250	25m
96	1200651820	808000P02M300	30m
97	1200651978	805000E03M050	5m
98	1200652143	804000P03M040	4m
99	1200652144	804000P03M060	6m
100	1200652154	805000P03M060	6m
101	1200655073	808000P02M003	0.3m
102	1200655081	805000E03M150	15m

No.	Part No.	Engineering No.	Cable Length
103	1200658008	804000H09M050H	5m
104	1200658009	804000H09M100H	10m
105	1200658020	805000P03M040	4m
106	1200658021	808000P02M150	15m
107	1200658022	808000P02M030	3m
108	1200658064	804000P03M010	1m
109	1200658081	805000E03M200	20m
110	1200658165	805000E03M030	3m
111	1200658172	805000H09M020	2m
112	1200658173	805000H09M050	5m
113	1200658174	805000H09M100	10m
114	1200658175	803000H09M020	2m
115	1200658176	803000H09M050	5m
116	1200658177	803000H09M100	10m
117	1200658178	804000H09M020	2m
118	1200658179	804000H09M050	5m
119	1200658190	804000H09M100	10m
120	1200658197	805000P03M010	1m
121	1200658208	805000E03M0061	*0.6m
122	1200658210	805000E03M0501	*5m
123	1200658219	803000E03M0201	*2m
124	1200658224	808000E02M050	5m
125	1200658228	804000E03M3001	*30m
126	1200658244	808000H08M050	5m
127	1200658264	808000H08M100	10m
128	1200658277	808000E02M020	2m
129	1200658278	808000E02M100	10m
130	1200658288	804000E03M050G	5m
131	1200658309	808000E02M0501	5m
132	1200658321	804000P03M005	0.5m
133	1200658331	805000E03M050H	5m
134	1200658350	803000E03M1001	*10m

NOTES:

- * - Part No. with Yellow PVC overmolding
- ** - Part No. with Black PVC overmolding

NOTES:

- * - Part No. with Yellow PVC overmolding
- ** - Part No. with Black PVC overmolding

NOTES:	
✱ - Part No. with Yellow PVC overmolding	
✱✱ - Part No. with Black PVC overmolding	

NOTES:

* - Part No. with Yellow PVC overmolding

** - Part No. with Black PVC overmolding

FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
	DIMENSION UNITS	SCALE	CURRENT REV DESC:				molex							
 = 0	mm	1:1												
 = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)						CSE M12 XP AC FE STR XM SE UNSH							
 = 0	ANGULAR TOL ± 1.0 °													
DIVISIONAL SYMBOLS	4 PLACES	±	EC NO: 703046				PRODUCT CUSTOMER DRAWING							
	3 PLACES	±	DRWN: APAWLAK01 2022/04/12											
	2 PLACES	± 0.05	CHK'D: RSILLER 2022/04/14				DOCUMENT NUMBER 1200651978 DOC TYPE PSD DOC PART 000 REVISION A10							
	1 PLACE	± 0.3	INITIAL REVISION:											
	0 PLACES	± 0.5	DRWN: JMARSZALEK 2016/01/11											
			APPR: RSILLER 2016/04/08											
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER						
				A3-SIZE	120065	SEE SHEET 3-4	GENERAL MARKET	3 OF 4						

DOCUMENT STATUS	P1	RELEASE DATE	2022/04/14	06:15:29
-----------------	----	--------------	------------	----------

NOTES:

* - Part No. with Yellow PVC overmolding

** - Part No. with Black PVC overmolding

FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION														
	DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex						
	mm		1:1												
	GENERAL TOLERANCES (UNLESS SPECIFIED)								CSE M12 XP AC FE STR XM SE UNSH						
	ANGULAR TOL ± 1.0 °														
	4 PLACES		±		EC NO: 703046				PRODUCT CUSTOMER DRAWING						
	3 PLACES		±		DRWN: APAWLAK01 2022/04/12										
2 PLACES		± 0.05		CHK'D: RSILLER 2022/04/14				DOCUMENT NUMBER 1200651978 DOC TYPE PSD DOC PART 000 REVISION A10							
1 PLACE		± 0.3		INITIAL REVISION:											
0 PLACES		± 0.5		DRWN: JMARSZALEK 2016/01/11											
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING						SERIES		MATERIAL NUMBER	
						A3-SIZE		120065		SEE SHEET 3-4		GENERAL MARKET		3 OF 4	

DOCUMENT STATUS	P1	RELEASE DATE	2022/04/14	06:15:29
-----------------	----	--------------	------------	----------

10				9				8				7				6				5				4				3				2				1												
PART LIST																																																
F	No.				Part No.				Engineering No.				Cable Length				No.				Part No.				Engineering No.				Cable Length				No.				Part No.				Engineering No.				Cable Length			
	142				1200658492				804000P03M100G				10m				176				1200658780				805000H09M200				20m				217				1200659123				804000P03M100HY				10m			
	143				1200658502				805000E03M005				0.5m				177				1200658782				804000E03M060				6m				218				1200659144				805000H09M300				30m			
	144				1200658503				805000E03M0201				2m				178				1200658812				808000E02M150				15m				219				1200659187				808000E02M4001				40m			
	145				1200658511				808000E02M010				1m				179				1200658813				808000H08M025				2.5m				221				1200659200				808000E02M250H				25m			
E	146				1200658525				808000P02C350				0.35m				181				1200658880				804000H09M200				20m				222				1200659207				805000E03C230							

10				9				8				7				6				5				4				3				2				1												
PART LIST																																																
F	No.				Part No.				Engineering No.				Cable Length				No.				Part No.				Engineering No.				Cable Length				No.				Part No.				Engineering No.				Cable Length			
	142				1200658492				804000P03M100G				10m				176				1200658780				805000H09M200				20m				217				1200659123				804000P03M100HY				10m			
	143				1200658502				805000E03M005				0.5m				177				1200658782				804000E03M060				6m				218				1200659144				805000H09M300				30m			
	144				1200658503				805000E03M0201				2m				178				1200658812				808000E02M150				15m				219				1200659187				808000E02M4001				40m			
	145				1200658511				808000E02M010				1m				179				1200658813				808000H08M025				2.5m				221				1200659200				808000E02M250H				25m			
E	146				1200658525				808000P02C350				0.35m				181				1200658880				804000H09M200				20m				222				1200659207				805000E03C230							

- | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|-----|--|--|---|------------|--|--|---|-----------------|--|--|---|--------------|--|--|---|-----|--|--|---|------------|--|--|---|-----------------|--|--|---|--------------|--|--|---|-----|--|--|---|------------|--|--|--|-----------------|--|--|--|--------------|--|--|--|
| 10 | | | | 9 | | | | 8 | | | | 7 | | | | 6 | | | | 5 | | | | 4 | | | | 3 | | | | 2 | | | | 1 | | | | | | | | | | | | |
| PART LIST | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| F | No. | | | | Part No. | | | | Engineering No. | | | | Cable Length | | | | No. | | | | Part No. | | | | Engineering No. | | | | Cable Length | | | | No. | | | | Part No. | | | | Engineering No. | | | | Cable Length | | | |
| | 142 | | | | 1200658492 | | | | 804000P03M100G | | | | 10m | | | | 176 | | | | 1200658780 | | | | 805000H09M200 | | | | 20m | | | | 217 | | | | 1200659123 | | | | 804000P03M100HY | | | | 10m | | | |
| | 143 | | | | 1200658502 | | | | 805000E03M005 | | | | 0.5m | | | | 177 | | | | 1200658782 | | | | 804000E03M060 | | | | 6m | | | | 218 | | | | 1200659144 | | | | 805000H09M300 | | | | 30m | | | |
| | 144 | | | | 1200658503 | | | | 805000E03M0201 | | | | 2m | | | | 178 | | | | 1200658812 | | | | 808000E02M150 | | | | 15m | | | | 219 | | | | 1200659187 | | | | 808000E02M4001 | | | | 40m | | | |
| | 145 | | | | 1200658511 | | | | 808000E02M010 | | | | 1m | | | | 179 | | | | 1200658813 | | | | 808000H08M025 | | | | 2.5m | | | | 221 | | | | 1200659200 | | | | 808000E02M250H | | | | 25m | | | |
| E | 146 | | | | 1200658525 | | | | 808000P02C350 | | | | 0.35m | | | | 181 | | | | 1200658880 | | | | 804000H09M200 | | | | 20m | | | | 222 | | | | 1200659207 | | | | 805000E03C230 | | | | | | | |

<

<