

GloTek, Inc. www.globtek.com 186 Veterans Drive, Northvale, NJ 07647 Tel. (201) 784-1000 Fax (201) 784-0111	Drawing Title: UK BS1363A plug (Type G) (3A fuse), approved in HK, Singapore, Saudi Arabia, Malaysia & Gulf States to IEC320-C7, GT Cable #411-EURO1: 0.75 / 2 Conductors, 3.5mm OD, H03VVH2-F, 70 Deg.C, 250V, BLU/BRN, Approvals: IEC60227, 2000mm, GlobTek Black	
	Model No. Power Cord	
	Part No./Ordering No. 6104112M703A(R)	Rev D1

CUSTOMIZED LENGTHS, COLORS, CABLE TYPES, TERMINATIONS/PLUGS/RECEPTACLES AVAILABLE UPON REQUEST. ADDITIONAL PLUG OPTIONS ARE AVAILABLE AT <https://www.globtek.com/connectors/> STANDARD PLUGS AND CONNECTORS CAN BE SEEN ONLINE AT <https://www.globtek.com/connectors/> ACTUAL CONNECTORS, OVERMOLDS, FERRITES MAY VARY SLIGHTLY FROM THE PICTURE BELOW DIMENSIONS ARE IN MM UNLESS SPECIFIED OTHERWISE

In Addition to GlobTek Inc.'s renewed ISO9001:2008 - Quality Management System Certification, GlobTek Inc. is now certified to:

ISO13485:2003 - Medical Devices Quality Management System Certification

ISO14001:2004 - Environmental Management System Certification

ISO Certificates are available online at <https://www.globtek.com/iso-certificates/>

Prop 65 Statement: <https://en.globtek.com/prop-65-statement.pdf>

The acceptance of this specification and use of the product described in this document indicates the acceptance and binding of the customer to Globtek TERMS AND CONDITIONS (attached to the end of this document), which supersede all other agreements, terms, and conditions (<https://en.globtek.com/terms-and-conditions/>).

The purchaser of this product (Customer) agrees that it is their sole responsibility to determine suitability/fitness of the product described in this specification for their application and to take precautions for protection against any hazards attendant to the handling and use of the product.

#### Footnote:

GlobTek Inc. will not be liable for the safety and performance of these power supplies if unauthorized access and repair occurs. End user should consult applicable UL, CSA or EN standards for proper installation instruction.

#### Limitation of Use:

GlobTek products are intended for use with commercial, medical, and/or industrial equipment only. GlobTek product are not authorized for use as mission critical components in life support hazardous environment, nuclear or aircraft applications without prior written approval from the CEO of GlobTek Inc.

Contents of this document are subject to change without prior notice.

### Customer Approval of Specification:

Please approve, sign and send back to GlobTek so we can complete order processing.

A delay in receipt of this form will delay delivery schedule.

Company Name: \_\_\_\_\_

Customer P/N: \_\_\_\_\_

Quote Number: \_\_\_\_\_

Date: \_\_\_\_\_

Authorized Representative Name: \_\_\_\_\_

Authorized Representative Signature: \_\_\_\_\_

GlobTek, Inc. www.globtek.com 186 Veterans Drive, Northvale, NJ 07647 Tel. (201) 784-1000 Fax (201) 784-0111	Drawing Title: UK BS1363A plug (Type G) (3A fuse), approved in HK, Singapore, Saudi Arabia, Malaysia & Gulf States to IEC320-C7, GT Cable #411-EURO1: 0.75 / 2 Conductors, 3.5mm OD, H03VVH2-F, 70 Deg.C, 250V, BLU/BRN, Approvals: IEC60227, 2000mm, GlobTek Black		
	Model No. Power Cord		
	Part No./Ordering No. 6104112M703A(R)		Rev D1

CUSTOMIZED LENGTHS, COLORS, CABLE TYPES, TERMINATIONS/PLUGS/RECEPTACLES AVAILABLE UPON REQUEST. ADDITIONAL PLUG OPTIONS ARE AVAILABLE AT <https://www.globtek.com/connectors/> STANDARD PLUGS AND CONNECTORS CAN BE SEEN ONLINE AT <https://www.globtek.com/connectors/> ACTUAL CONNECTORS, OVERMOLDS, FERRITES MAY VARY SLIGHTLY FROM THE PICTURE BELOW DIMENSIONS ARE IN MM UNLESS SPECIFIED OTHERWISE

## REVISION HISTORY

REV	DESCRIPTION	SUB	DATE	APPROVED
D1	Adding UKCA mark the IEC320 connector	bsiep	04/14/2022	QA
D	Update to SF format; Add Malaysia, Saudi Arabia, Hong Kong, and Gulf State approvals	bsiep	10/30/2020	QA

Cordset Information:

CordsetColor:GlobTek Black


Cord Length (mm):2000

## NOTES:


GlobTek, Inc. www.globtek.com 186 Veterans Drive, Northvale, NJ 07647 Tel. (201) 784-1000 Fax (201) 784-0111	Drawing Title: UK BS1363A plug (Type G) (3A fuse), approved in HK, Singapore, Saudi Arabia, Malaysia & Gulf States to IEC320-C7, GT Cable #411-EURO1: 0.75 / 2 Conductors, 3.5mm OD, H03VVH2-F, 70 Deg.C, 250V, BLU/BRN, Approvals: IEC60227, 2000mm, GlobTek Black Model No. Power Cord Part No./Ordering No. 6104112M703A(R) Rev D1	
---	--	--

CUSTOMIZED LENGTHS, COLORS, CABLE TYPES, TERMINATIONS/PLUGS/RECEPTACLES AVAILABLE UPON REQUEST. ADDITIONAL PLUG OPTIONS ARE AVAILABLE AT <https://www.globtek.com/connectors/> STANDARD PLUGS AND CONNECTORS CAN BE SEEN ONLINE AT <https://www.globtek.com/connectors/> ACTUAL CONNECTORS, OVERMOLDS, FERRITES MAY VARY SLIGHTLY FROM THE PICTURE BELOW DIMENSIONS ARE IN MM UNLESS SPECIFIED OTHERWISE

END A




END B



**Note: UKCA mark may be printed on the shipping carton instead of being molded into the connector body**

GlobTek, Inc. www.globtek.com 186 Veterans Drive, Northvale, NJ 07647 Tel. (201) 784-1000 Fax (201) 784-0111	Drawing Title: UK BS1363A plug (Type G) (3A fuse), approved in HK, Singapore, Saudi Arabia, Malaysia & Gulf States to IEC320-C7, GT Cable #411-EURO1: 0.75 / 2 Conductors, 3.5mm OD, H03VVH2-F, 70 Deg.C, 250V, BLU/BRN, Approvals: IEC60227, 2000mm, GlobTek Black	
	Model No. Power Cord	
	Part No./Ordering No. 6104112M703A(R)	Rev D1

CUSTOMIZED LENGTHS, COLORS, CABLE TYPES, TERMINATIONS/PLUGS/RECEPTACLES AVAILABLE UPON REQUEST. ADDITIONAL PLUG OPTIONS ARE AVAILABLE AT <https://www.globtek.com/connectors/> STANDARD PLUGS AND CONNECTORS CAN BE SEEN ONLINE AT <https://www.globtek.com/connectors/> ACTUAL CONNECTORS, OVERMOLDS, FERRITES MAY VARY SLIGHTLY FROM THE PICTURE BELOW DIMENSIONS ARE IN MM UNLESS SPECIFIED OTHERWISE








<b>GlobTek, Inc.</b> <b>www.globtek.com</b> <b>186 Veterans Drive,</b> <b>Northvale, NJ 07647</b> <b>Tel. (201) 784-1000</b> <b>Fax (201) 784-0111</b>	Drawing Title: UK BS1363A plug (Type G) (3A fuse), approved in HK, Singapore, Saudi Arabia, Malaysia & Gulf States to IEC320-C7, GT Cable #411-EURO1: 0.75 / 2 Conductors, 3.5mm OD, H03VVH2-F, 70 Deg.C, 250V, BLU/BRN, Approvals: IEC60227, 2000mm, GlobTek Black				
	<table> <tr> <td data-bbox="308 166 1669 204">Model No. Power Cord</td><td data-bbox="1669 166 1909 204"></td></tr> <tr> <td data-bbox="308 204 1669 295">Part No./Ordering No. 6104112M703A(R)</td><td data-bbox="1669 204 1909 295">Rev D1</td></tr> </table>	Model No. Power Cord		Part No./Ordering No. 6104112M703A(R)	Rev D1
Model No. Power Cord					
Part No./Ordering No. 6104112M703A(R)	Rev D1				

CUSTOMIZED LENGTHS, COLORS, CABLE TYPES, TERMINATIONS/PLUGS/RECEPTACLES AVAILABLE UPON REQUEST. ADDITIONAL PLUG OPTIONS ARE AVAILABLE AT <https://www.globtek.com/connectors/> STANDARD PLUGS AND CONNECTORS CAN BE SEEN ONLINE AT <https://www.globtek.com/connectors/> ACTUAL CONNECTORS, OVERMOLDS, FERRITES MAY VARY SLIGHTLY FROM THE PICTURE BELOW DIMENSIONS ARE IN MM UNLESS SPECIFIED OTHERWISE

<b>End A</b> Code:610-3A fuse Description:UK BS1363A plug (Type G) (3A fuse), approved in HK, Singapore, Saudi Arabia, Malaysia & Gulf States Rating (V):250 Rating (A):13.0 Gender:Male Overmolded:Yes	<b>Cable</b> Code:411-EURO1 Description:GT Cable #411-EURO1: 0.75 / 2 Conductors, 3.5mm OD, H03VVH2-F, 70 Deg.C, 250V, BLU/BRN, Approvals: IEC60227 Color:GlobTek Black Wire Gauge(AWG):0.75 Cond:2 Type:H03VVH2-F Temperature:70° C Amps:2.5 Volts:250 OD:3.5 ConductorsColors:BLU/BRN	<b>End B</b> Code:703-ENEC-VDE-UKCA Description:IEC320-C7 Rating (V):250 Rating (A):2.5 Gender:Female Overmolded:Yes
---	--	--

Overall cable rating:2.5A / 250V~

Plug Approvals	Cable Approvals	Connector Approvals
 United Kingdom ASTA Diamond Approval Mark   SAFETY MARK Singapore PSEB safety mark   HK safety mark  Saudi Arabia SASO safety mark  Malaysia (File number)   GCC Conformity mark	 EURO	 ENEC-VDE-CE  UK CA UKCA Certification

# PROPRIETARY INFORMATION

PROPRIETARY OF GLOBTEK, INC. ANY REPRODUCTION, DISCLOSURE OR USE OF THIS DRAWING, IN WHOLE OR IN PART, IS HEREBY PROHIBITED EXCEPT AS SPECIFIED IN WRITING BY GLOBTEK, INC. © GlobTek, Inc. 2012 - 2022

quest /09/06/2022 4:03:25 PM

GlobTek, Inc. www.globtek.com 186 Veterans Drive, Northvale, NJ 07647 Tel. (201) 784-1000 Fax (201) 784-0111	Drawing Title: UK BS1363A plug (Type G) (3A fuse), approved in HK, Singapore, Saudi Arabia, Malaysia & Gulf States to IEC320-C7, GT Cable #411-EURO1: 0.75 / 2 Conductors, 3.5mm OD, H03VVH2-F, 70 Deg.C, 250V, BLU/BRN, Approvals: IEC60227, 2000mm, GlobTek Black	
	Model No. Power Cord	Part No./Ordering No. 6104112M703A(R)
		Rev D1

CUSTOMIZED LENGTHS, COLORS, CABLE TYPES, TERMINATIONS/PLUGS/RECEPTACLES AVAILABLE UPON REQUEST. ADDITIONAL PLUG OPTIONS ARE AVAILABLE AT <https://www.globtek.com/connectors/> STANDARD PLUGS AND CONNECTORS CAN BE SEEN ONLINE AT <https://www.globtek.com/connectors/> ACTUAL CONNECTORS, OVERMOLDS, FERRITES MAY VARY SLIGHTLY FROM THE PICTURE BELOW DIMENSIONS ARE IN MM UNLESS SPECIFIED OTHERWISE

AGENCY ONLINE DOCUMENTS	<a href="http://en.globtek.com/cordsets/">http://en.globtek.com/cordsets/</a>
RoHS/RoHS3 Declaration	<a href="https://www.globtek.com/pdf/rohs_cert/01t30000002p8duAAA">https://www.globtek.com/pdf/rohs_cert/01t30000002p8duAAA</a>
REACH Declaration	<a href="https://www.globtek.com/pdf/iso_certificates/REACH.pdf">https://www.globtek.com/pdf/iso_certificates/REACH.pdf</a>
Conflict Minerals Declaration	<a href="https://www.globtek.com/pdf/conflict-minerals.pdf">https://www.globtek.com/pdf/conflict-minerals.pdf</a>
Prop 65 Statement	<a href="https://en.globtek.com/prop-65-statement.pdf">https://en.globtek.com/prop-65-statement.pdf</a>
CE.UKCA.Cord	<a href="https://globtek.secure.force.com/spec/ec_decl_product_model_family_incl_cord?id=01t30000002p8du">https://globtek.secure.force.com/spec/ec_decl_product_model_family_incl_cord?id=01t30000002p8du</a>

IPXY rating is based on 3rd party testing and customers should check suitability and test system level IPXY rating before ordering.


GlobTek, Inc. www.globtek.com 186 Veterans Drive, Northvale, NJ 07647 Tel. (201) 784-1000 Fax (201) 784-0111	Drawing Title: UK BS1363A plug (Type G) (3A fuse), approved in HK, Singapore, Saudi Arabia, Malaysia & Gulf States to IEC320-C7, GT Cable #411-EURO1: 0.75 / 2 Conductors, 3.5mm OD, H03VVH2-F, 70 Deg.C, 250V, BLU/BRN, Approvals: IEC60227, 2000mm, GlobTek Black
	Model No. Power Cord
	<div> <div>Part No./Ordering No. 6104112M703A(R)</div> <div>Rev D1</div> </div>

CUSTOMIZED LENGTHS, COLORS, CABLE TYPES, TERMINATIONS/PLUGS/RECEPTACLES AVAILABLE UPON REQUEST. ADDITIONAL PLUG OPTIONS ARE AVAILABLE AT <https://www.globtek.com/connectors/> STANDARD PLUGS AND CONNECTORS CAN BE SEEN ONLINE AT <https://www.globtek.com/connectors/> ACTUAL CONNECTORS, OVERMOLDS, FERRITES MAY VARY SLIGHTLY FROM THE PICTURE BELOW DIMENSIONS ARE IN MM UNLESS SPECIFIED OTHERWISE

Hanking:200

Description:200 +/- 20mm

Image:



Notes/Modifications/Customizations (notes in this section supersede the values shown in the standard spec):