GlobTek, Inc.	Drawing Title: Changeable Blades, Q Type, China, Black	
www.globtek.com	Model No. Q Blades (Interchangeable)	
186 Veterans Drive,		
Northvale, NJ 07647		
Tel. (201) 784-1000	Part No./Ordering No. Q-CN(R)	Rev E
Fax (201) 784-0111		

In Addition to GlobTek Inc.'s renewed ISO9001:2008 - Quality Management System Certification, GlobTek Inc. is now certified to:

ISO13485:2003 - Medical Devices Quality Management System Certification ISO14001:2004 - Environmental Management System Certification

ISO Certificates are available online at http://www.globtek.com/iso-certificates/

The acceptance of this specification and use of the product described in this document indicates the acceptance and binding of the customer to Globtek TERMS AND CONDITIONS (attached to the end of this document), which supersede all other agreements, terms, and conditions (http://en.globtek.com/terms-and-conditions/).

Prop 65 Statement: https://en.globtek.com/prop-65-statement.pdf

Footnote:

GlobTek Inc. will not be liable for the safety and performance of these power supplies if unauthorized access and repair occurs. End user should consult applicable UL, CSA or EN standards for proper installation instruction.

Limitation of Use:

GlobTek products are intended for use with commercial, medical, and/or industrial equipment only. GlobTek product are not authorized for use as mission critical components in life support hazardous environment, nuclear or aircraft applications without prior written approval from the CEO of GlobTek Inc.

Contents of this document are subject to change without prior notice.

Customer Approval of Specification:

Please approve, sign and send back to GlobTek so we can complete order processing.

A delay in receipt of this form will delay delivery schedule.

Company Name:	Customer P/N:
Quote Number:	Date:
Authorized Representative Name:	Authorized Representative Signature:

GlobTek, Inc.	Drawing Title: Changeable Blades, Q Type, China, Black	
www.globtek.com	Model No. Q Blades (Interchangeable)	
186 Veterans Drive,		
Northvale, NJ 07647		
Tel. (201) 784-1000	Part No./Ordering No. Q-CN(R)	Rev E
Fax (201) 784-0111		

REVISION HISTORY

REV	DESCRIPTION	SUB	DATE	APPROVED
E	UPDATE TO NEW FORMAT, ADD RATING 6A/250VAC	DR	09/20/2019	QA
D	REVISE CHINA P/N TO GB-2099, RFS. 20815, SO	DR	04/26/2011	QA
С	REVISE DESCRIPTION, I/P CONNECTOR, RFS. 18371, SO	DR	03/30/2010	QA
В	ADD PACKING DETAIL, CH. ROHS, RFS. 12509, JS	DR	11/26/2007	QA
Α	INITIAL RELEASE, RFS.6149, DMR	DR	05/04/2005	QA

3D CAD FILE:


https://www.globtek.com/dl/Q-CN.igs

AGENCY ONLINE DOCUMENTS

RoHS/RoHS3 Declaration	https://www.globtek.com/pdf/rohs_cert/01t30000002p995AAA		
REACH Declaration	https://www.globtek.com/pdf/iso_certificates/REACH.pdf		
Conflict Minerals Declaration	https://www.globtek.com/pdf/conflict-minerals.pdf		
Prop 65 Statement	https://en.globtek.com/prop-65-statement.pdf		

IPXY rating is based on 3rd party testing and customers should check suitability and test system level IPXY rating before ordering.

GlobTek, Inc.	Drawing Title: Changeable Blades, Q Type, China, Black	
www.globtek.com	Model No. Q Blades (Interchangeable)	
186 Veterans Drive,		
Northvale, NJ 07647		
Tel. (201) 784-1000	Part No./Ordering No. Q-CN(R)	Rev E
Fax (201) 784-0111		




1. MATERIAL

HIGH IMPACT PLASTIC, 94V0 POLYCARBONATE, NON-VENTED, COLOR BLACK


2. INPUT CONNECTOR:

CHINA GB-2099 CONFIGURATION, 2 BLADES CLASS II



P/N: Q-CN(R) CHINA

GlobTek, Inc.	Drawing Title: Changeable Blades, Q Type, China, Black	
www.globtek.com	Model No. Q Blades (Interchangeable)	
186 Veterans Drive,		
Northvale, NJ 07647		
Tel. (201) 784-1000	Part No./Ordering No. Q-CN(R)	Rev E
Fax (201) 784-0111		



GlobTek, Inc.	Drawing Title: Changeable Blades, Q Type, China, Black	
www.globtek.com	Model No. Q Blades (Interchangeable)	
186 Veterans Drive,		
Northvale, NJ 07647		
Tel. (201) 784-1000	Part No./Ordering No. Q-CN(R)	Rev E
Fax (201) 784-0111		

PACKAGING	
Packing Spec P/N:	
Box Qty:	900
Gift Box Size (mm):	
Gift Box Color:	White
Master Carton Size (mm):	483 x 395 x 220
Master Carton Cubic Volume (m³):	0.04
Master GW (Kg):	kg
wt Ea. (Kg):	kg
wt Ea. (Kg):	kg
LABEL SPECS: ,	
PACK SPEC:	