Fair-Rite Products Corp.

Your Signal Solution®

## Flat Cable Snap- Its (0443166651)



Part Number: 0443166651

43 FLAT CABLE CORE ASSEMBLY

Explanation of Part Numbers: - Digits 1 & 2 = Product Class - Digits 3 & 4 = Material Grade


Flat Cable Snap- Its for use on multi- conductor flat cables to suppress common- mode conducted EMI from 1MHz to hundreds of MHz. These Flat Cable Snap- Its are available in two ferrite materials, 31 and 43. The polypropylene cases are meeting the RoHS restrictions of hazardous substances and have a flammability rating of UL 94 V-0.

The Expanded Cable and Suppressor Kit (Part number 0199000005) contains several Flat Cable Snap- It assemblies.

**Catalog Drawing 3D Model** 

## Weight: 80 (g)

Dim	mm	mm tol	nominal inch	inch misc.	Cable Information			
А	49.5	+/- 2.5	1.948		Max	Max	Solid	Flat Cable
В	33.70		1.327		Diameter	Dimension	Equivalent	Cores
С	32.3	+/- 1.6	1.272		0	33.70 x 1.30		_
D	7.70	+/- 0.5	0.303		0		-	



MaxMaxSolidFlat CableDiameterDimensionEquivalentCores033.70 x 1.30							
0	Max	Max	Solid	Flat Cable			
0 0 33.70 x 1.30	Diameter	Dimension	Equivalent	Cores			
	0 0	33.70 x 1.30	_	-			


Chart Legend + Test frequency		
Typical Impedance $(\Omega)$		

Typical Impedance ( $\Omega$ )					
10 MHz	65				
$25 \text{ MHz}^+$	109				
$100 \text{ MHz}^+$	223				
250 MHz	390				

Flat Cable Snap- It assemblies are controlled for impedances only. Minimum impedance values are specified for the + marked frequencies. The minimum impedance is listed on our catalog drawing.

## Catalog Drawing

Centered, single turn impedance tests on the 31 and 43 material parts are performed on the E4991A/ HP4291B Impedance Analyzer. Cores are tested with the shortest practical wire length.



CSV Download

	Fair-	Rite Products Corp.	One Commercial	Row,	Wallkill, New York 12:	589-0	288
888-324-7748		845-895-2055	Fax: 845-895-2629				www.fair- rite.com