




- NOTES:
1. MATERIALS:
 - BACKSHELLS - ZINC DIE CAST WITH BRIGHT NICKEL PLATING
 - DELATCH - STAINLESS STEEL AND OVERMOLDED NYLON
 - PCB - FR4
 - RIVETS - STAINLESS STEEL
 2. IMPEDANCE - 100 OHMS DIFFERENTIAL
 3. RoHS COMPLIANT, NO EXEMPTIONS

DUST COVERS PLACED
ON ALL CABLE ENDS

FUNCTIONAL SYMBOLS FA = 0 FC = 0 FP = 0 DIVISIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																
	DIMENSION UNITS		mm		SCALE		NTS		CURRENT REV DESC: SHEET 3 - ADDED NEW P/N 747642602 5M 26AWG TO P/N TABLE					molex			
	GENERAL TOLERANCES (UNLESS SPECIFIED)																
	ANGULAR TOL ± 1.0 °						EC NO: 670707 DRWN: VITTAD 2021/03/01 CHK'D: ADITHK 2021/07/19 APPR: MGARRISON 2021/07/20					QSFP+ TO (4) SFP+ 10G PASSIVE CBL ASSY					
	4 PLACES		±														
	3 PLACES		±				PRODUCT CUSTOMER DRAWING										
	2 PLACES		±		0.13												
	1 PLACE		±		0.25												
	0 PLACES		±				INITIAL REVISION: DRWN: EMEDINA02 2017/03/01 APPR: ARAYBURN 2017/03/14					DOCUMENT NUMBER 747640001		DOC TYPE PSD	DOC PART 000	REVISION R	
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						THIRD ANGLE PROJECTION 		DRAWING D-SIZE		SERIES 74764		MATERIAL NUMBER SEE PN TABLE		CUSTOMER GENERAL MARKET		SHEET NUMBER 1 OF 3

PRODUCT LABEL DETAIL




P/N SEE TABLE FOR PN
X.XM = LENGTH AS SHOWN IN TABLE
XXAWG = AWG SIZE

YDDDLSSSS
Y = LAST DIGIT OF THE YEAR
DDD = DAY OF THE YEAR
L = LOCATION
1 = US
2 = MEXICO
3 = CHINA
4 = PHILIPPINES
SSSS = (0001-9999)

PART NUMBER TABLE

MOLEX P/N	LENGTH	TOL.	AWG
747641051	0.5M	±0.03M	30
747641101	1.0M	±0.05M	30
747641053	1.5M	±0.05M	30
747641201	2.0M	±0.05M	30
747641251	2.5M	±0.05M	30
747641301	3.0M	±0.05M	30
747642301	3.0M	±0.05M	28
747642602	5.0M	±0.08M	26

SFP LEG IDENTIFICATION LABEL DETAIL



FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																
	DIMENSION UNITS		SCALE		CURRENT REV DESC: SHEET 3 - ADDED NEW P/N 747642602 5M 26AWG TO P/N TABLE					molex							
	mm		NTS														
	GENERAL TOLERANCES (UNLESS SPECIFIED)									EC NO: 670707 DRWN: VITTAD 2021/03/01 CHK'D: ADITHK 2021/07/19 APPR: MGARRISON 2021/07/20							
ANGULAR TOL ± 1.0°																	
DIVISIONAL SYMBOLS	4 PLACES		±		EC NO: 670707 DRWN: VITTAD 2021/03/01 CHK'D: ADITHK 2021/07/19 APPR: MGARRISON 2021/07/20					QSFP+ TO (4) SFP+ 10G PASSIVE CBL ASSY							
	3 PLACES		±														
	2 PLACES		± 0.13							PRODUCT CUSTOMER DRAWING							
	1 PLACE		± 0.25														
	0 PLACES		±														
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		DOCUMENT NUMBER		DOC TYPE		DOC PART		REVISION	
						D-SIZE		74764		747640001		PSD		000		R	
										MATERIAL NUMBER		CUSTOMER				SHEET NUMBER	
										SEE PN TABLE		GENERAL MARKET				3 OF 3	