




Changeover operating mechanism for contactors 3RT105, 3RT145 AC (50...60 Hz) / DC operation, 220 ... 240 V Operating mechanism: Standard,economy circuit Screw terminal

General technical data		
product brand name		SIRIUS
product designation		Magnet coil
Control circuit		
type of voltage of the control supply voltage		AC/DC
control supply voltage		
• 2 at AC		
— at 50 Hz rated value		
— at 60 Hz rated value		240 V
control supply voltage		240 V
• 2 at DC rated value		240 V
Certificates/ approvals		
General Product Approval		EMC
		Declaration of Conformity



[Miscellaneous](#)



Test Certificates	Shipping Approval	other
-------------------	-------------------	-------

[Type Test
Certificates/Test
Report](#)

[Special Test
Certificate](#)



[Confirmation](#)

other	Railway
-------	---------

[Miscellaneous](#)

[Special Test
Certificate](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/ic10>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RT1955-5AP31>

Cax online generator


<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RT1955-5AP31>


Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3RT1955-5AP31>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RT1955-5AP31&lang=en





last modified:

12/5/2020 [↗](#)