




AMP SLIM

TE Internal #: 1909782-1
PCB Mount Header, Right Angle, Wire-to-Board, 2 Position, 1.2 mm
[.047 in] Centerline, Partially Shrouded, Gold Flash, Surface Mount,
Signal, AMP SLIM

[View on TE.com >](#)

Connectors > PCB Connectors > PCB Headers & Receptacles



Connector System: **Wire-to-Board**
Number of Positions: **2**
Number of Rows: **1**
Centerline (Pitch): **1.2 mm [.047 in]**
PCB Mount Orientation: **Right Angle**

Features

Product Type Features

| | |
|-----------------------------------|-----------------------|
| Connector System | Wire-to-Board |
| Header Type | Partially Shrouded |
| Sealable | No |
| Connector & Contact Terminates To | Printed Circuit Board |
| PCB Connector Assembly Type | PCB Mount Header |

Configuration Features

| | |
|----------------------------------|--------------|
| Connector Contact Load Condition | Fully Loaded |
| Number of Positions | 2 |
| Number of Rows | 1 |
| PCB Mount Orientation | Right Angle |

Electrical Characteristics

| | |
|-------------------|--------|
| Operating Voltage | 50 VAC |
|-------------------|--------|

Body Features

| | |
|-----------------------|-------|
| Primary Product Color | Black |
|-----------------------|-------|



Contact Features

| | |
|---|------------------|
| PCB Contact Termination Area Plating Material Thickness | 2.54 µm[100 µin] |
| Contact Layout | Inline |
| Contact Mating Area Plating Material Thickness | 1.27 µm[50 µin] |
| PCB Contact Termination Area Plating Material Finish | Matte |
| PCB Contact Termination Area Plating Material | Tin |
| Contact Base Material | Phosphor Bronze |
| Contact Mating Area Plating Material | Gold Flash |
| Contact Type | Pin |
| Contact Current Rating (Max) | 2 A |

Termination Features

| | |
|---|---------------|
| Termination Method to Printed Circuit Board | Surface Mount |
|---|---------------|

Mechanical Attachment

| | |
|--------------------------|--------------|
| Mating Alignment Type | Polarization |
| Mating Retention | With |
| PCB Mount Retention Type | Solder Peg |
| Connector Mounting Type | Board Mount |
| Mating Alignment | With |
| PCB Mount Alignment | Without |
| PCB Mount Retention | With |

Housing Features

| | |
|--------------------|-----------------------------------|
| Housing Material | LCP GF30 (Liquid Crystal Polymer) |
| Centerline (Pitch) | 1.2 mm [.047 in] |

Dimensions

| | |
|------------------|------------------|
| Connector Length | 4.2 mm [.165 in] |
| Connector Height | 1.4 mm [.055 in] |
| Connector Width | 4.3 mm [.169 in] |

Usage Conditions

| | |
|-----------------------------|----------------------------|
| Operating Temperature Range | -25 - 85 °C [-13 - 185 °F] |
|-----------------------------|----------------------------|

Operation/Application

| | |
|---------------------|--------|
| Circuit Application | Signal |
|---------------------|--------|



Industry Standards

| | |
|------------------------|----------|
| UL Flammability Rating | UL 94V-0 |
|------------------------|----------|

Packaging Features

| | |
|--------------------|------|
| Packaging Quantity | 4000 |
| Packaging Method | Reel |

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

| | |
|---|---|
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC |
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Reflow solder capable to 260°C |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1909783-1
WIRE TO BOARD HOUSING 1.2MM
TOP ENTRY

Also in the Series | AMP SLIM

Connector Contacts(1)

PCB Headers & Receptacles(5)

Wire-to-Board Connector Assemblies
& Housings(5)

Customers Also Bought

TE Part # 2015357-3
C/A, UMCC/UMCC, 1.37 OD CABLE,
100MM LON

TE Part # 2176348-4
CRGCQ 2010 3R3 5%

TE Part # 2176348-6
CRGCQ 2010 6R8 5%

TE Part # 7-2176524-6
3503G 2B 3K32 1% 1K RL

TE Part # CONMHF1-SMD-G-T
U.FL/MHF1 Jack 50 Ohm PCB Surface
Mount

TE Part # CONMMCX002
MMCX Jack 50 Ohm PCB Through
Hole

TE Part # CONSMA022-G
SMA Jack 50 Ohm PCB Edge Mount

TE Part # CONSMP001-G-T
SMP Plug 50 Ohm PCB Through Hole

TE Part # 6-2176581-9
RLC73PD 2B R287 1% 5K RL

TE Part # 2015357-4
C/A, UMCC/UMCC, 1.37 OD CABLE,
200MM LON



Documents

Product Drawings

BOARD TO WIRE WAFER 1.2MM TOP ENTRY

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1909782-1_A4.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1909782-1_A4.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1909782-1_A4.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English