

2-1194948-0 ✓ ACTIVE

RAYCHEM

TE Internal #: 625157-000

Splices, Blue, Length .73 in [18.54 mm], Box, Closed, Discrete Wire,

Fully Insulated, Wire Insulation Support

[View on TE.com >](#)



Terminals & Splices > Splices



Sealable: No

Compatible Insulation Diameter Range: .76 mm [.03 in]

Primary Product Color: Blue

Product Length: 18.54 mm [.73 in]

Government Qualified Splice: No

Features

Product Type Features

Sealable	No
----------	----

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

Body Features

Primary Product Color	Blue
-----------------------	------

Contact Features

Terminal Plating Material	Tin
---------------------------	-----

Barrel Type	Closed
-------------	--------

Termination Features

Termination Method to Wire & Cable	Solder
------------------------------------	--------

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Dimensions

Compatible Insulation Diameter Range	.76 mm[.03 in]
--------------------------------------	----------------

Product Length	18.54 mm[.73 in]
----------------	------------------

Usage Conditions

Insulation Option	Fully Insulated
-------------------	-----------------

Industry Standards

Government Qualified Splice

No

Packaging Features

Packaging Quantity

500

Packaging Method

Box

Product Compliance

For compliance documentation, visit the product page on [TE.com](https://www.te.com)>

EU RoHS Directive 2011/65/EU

Not Compliant

EU ELV Directive 2000/53/EC

Not Compliant

China RoHS 2 Directive MIIT Order No 32, 2016

Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JAN 2024
(240)Candidate List Declared Against: JAN 2024
(240)SVHC > Threshold:
Pb (37% in Solder)

Article Safe Usage Statements:
Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content

Low Bromine/Chlorine - Br and Cl < 900
ppm per homogenous material. Also BFR
/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability




Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # EG8162-000
HL1920E-230V-EURO

Customers Also Bought

TE Part # F46631-000
RMW-160/50-1200/ADH-0TE Part # NB16104001
RT-375-3/8-X-SPTE Part # 60618-4
CMNL PIN PTPPHBZL/PTE Part # 371176-000
D-1744-02TE Part # 054955-000
CWT-9001TE Part # 292151-000
B-040-28-NTE Part # 396063-000
TXR40AB00-2410AITE Part # EK1918-000
TXR40BW00-1605AITE Part # CF0470-000
STXR40BW00-0805AITE Part # EM3637-000
D-110-0083-CS4140

Documents

Product Drawings

D-110-28

English

Datasheets & Catalog Pages

1654025_Sec8_B-155_CWT_D-110_D-1744

English