



Connectors > Automotive Connectors > Automotive Connector Accessories > Automotive Connector Caps & Covers



Protection & Strain Relief Accessory Type: **Cover - Cable Exit**

Cable Exit Angle: **90°**

Strain Relief: **Without**

Primary Product Color: **Black**

Primary Product Material: **PA GF**

Features

Product Type Features

Protection & Strain Relief Accessory Type	Cover - Cable Exit
---	--------------------

Body Features

Cable Exit Angle	90°
Primary Product Color	Black
Primary Product Material	PA GF

Mechanical Attachment

Strain Relief	Without
---------------	---------

Usage Conditions

Operating Temperature (Max)	140 °C[284 °F]
Operating Temperature Range	-40 - 140 °C[-40 - 284 °F]

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant



China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # CAT-L489-CH8172
LEAVYSEAL Housings

Customers Also Bought

TE Part # 1-1355849-1
AMP MCP 9.5, CONTACT, LANCELESS

TE Part # 1-1718492-4
1.5MM TAB HSG 36 POS ASSY

TE Part # 2278598-1
12POS MQS REC

TE Part # 4-968972-1
MCP2,8 GEH ASSY 12P



TE Part # 1456987-1
2x4 Fem unsealed LP assy Key A

TE Part # 2208277-3
60POS MQS REC SEALED

TE Part # 2359941-6
96POS, MCON-1.2 CB, REC HSG, ASSY

TE Part # 2359943-1
96POS, MCON-1.2 CB, REC HSG, ASSY

TE Part # 2359943-2
96POS, MCON-1.2 CB, REC HSG, ASSY

TE Part # 8-1564284-5
96POS, MCON-1.2 CB, REC HSG, ASSY

Documents

Product Drawings
COVER,90,FOR 26POS

English

CAD Files
3D PDF

3D

Customer View Model
ENG_CVM_CVM_2112046-2_A.2d_dxf.zip

English

Customer View Model
ENG_CVM_CVM_2112046-2_A.3d_igs.zip

English

Customer View Model
ENG_CVM_CVM_2112046-2_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications
Application Specification

German