

Connectors > Automotive Connectors > Automotive Housings

Connector System: **Wire-to-Wire**Number of Positions: **2**Connector & Housing Type: **Housing for Female Terminals**Centerline (Pitch): **23 mm [.905 in]**Sealable: **Yes**

Features

Product Type Features

Mixed & Hybrid Connector	No
Connector Shape	Rectangular
Connector System	Wire-to-Wire
Connector & Housing Type	Housing for Female Terminals
Sealable	Yes
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	2
Number of Rows	1

Electrical Characteristics

Operating Voltage	650 VDC
Nominal Voltage Architecture	650 V

Body Features

Cable Exit Angle	90°
------------------	-----

Primary Product Color	Orange
Connector & Keying Code	B
Contact Features	
Contact Size	8mm
Contact Type	Socket
Mating Pin Diameter	8 mm[.314 in]
Mechanical Attachment	
Terminal Position Assurance	No
Strain Relief	Without
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	PA GF
Centerline (Pitch)	23 mm[.905 in]
Dimensions	
Connector Height	55.7 mm[2.19 in]
Product Width	93.9 mm[3.69 in]
Product Length	83 mm[3.26 in]
Usage Conditions	
Operating Temperature (Max)	140 °C[284 °F]
Operating Temperature Range	-40 - 140 °C[-40 - 284 °F]
Operation/Application	
Circuit Application	Power
Industry Standards	
Degree of Protection	IP6K9K
Compatible With Agency/Standards Products	LV214
Packaging Features	
Packaging Quantity	18
Packaging Method	Carton
Other	

Serviceable	No
Connector Position Assurance Capable	Yes

Product Compliance


For compliance documentation, visit the product page on TE.com>


EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts


 TE Part # 2141227-2 2POS, PIN DIA 8.0, PIN HSG, ASSY, SLD	 TE Part # 9-2141157-1 SHIELD CRIMP FERRULE, 90DEG	 TE Part # 2141155-1 PROTEC. COVER 8MM HV, 90DEG	 TE Part # 2141156-1 SWS, 8MM HV, WHT, 50 SQMM
---	---	---	---




Also in the Series

AMP+ HVP800





Automotive Terminals(7)




Connector Seals & Cavity Plugs(5)



Electric, Hybrid & Fuel Cell Cable Assemblies(79)



High Voltage Wire Processing Equipment(24)



Other Automotive Connector Accessories(1)



PCB Headers & Receptacles(44)

Customers Also Bought

TE Part # 5749111-6
68 50SR CABLE PLUG ASSYTE Part # 1747443-6
Contact: Component To Wire ; 20-45A , 20-8 wire sizeTE Part # 2177059-1
PROTECTION CAP,180DEGTE Part # 5748476-1
KIT,PLUG,62P,HDP-22,SHLD ENCLSTE Part # 2103177-1
PLUG ASSY, KEY A, TA,CPA, HVA280-2PHI XETE Part # 1587828-2
INNER FERRULE, SIZE B, HVA280-2PITE Part # 1-1587987-1
RECEPTACLE ASSEMBLY, 350A, MSDTE Part # 19309-000
FLOAT-X1065TE Part # 81568-000
VS-X1030-E SILVER PLATED TERM

Documents

Product Drawings

[2POS,8MM HV,REC HSG,90DEG,ASSY,SEALED](#)

German

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_1-2141154-2_E.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1-2141154-2_E.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1-2141154-2_E.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[Application Specification](#)

English