

Part Number : 1300130379

Series Number : 130013

Product Category : Circular Industrial Connectors

Product Description : Mini-Change A-Size Receptacle with Leads, 1/2" - 14 NPT Threads, Male (Straight) 4 Poles, 3.0m (9.84') Length

Status : Active

Engineering Number : 1R4006A39M030

Documents & Resources

Drawings

Drawing 1300130379_sd.pdf

Product Environment Compliance

Compliance

| | |
|--------------------|--|
| GADSL/IMDS | Not Relevant |
| China RoHS | 25 |
| EU ELV | Not Relevant |
| Low-Halogen Status | Not Low-Halogen per IEC 61249-2-21 |
| REACH SVHC | Contains Lead per D(2023)3788-DC (14 Jun 2023) |
| EU RoHS | Compliant with Exemption 6(c) per EU 2015/863 |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

| | |
|----------------|---|
| Status | Active |
| Category | Circular Industrial Connectors |
| Series | 130013 |
| Description | Mini-Change A-Size Receptacle with Leads, 1/2" - 14 NPT Threads, Male (Straight) 4 Poles, 3.0m (9.84') Length |
| IP Rating | IP67 |
| NEMA Rating | NEMA 6 |
| Product Family | Brad Mini-Change Connectors |
| Product Name | Mini-Change |
| Type | Single Ended (pigtail) |
| UPC | 78678852638 |

Agency

| | |
|-----|---------|
| CSA | LR6837 |
| UL | E152210 |

Electrical

| | |
|-------------------------------|------------|
| Current - Maximum per Contact | 8.0A |
| Voltage - Maximum | 600V AC/DC |

Physical

| | |
|-------------------------------|--------------------------------|
| Coupling Type | External Thread |
| Gender | Male |
| Keyway | Single |
| Length | 3.0m |
| Material - Component | Zinc Die-Cast with Black Epoxy |
| Mounting Thread Size | 1/2" - 14 NPT |
| Net Weight | 278.560/g |
| Orientation | Straight |
| Panel Mount | Front |
| Poles | 4 |
| Temperature Range - Operating | -20° to +105°C |
| Wire/Cable Type | UL 1015 |

| | |
|-----------------|----|
| Wire Size (AWG) | 16 |
|-----------------|----|

This document was generated on Jun 09, 2024