




Relays & Contactors > Circuit Breakers

Circuit Breaker Type: **Magnetic**Circuit Function: **Series Trip**Illuminated: **Without**Actuator Color: **Black**Operating Voltage: **277 VAC**

Features

Product Type Features

Illumination Type	No Light
Actuator Type	Toggle
Circuit Breaker Type	Magnetic
Illuminated	Without

Configuration Features

	.75 x 2.065 in
Circuit Function	Series Trip
Number of Poles	1

Electrical Characteristics

Operating Voltage	277 VAC
Current Rating	30 A
Interrupt Capacity	5000A @ 277VAC

Body Features

Actuator Color	Black
----------------	-------

Contact Features

Trip Time at 200%	2.2 - 20 seconds
-------------------	------------------

Termination Features

Terminal Configuration	10-32 Stud
------------------------	------------

Mechanical Attachment

Mounting Options

6-32 Mounting Threads

Dimensions

Product Height

63.5 mm[2.5 in]

Identification Marking

Stamped Marking Type

International I/O

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU

Compliant with Exemptions

EU ELV Directive 2000/53/EC

Compliant

China RoHS 2 Directive MIIT Order No 32, 2016

Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JAN 2024
(240)Candidate List Declared Against: JUNE
2022 (224)

SVHC > Threshold:

Cadmium oxide (7.95% in Component part)

Article Safe Usage Statements:

Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per
homogenous material. Also BFR/CFR/PVC
Free

Solder Process Capability

Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 8-32589-2
TERMINAL,PIDG SPD 12-10 10TE Part # 4-1393254-6
W91-X152-30=M6/M7/M9/W6/W7TE Part # 1-1393254-9
W91-X110-30=M6/M7/M9/W6/W7/W9TE Part # 2-36161-3
TERMINAL,PIDG R IR 12 10TE Part # 5-1393254-5
W91-X252-30=M6/M7/M9/W6/W7

Also in the Series | Potter & Brumfield W9



Circuit Breakers(69)

Customers Also Bought

TE Part # 204517-2
AMPLIMITE,ASY,PLUG,STD,90,3TE Part # 7-1393114-7
KUHP-11D51-12-KUTE Part # 1757824-9
AMPLIMITE,ASY,RCPT,STD,90,ZN,3,CTTE Part # 4-1393254-6
W91-X152-30=M6/M7/M9/W6/W7TE Part # 8-1393254-3
W92-X112-50=M6/M7/M9/W6/W7TE Part # 2-36161-6
TERMINAL,PIDG R IR 10 6TE Part # 1-2321928-1
TAB TER SDL2.5 WATERPROOF
LOOSE PIECETE Part # 2321924-3
RECEPTACLE HOUSING FREE
HANGING 3PIN



Documents

CAD Files

Customer View Model

[ENG_CVM_CVM_2-1393254-8_D.2d_dxf.zip](#)

English

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_2-1393254-8_D.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2-1393254-8_D.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

W6/W9 Magnetic Hydraulic Circuit Breaker

English

Agency Approvals

UL

English