



Connectors > Circular Connectors > Standard Circular Connectors



Connector System: Cable-to-Panel

Connector Mounting Type: Panel Mount

Number of Positions: 6

Sealable: No

Circuit Application: Power & Signal

Features

Product Type Features

Product Type	Housing Assembly
Connector System	Cable-to-Panel
Sealable	No
Circular Connector Type	Receptacle
Shell Type	Metal

Configuration Features

Number of Positions	6
Number of Power Positions	4
Number of Signal Positions	2
Contacts Preloaded	No

Electrical Characteristics

Operating Voltage	250 VAC, 630 VAC
-------------------	------------------

Body Features

Environmental Protection Type	Sealed
-------------------------------	--------



Environmental Protection	IP67
Shell Plating Material	Electrodeposited Nickel
Shell Base Material	Zinc Alloy
Circular Connector Insulation Material Type	PBT GF

Mechanical Attachment

Mating Retention Type	Speedtec (Triple Start Threaded)
Flange	With
Mating Alignment	With
Panel Mount Feature	With
Panel Mount Feature Type	Flange with Mounting Holes
Connector Mounting Type	Panel Mount
Mating Retention	With

Housing Features

Circular Connector Shell Size	40
Alignment Keyed	0°

Usage Conditions

IP Water Sealing Level	IP67
Operating Temperature Range	-20 - 130 °C[-4 - 266 °F]

Operation/Application

Durability Rating	500 Cycles
Circuit Application	Power & Signal
Shielded	Yes

Industry Standards

UL Flammability Rating	UL 94V-0
Compatible With Approved Standards Products	UL

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240)



Candidate List Declared Against: JUNE 2023 (235)
SVHC > Threshold:
Pb (3.5% in Component)








Article Safe Usage Statements:
Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts


 <p>TE Part # CSA263N00440001000 940 PLUG</p>	 <p>TE Part # C0-0008-000-000 CRIMPING TOOL LARGE</p>	 <p>TE Part # C0-0201-000-000 CRIMPING TOOL MID-SIZE</p>	 <p>TE Part # C0-0236-000-000 DIGITAL CRIMPING TOOL, MID SIZE</p>
 <p>TE Part # C0-0313-000-000 CRIMPING DEVICE HC20 IN CASE</p>	 <p>TE Part # C0-0009-000-000 POSITIONING INSERT FOR 2 MM CONTACTS</p>	 <p>TE Part # C0-0247-000-000 POSITIONING INSERT FOR 3.6 MM CONTACTS</p>	

Customers Also Bought







TE Part # 61-0193-011-000
CONTACT PIN 2 MM




TE Part # 61-0197-011-000
CONTACT PIN 2 MM




TE Part # AGC874N0000150A000
617 RECEPTACLE ANGLED
ROTATABLE




TE Part # AEA047N0000050A000
617 RECEPTACLE, SPEEDTEC




TE Part # AEA139M04000201000
623 RECEPTACLE, SPEEDTEC-READY




TE Part # ASA014N00610235000
623 PLUG




TE Part # BGC106N00001116000
923 RECEPTACLE, ANGLED,
ROTATABLE



TE Part # BGC106N00001216000
923 RECEPTACLE, ANGLED,
ROTATABLE



TE Part # BKA854N0087071A000
917 EXTENSION, SPEEDTEC



TE Part # ESB002N00330001000
615 PLUG

Documents

CAD Files

Customer View Model

ENG_CVM_CVM_CGE270N00000051000_A1.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_CGE270N00000051000_A1.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_CGE270N00000051000_A1.3d_igs.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

CGE270N00000051000

English

fuer Datenblaetter, die online konfigurierbar sind

German



Product Specifications

German