

Part Number : 1731110457

Series Number : 173111

Product Category : D-Sub Backshells

Product Description : FCT Plastic Backshell for D-Sub Connector, Black, Shell Size 1, 90° Angle Cable Outlet, Low Body, with #4-40 Locking Screws, Individually Packed

Status : Active

Engineering Number : FKS1E

Documents & Resources

Drawings

Drawing 1731110457_sd.pdf

3D Models and Design Files

3D Model 1731110457_stp.zip

Product Environment Compliance

Compliance

| | |
|--------------------|---|
| GADSL/IMDS | Not Relevant |
| China RoHS |  |
| EU ELV | Not Relevant |
| Low-Halogen Status | Not Reviewed per IEC 61249-2-21 |
| REACH SVHC | Not Reviewed per D(2023)8585-DC (23 Jan 2024) |
| EU RoHS | Compliant with Exemption 6(a)-I per EU 2015/863 |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

| | |
|----------------|--|
| Status | Active |
| Category | D-Sub Backshells |
| Series | 173111 |
| Description | FCT Plastic Backshell for D-Sub Connector, Black, Shell Size 1, 90° Angle Cable Outlet, Low Body, with #4-40 Locking Screws, Individually Packed |
| Product Family | FCT D-Sub Connectors |
| Product Name | FCT Products |
| Type | Plastic |
| UPC | 191128906579 |

Electrical

| | |
|-------------|------|
| Shield Type | None |
| Shielded | No |

Physical

| | |
|-------------------------------|----------------|
| Cable Diameter | 3.00-8.50mm |
| Color - Resin | Black |
| Material - Backshell | PC+ABS |
| Material - Screw | Steel |
| Mounting Style | Locking Screw |
| Net Weight | 20.000/g |
| Orientation | 90° Angle |
| Packaging Type | Bag |
| Plating - Backshell | None |
| Temperature Range - Operating | -35° to +120°C |
| Thread Size | 4-40 UNC |
| Tightening Test Torque | 40 Ncm |
| Waterproof / Dustproof | No |

Use with Part(s)

| Description | Part Number |
|-------------|-------------------|
| Use With | FCT D-Sub, Size 1 |

This document was generated on Jun 17, 2024