



Sensors > Force Sensors > Force Sensor Elements > FORCE LOAD CELL - 20MV/V



Force Sensor Type: OEM Compression Load Cells

Full Scale Range: 5 Nm

Operating Temperature Range: 0 - 40 °C [32 - 104 °F]

Output Signal Type: 20 mV/V

[All FORCE LOAD CELL - 20MV/V \(4\)](#)

Features

Product Type Features

Force Sensor Type	OEM Compression Load Cells
-------------------	----------------------------

Electrical Characteristics

Supply Voltage Range	5 VDC
Full Scale Range	5 Nm

Usage Conditions

Accuracy	±1 % of FS
Operating Temperature Range	0 - 40 °C[32 - 104 °F]

Operation/Application


Output Signal Type	20 mV/V
--------------------	---------

Other

Zero Shift in CTR	±.05 % of FS
Sensitivity Shift	±.05 % of FS
Force Direction	Compression

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)





EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Decamethylcyclopentasiloxane (D5) (.12% in Adhesive) Dodecamethylcyclohexasiloxane (D6) (.26% in Adhesive) Article Safe Usage Statements: Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




Also in the Series | MEAS FS20



Force Sensor Elements(18)

Customers Also Bought



TE Part # 63862-1
250 FASTON TAB TPBR




TE Part # 3-1825139-9
A211SYZQ04



TE Part # 5747099-7
CABLE CLAMP KIT,SZ 2



TE Part # 6-1625890-9
2W SM M/OX 5% 820R



TE Part # NB-PTCO-002
Pt100, 2.0x2.3, Class B, PTFC101B1G0



TE Part # 1622769-1
LR2 1% 620R



TE Part # 3-2176375-1
RQ 0805 2K37 0.1% 10PPM 1K RL

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_FS1901-0000-0500-G_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_FS1901-0000-0500-G_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_FS1901-0000-0500-G_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

FS19

English

