




Wire & Cable > High Speed Digital & Data Cable



Cable Type: **Coaxial**  
Impedance: **75 Ω**  
Wire Size: **20 AWG**  
Operating Temperature Range: **-55 - 115 °C**

Features

Product Type Features

Cable Style	Round Braided
-------------	---------------

Electrical Characteristics

	17.1 pF/ft
Impedance	75 Ω

Signal Characteristics

Velocity of Propagation	79 %
-------------------------	------

Body Features

Shield Type	Single
Cable Color	Black
Shield Plating Material	Tin
Shield Material	Copper
Jacket Material	Thermorad F
Conductor Material	Tin-Plated Copper

Dimensions

Cable Dielectric Diameter	4.57 mm[.18 in]
Outside Cable Diameter	6.17 mm[.243 in]
Conductor Diameter Range	1.02 mm[.04 in]
Wire Size	20 AWG



Usage Conditions

Cable Type	Coaxial
Operating Temperature Range	-55 - 115 °C

Other

Product Source	UK, US
Dielectric Material	Rayfoam L

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Out of Scope - excluded from Halogen requirements
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Customers Also Bought



TE Part # 1-1617749-5  
FCA-210-1020M=M83536/10-020M

TE Part # F67100-000  
202C653-770-0

TE Part # YDTS24Z13-35SBV001  
RECP ASSY

TE Part # YDIV46E25-61SNC128  
PLUG ASSY

TE Part # 1052203-1  
2037 8126 92

TE Part # 039695-000  
CTA-0013

TE Part # YDIV46E25-61PCC128  
PLUG ASSY

Documents

Product Drawings

7520A1311-0

English

Product Specifications

Product Specification

English