


Relays & Contactors > Contactors > General Purpose Contactors



Contact Current Rating: 250 A

Contact Switching Voltage (Max): 900 VDC

Contact Arrangement: 1 Form A (NO)

Features

Configuration Features

Auxiliary Switch Contact Arrangement	Without
Number of Poles	3
Contact Arrangement	1 Form A (NO)

Electrical Characteristics

Contact Current Rating	250 A
Contact Switching Voltage (Max)	900 VDC

Body Features

Enclosure Type	Hermetically Sealed
----------------	---------------------

Contact Features

Contact Material	Copper
------------------	--------

Termination Features

Mains Termination & Connection Type	M8 x 1.25
Coil Termination & Connection Type	Connector

Mechanical Attachment

Torque (Main)	78 - 98 in-lbs
Product Mounting Feature Type	Mounting Plate, Screw

Operation/Application

Actuating System

DC

Packaging Features

Packaging Method

Box

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 2-2071411-1
IHV250HAANA

Customers Also Bought



TE Part # 4-1879074-5
Power Resistor: Aluminum Housed, 75 Watt



TE Part # 1-2273114-1
M12 strgt plug to M12 strgt socket AA



TE Part # 2273107-3
M12 A-Code Y-Cable Assembly



TE Part # T4110512041-000
M12 F, 4P GOLD D_CODE S SHIELDED PG9



TE Part # HD34-24-47PE
REC, 47P, AL, E, 16/20, P



TE Part # 1452349-1
10POS MQS REC



TE Part # DT6S-BT
BOOT, 6P, PLG, ST, GRY



TE Part # T4171110004-002
M12, REAR MOUNTING, FEMALE, A, 4P, 0.5M WIRE

Documents

CAD Files

Customer View Model

[ENG_CVM_CVM_2071411-1_A4.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2071411-1_A4.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2071411-1_A4.2d_dxf.zip](#)

English

3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

IHV250_EN

English

IHV250_CN

English

Agency Approvals

[CQC_CERT_2017010303992702_C1](#)

English