# D5154-000005-015PD ACTIVE

## MEAS | MEAS D5100

TE Internal #: D5154-000005-015PD

TE Internal Description: PRESS XDCR D5154-000005-015PD

Differential Pressure Transducer

View on TE.com >



Sensors > Pressure Sensors > Pressure Transducers > Differential Pressure Transducer



Pressure Sensor Type: Industrial Pressure Transducer

Pressure: 1.034 bar [ 15 psi ]
Pressure Type: Differential
Supply Voltage Range: 10 V
Output Signal Type: 4 - 20 mA

### All Differential Pressure Transducer (5)

### **Features**

### **Product Type Features**

Pressure Sensor Type	Industrial Pressure Transducer
Pressure Type	Differential
Configuration Features	
Electrical Connection	Packard
Electrical Characteristics	
Supply Voltage Range	10 V
Dimensions	
Product Width	25.4 mm[1 in]
Product Length	81.02 mm[3.19 in]
Product Height	77.7 mm[3.06 in]
Usage Conditions	

1.034 bar[15 psi]

3X, 10X Rated

4 - 20 mA

-40 - 125 °C[-40 - 257 °F]

Pressure

Operating Temperature Range

Operation/Application

Proof Pressure Range

Output Signal Type



Pressure Accuracy	Down to ± .1% Span
Other	
Sensor Options	None
Port Fitting	1/4 MNPT

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240)  Candidate List Declared Against: JAN 2023 (233)  SVHC > Threshold:  2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one (.15% in component)  Pb (3.7% in component)  Article Safe Usage Statements:  Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts





## Also in the Series | MEAS D5100




# Customers Also Bought





















### **Documents**

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_D5154-000005-015PD\_K.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_D5154-000005-015PD\_K.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_D5154-000005-015PD\_K.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions**of use.

Datasheets & Catalog Pages

D5100

English