

925324-1

✓ ACTIVE

FASTIN-FASTON | FASTIN-FASTON 250

TE Internal #: 925324-1

Crimp Terminal Housings, Receptacle, Receptacle, 1 Position, Straight, Black, Polyamide, Contact Mating Retention, Mating Alignment, FASTIN-FASTON 250

[View on TE.com >](#)[Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Crimp Terminal Housings](#)Terminal Type: **Receptacle**Connector & Housing Type: **Receptacle**Number of Positions: **1**Terminal Orientation: **Straight**Primary Product Color: **Black**

Features

Product Type Features

Sealable	No
Connector & Housing Type	Receptacle

Configuration Features

Number of Positions	1
---------------------	---

Body Features

Primary Product Color	Black
-----------------------	-------

Contact Features

Terminal Type	Receptacle
Terminal Orientation	Straight
Contact Mating Retention	With

Mechanical Attachment

Mating Retention Type	Latch
Mating Alignment	With

Connector Mounting Type

Cable Mount (Free-Hanging)

Housing Features

Housing Material

Polyamide

Dimensions

Product Length

24.1 mm [.95 in]

Usage Conditions

Operating Temperature Range

-40 - 120 °C [-40 - 248 °F]

Packaging Features

Packaging Quantity

3000

Product Compliance

For compliance documentation, visit the product page on [TE.com](https://www.te.com/compliance)>

EU RoHS Directive 2011/65/EU

Compliant

EU ELV Directive 2000/53/EC

Compliant

China RoHS 2 Directive MIIT Order No 32, 2016

No Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JAN 2024 (240)

Candidate List Declared Against: JAN 2024 (240)

Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # 170258-2
FF 250 REC 14-12AWG TPBR
REREELING


TE Part # 170258-1
FF 250 REC 14-12AWG BR REREELING

Also in the Series


FASTIN-FASTON 250




Crimp Terminal Housings(211)



Insertion & Extraction Tools(2)



PCB Terminals(2)



Quick Disconnects(254)

Customers Also Bought



TE Part # DT04-08PA-CL03
REC, 8P, GRY, E, FLANGE, A



TE Part # 2-1437719-1
T01-0550-P05-MALE PLUG
CONNECTOR SOLDER



TE Part # 160860-2
FF 250 REC 0.5-1.0MM2 TPBR



TE Part # 184140-1
WIRE SEAL,RUBBER,SENSOR,
ORANGE



TE Part # 1718348-1
MCON Receptacle and Tab



TE Part # 2292799-3
AS16 BACKSHELL, 4P PLUG, NC12,
MC



TE Part # 2150193-2
OCEAN_2.0_Applicator-E-080F1100V-
REA



TE Part # 2338211-1
CAP PIN ASSY, 4P, W2W, SEALED
COAX



TE Part # 2348771-2
HD MATEnet SWS

Documents

Product Drawings

[FF 250 REC HSG 1P NYLON BLACK](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_925324-1_B.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_925324-1_B.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_925324-1_B.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[1654742_HOUSEHOLD_APPLIANCES_RAST5](#)

English

[White Paper: Nylon Discoloration](#)

English

Product Specifications

[Application Specification](#)

English