

# HC-B-TA-NPT-1/2-PLR-BK - Adapter

1414251

<https://www.phoenixcontact.com/us/products/1414251>



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Plastic thread adapter with bayonet lock, for EVO housing series B, NPT 1/2" thread



## Commercial data

|                                      |                     |
|--------------------------------------|---------------------|
| Item number                          | 1414251             |
| Packing unit                         | 1 pc                |
| Minimum order quantity               | 1 pc                |
| Sales key                            | BF57                |
| Product key                          | BF7APL              |
| Catalog page                         | Page 659 (C-2-2017) |
| GTIN                                 | 4055626022147       |
| Weight per piece (including packing) | 20.98 g             |
| Weight per piece (excluding packing) | 20.85 g             |
| Customs tariff number                | 85389099            |
| Country of origin                    | PL                  |

# HC-B-TA-NPT-1/2-PLR-BK - Adapter

1414251

<https://www.phoenixcontact.com/us/products/1414251>



## Technical data

### Product properties

|              |                 |
|--------------|-----------------|
| Product type | Thread adapter  |
| Application  | Bayonet B - NPT |

### Connection data

|                   |          |
|-------------------|----------|
| Tightening torque | ... 8 Nm |
|-------------------|----------|

### Dimensions

|                          |              |
|--------------------------|--------------|
| Dimensional drawing      |              |
| Thread type on seal side | 1/2-inch NPT |

### Internal dimensions

|                           |       |
|---------------------------|-------|
| Length of internal thread | 15 mm |
|---------------------------|-------|

### Material specifications

|  |     |
|--|-----|
| Flammability rating according to UL 94 | V0  |
| Seal material                          | NBR |
| Housing material                       | PA  |

### Environmental and real-life conditions

#### Ambient conditions

|                                 |                   |
|---------------------------------|-------------------|
| Degree of protection            | IP66              |
| Ambient temperature (operation) | -40 °C ... 100 °C |

### Mounting

|               |   |
|---------------|---|
| Assembly note | Bayonet locking max. 3x can be removed<br><br>The plastic thread adapter does not establish an electrical connection between the cable gland and connector housing. For this reason, only plastic cable protection systems or plastic cable glands may be used. |
|---------------|---|

# HC-B-TA-NPT-1/2-PLR-BK - Adapter


1414251

<https://www.phoenixcontact.com/us/products/1414251>



## Drawings

Dimensional drawing



Dimensional drawing

# HC-B-TA-NPT-1/2-PLR-BK - Adapter

1414251

<https://www.phoenixcontact.com/us/products/1414251>



## Approvals

ⓘ To download certificates, visit the product detail page: <https://www.phoenixcontact.com/us/products/1414251>

**DNV**

Approval ID: TAE000037S



**cUL Recognized**

Approval ID: E255026



**UL Recognized**

Approval ID: E255026



**EAC**

Approval ID: RU C-DE.AI30.B.01102

**cJLus Recognized**

# HC-B-TA-NPT-1/2-PLR-BK - Adapter

1414251

<https://www.phoenixcontact.com/us/products/1414251>



## Classifications

### ECLASS

|             |          |
|-------------|----------|
| ECLASS-11.0 | 27144432 |
| ECLASS-12.0 | 27140801 |
| ECLASS-13.0 | 27140801 |

### ETIM

|          |          |
|----------|----------|
| ETIM 9.0 | EC000441 |
|----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 39121400 |
|-------------|----------|

# HC-B-TA-NPT-1/2-PLR-BK - Adapter

1414251

<https://www.phoenixcontact.com/us/products/1414251>



## Environmental product compliance

### EU RoHS

|   |                    |
|---|--------------------|
| Fulfills EU RoHS substance requirements | Yes, No exemptions |
|---|--------------------|

### China RoHS

|  |  |
|--|--|
| Environment friendly use period (EFUP) | EFUP-E                                   |
|  | No hazardous substances above the limits |

### EU REACH SVHC

|                                     |                            |
|-------------------------------------|----------------------------|
| REACH candidate substance (CAS No.) | No substance above 0.1 wt% |
|-------------------------------------|----------------------------|

# HC-B-TA-NPT-1/2-PLR-BK - Adapter

1414251

<https://www.phoenixcontact.com/us/products/1414251>



## Accessories

### G-INS-N1/2-S68L-PNES-BK - Cable gland

1411157

<https://www.phoenixcontact.com/us/products/1411157>



Cable gland, material for screw connection: PA, application: Standard, external cable diameter 10 mm ... 14 mm, shielding: no, connecting thread: 1/2 inch NPT, color: jet black RAL 9005

---

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)