




Connectors > Terminal Blocks & Strips > Terminal Block & Strip Accessories > Terminal Block & Strip Conducting Accessories



Conducting Accessory Type: **Component Plug**
PCB Mount Retention Type: **Plug-In**
Primary Product Color: **Dark Gray**
Product Spacing: **9.95 mm [.392 in]**
Operating Temperature Range: **-55 - 110 °C [-67 - 230 °F]**

Features

Product Type Features

Conducting Accessory Type	Component Plug
---------------------------	----------------

Electrical Characteristics

Impulse Withstanding Voltage Rating (IEC)	4000 V
Voltage Rating (IEC)	250 V

Body Features

Plastic & Resin Material Type	Polyamide
Product Weight	8 g[.282 oz]
Primary Product Color	Dark Gray

Mechanical Attachment

PCB Mount Retention Type	Plug-In
--------------------------	---------

Dimensions

Product Depth	48.9 mm[1.925 in]
Product Width	9.95 mm[.392 in]



Product Height	37.85 mm[1.49 in]
Product Spacing	9.95 mm[.392 in]

Usage Conditions

Installation Temperature Range	-5 - 40 °C[23 - 104 °F]
Operating Temperature Range	-55 - 110 °C[-67 - 230 °F]

Industry Standards

IP Rating	IP20
-----------	------

Product Compliance

For compliance documentation, visit the product page on TE.com>














EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



 TE Part # 1SNK140000R0000 MC512	 TE Part # 1SNK140004R0000 MC512-YL	 TE Part # 1SNK505010R0000 ZS4	 TE Part # 1SNK505020R0000 ZS4-BL
 TE Part # 1SNK505030R0000 ZS4-OR	 TE Part # 1SNK505060R0000 ZS4-YL	 TE Part # 1SNK505061R0000 ZS4-GN	 TE Part # 1SNK505062R0000 ZS4-RD
 TE Part # 1SNK505063R0000 ZS4-PR	 TE Part # 1SNK505066R0000 ZS4-BK	 TE Part # 1SNK505210R0000 ZS4-D2	 TE Part # 1SNK505212R0000 ZS4-T3
 TE Part # 1SNK506013R0000 ZS4-R2	 TE Part # 1SNK705010R0000 ZK2.5	 TE Part # 1SNK705011R0000 ZK2.5-3P	 TE Part # 1SNK705020R0000 ZK2.5-BL
 TE Part # 1SNK705030R0000 ZK2.5-OR	 TE Part # 1SNK705060R0000 ZK2.5-YL	 TE Part # 1SNK705061R0000 ZK2.5-GN	 TE Part # 1SNK705062R0000 ZK2.5-RD


Also in the Series | ENTRELEC SNK



Modular Terminal Blocks(320)



Terminal Block & Strip Conducting Accessories(67)




Terminal Block & Strip Insulating Accessories(31)


Customers Also Bought



TE Part # 2199230-5
M.2 0.5PITCH 4.2H KEY B 30U" AU



TE Part # 640905-1
RECEPT,PIDG FASTON 16-14 250



TE Part # 809969-000
202K153-3/86-0



TE Part # 5-1437624-0
PKES60B1/4=KNOB PLSTC FLUTED W




TE Part # 1SNK505150R0000
ZS4-PE




TE Part # 1SNK505912R0000
ES6-3S



TE Part # 5052892055
RNF-100-1/16-0-STK



TE Part # NB11652001
ATUM-6/2-0-STK



TE Part # 1SNK506412R0000
ZS4-SF-R1



TE Part # 1SNK508410R0000
ZS4-SF1

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1SNK900403R0000_A2.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1SNK900403R0000_A2.3d_igs.zip

1SNK900403R0000

Terminal Block & Strip Conducting Accessories, Component Plug, Dark Gray, Product Spacing .392 in [9.95 mm], -67 - 230 °F [-55 - 110 °C], ENTRELEC SNK



English

Customer View Model

[ENG_CVM_CVM_1SNK900403R0000_A2.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[ENTRELEC Terminal Block - Master Catalog](#)

[ENTRELEC Terminal Block - Master Catalog](#)

English

[PG5-R2](#)

English

[SNK SERIES TERMINAL BLOCKS](#)

English

[ENTRELEC Terminal Blocks Catalogue \(RUS\)](#)