

**1050776-1**  ACTIVE**AMP | AMP SMA**

TE Internal #: 1050776-1

SMA RF Interface, Plug, 50 Ω, RG 402 Semi-Rigid, Threaded, 18 GHz Operating Frequency, 1 Position, Wire & Cable, Cable Mount (Free-Hanging), AMP SMA

[View on TE.com >](#)

Connectors &gt; RF Connectors &gt; Coax Connectors

RF Interface: **SMA**RF Connector Style: **Plug**RF Connector Mated Outer Diameter (Approximate): **8.99 mm [.354 in]**Impedance: **50 Ω**Compatible With RF Cable Type: **RG 402 Semi-Rigid****Features****Product Type Features**

Connector Product Type	Connector Assembly
Connector Seal & Plug Type	Interfacial Seal
RF Interface	SMA
RF Connector Style	Plug
Compatible With RF Cable Type	RG 402 Semi-Rigid
Connector & Contact Terminates To	Wire & Cable

**Configuration Features**

Number of Positions	1
Number of Coaxial Contacts	1

**Electrical Characteristics**

Impedance	50 Ω
-----------	------

**Body Features**

Cable Connector Orientation	Straight
Body Material	Stainless Steel
Body Material Finish	Plated
Body Plating Material	Gold

**Contact Features**

RF Connector Center Contact Underplating Material	Copper
---	--------

RF Connector Center Contact Plating Material	Gold
RF Connector Center Contact Material	Beryllium Copper

#### Termination Features

Termination Method to Wire & Cable	Solder
------------------------------------	--------

#### Mechanical Attachment

RF Connector Coupling Mechanism	Threaded
Connector Mounting Type	Cable Mount (Free-Hanging)
RF Contact Captivation Method	Solder

#### Dimensions

Product Length	11.18 mm[.44 in]
RF Connector Mated Outer Diameter (Approximate)	8.99 mm[.354 in]

#### Usage Conditions

Operating Temperature Range	-65 - 165 °C[-85 - 329 °F]
-----------------------------	----------------------------

#### Operation/Application

Operating Frequency	18 GHz
---------------------	--------

#### Packaging Features

Packaging Method	Package
------------------	---------

#### Other

Coupling Nut Plating Finish	Passivated
Coupling Nut Base Material	Stainless Steel
Military Category	B
Grade	Military
Dielectric Material	PTFE

#### Product Compliance

For compliance documentation, visit the product page on [TE.com](http://TE.com)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JUNE 2022 (224)

SVHC > Threshold:  
Pb (3.7% in Component Part)

**Article Safe Usage Statements:**

Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content

BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.

Solder Process Capability

Not applicable for solder process capability

**Product Compliance Disclaimer**

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


## Compatible Parts




TE Part # 1053372-1  
2062 8001 90, OSM JACK, QPL

## Also in the Series


### AMP SMA




Battery Holders(1)




Coax Connectors(96)




Connector Adapters & Connector Savers(8)




Connector Caps & Covers(3)




Connector Hardware(2)



Connector Strain Relief(1)







RF Cable Assemblies(2)



RF Connector Launchers(1)

## Customers Also Bought

TE Part # 809969-000  
202K153-3/86-0TE Part # 34137-3  
SOLIS, PARA 16-14 60/40 SN-PBTE Part # YDTS26F11-98PAV001  
PLUG ASSYTE Part # YDTS26F15-35PBV001  
PLUG ASSYTE Part # 614777-000  
462A011-4/86-0TE Part # 58430-1  
TOOL, REPAIRTE Part # 1617756-4  
FCA-410-CY3TE Part # 1495009-1  
142-0002-0001TE Part # 2018993-3  
COMPUTER, C-SERIES PRE-CONFIGUREDTE Part # 6-1618239-4  
K41P-09=RELAY, VACUUM, SPST,

## Documents

### Product Drawings

2001 8002 92

English

### CAD Files

3D PDF

3D

### Customer View Model

ENG\_CVM\_CVM\_1050776-1\_E.2d\_dxf.zip

English

**Customer View Model**

[ENG\\_CVM\\_CVM\\_1050776-1\\_E.3d\\_igs.zip](#)

English

**Customer View Model**

[ENG\\_CVM\\_CVM\\_1050776-1\\_E.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

**Instruction Sheets**

[Instruction Sheet \(U.S.\)](#)

English