



1	2	3	4	5	6																																																																			
AMPHENOL PART NUMBER CONFIGURATION UE86-4G6620-X0X61 LIGHT PIPE OPTION 0 - NO LIGHT PIPE 1 - 4 LP PER 2X1, NORMAL ORIENTATION 2 - 2 INNER LP PER 2X1, NORMAL ORIENTATION 3 - 2 OUTER LP PER 2X1, NORMAL ORIENTATION 4 - 4 LP PER 2X1, REVERSING ORIENTATION 5 - 2 INNER LP PER 2X1, REVERSING ORIENTATION 6 - 2 OUTER LP PER 2X1, REVERSING ORIENTATION 7 - 3 LP PER 2X1, 2 OUTER LP, NORMAL ORIENTATION 8 - 3 LP PER 2X1, 2 OUTER LP, REVERSING ORIENTATION			PACKAGING 1 - TRAY PACKAGING (STACKED) PLATING OPTIONS FOR CONNECTOR 2 - 30µ" GOLD PLATING ON MATING AREA 15-100µ" MATTE TIN ON TERMINATION 3 - 30µ" GOLD PLATING ON MATING AREA 150-300µ" MATTE TIN ON TERMINATION 5 - 15µ" GOLD PLATING ON MATING AREA 15-100µ" MATTE TIN ON TERMINATION 6 - 15µ" GOLD PLATING ON MATING AREA 150-300µ" MATTE TIN ON TERMINATION	<table><tr><th colspan="5">REVISIONS</th></tr><tr><th>REV.</th><th>ECN</th><th>DESCRIPTION</th><th>DATE</th><th>APPROVED</th></tr><tr><td>-</td><td></td><td>-</td><td>-</td><td>-</td></tr><tr><td>-</td><td></td><td>-</td><td>-</td><td>-</td></tr><tr><td>A</td><td></td><td>PROPOSAL</td><td>APR 04/19</td><td>J.SI</td></tr></table>	REVISIONS					REV.	ECN	DESCRIPTION	DATE	APPROVED	-		-	-	-	-		-	-	-	A		PROPOSAL	APR 04/19	J.SI	PART NUMBER (LAST DIGIT INDICATING PACKAGING TYPE, NOT PRINTED ON THE PART) DATE CODE																																										
REVISIONS																																																																								
REV.	ECN	DESCRIPTION	DATE	APPROVED																																																																				
-		-	-	-																																																																				
-		-	-	-																																																																				
A		PROPOSAL	APR 04/19	J.SI																																																																				
A	NO LIGHT PIPES UE86-4G6620-00361	4 LIGHT PIPES UE86-4G6620-10361			A																																																																			
B	2 INNER LIGHT PIPES UE86-4G6620-20361	2 OUTER LIGHT PIPES UE86-4G6620-30361			B																																																																			
C	4 LIGHT PIPES UPSIDE DOWN UE86-4G6620-40361	2 INNER LIGHT PIPES UPSIDE DOWN UE86-4G6620-50361	3 LIGHT PIPES UPSIDE DOWN UE86-4G6620-80361	MATERIAL: (RoHS COMPLIANT) 1. CAGE - PRESS FIT: COPPER ALLOY (NICKEL SILVER) 2. CONNECTOR - PRESS FIT: - PLASTIC HOUSING: LCP, FLAMMABILITY RATING UL94-V0 - CONTACTS: PHOSPHOR BRONZE 3. LIGHT PIPE: CLEAR POLYCARBONATE, FLAMMABILITY RATING UL94-V0 4. PACKAGING: TRAY PACKAGING 5. TEMPERATURE RANGE: -40°C TO +85°C	C																																																																			
D	2 OUTER LIGHT PIPES UPSIDE DOWN UE86-4G6620-60361	3 LIGHT PIPES UE86-4G6620-70361		<table><tr><td>UNLESS SPECIFIED OTHERWISE</td><td>DRAWN</td><td>P. TOMA</td><td>APR 04/19</td></tr><tr><td>DIMENSIONS ARE IN MILLIMETERS</td><td>CHECKED</td><td>J. SI</td><td>APR 04/19</td></tr><tr><td>REFERENCE IN PARENTHESES</td><td>M.E. APP'D</td><td></td><td></td></tr><tr><td>GENERAL TOLERANCES</td><td>Q.A. APP'D</td><td></td><td></td></tr><tr><td>1 DECIMAL PLACE ±0.25</td><td>DWG APP'D</td><td>J. SI</td><td>APR 04/19</td></tr><tr><td>2 DECIMAL PLACE ±0.15</td><td>MATERIAL AND FINISH</td><td>SEE NOTES</td><td></td></tr><tr><td>3 DECIMAL PLACE N/A</td><td>REF.</td><td>ECN Exxxxx</td><td></td></tr><tr><td>ANGULAR DEGREES ±1°</td><td>THIRD ANGLE PROJECTION</td><td></td><td>DO NOT SCALE DRAWING</td></tr><tr><td>ENG. REL. NO.</td><td></td><td></td><td></td></tr></table>	UNLESS SPECIFIED OTHERWISE	DRAWN	P. TOMA	APR 04/19	DIMENSIONS ARE IN MILLIMETERS	CHECKED	J. SI	APR 04/19	REFERENCE IN PARENTHESES	M.E. APP'D			GENERAL TOLERANCES	Q.A. APP'D			1 DECIMAL PLACE ±0.25	DWG APP'D	J. SI	APR 04/19	2 DECIMAL PLACE ±0.15	MATERIAL AND FINISH	SEE NOTES		3 DECIMAL PLACE N/A	REF.	ECN Exxxxx		ANGULAR DEGREES ±1°	THIRD ANGLE PROJECTION		DO NOT SCALE DRAWING	ENG. REL. NO.				<table><tr><td colspan="5">Amphenol High Speed Interconnects</td></tr><tr><td colspan="5">A Division of Amphenol Corp. www.amphenolcanada.com</td></tr><tr><td colspan="5">2X6 SFP EXTREMEPORT WITH LIGHT PIPE OPTIONS AND EMI SPRING FINGER</td></tr><tr><td>DWG. NO.</td><td colspan="3">P-UE86-4G6620-X0X61</td><td>REV A</td></tr><tr><td>CODE ID NO.</td><td>03554</td><td>DWG SIZE:</td><td>A4</td><td>SCALE: 2:3</td></tr><tr><td colspan="5">SHEET 1 OF 5</td></tr></table>	Amphenol High Speed Interconnects					A Division of Amphenol Corp. www.amphenolcanada.com					2X6 SFP EXTREMEPORT WITH LIGHT PIPE OPTIONS AND EMI SPRING FINGER					DWG. NO.	P-UE86-4G6620-X0X61			REV A	CODE ID NO.	03554	DWG SIZE:	A4	SCALE: 2:3	SHEET 1 OF 5					D
UNLESS SPECIFIED OTHERWISE	DRAWN	P. TOMA	APR 04/19																																																																					
DIMENSIONS ARE IN MILLIMETERS	CHECKED	J. SI	APR 04/19																																																																					
REFERENCE IN PARENTHESES	M.E. APP'D																																																																							
GENERAL TOLERANCES	Q.A. APP'D																																																																							
1 DECIMAL PLACE ±0.25	DWG APP'D	J. SI	APR 04/19																																																																					
2 DECIMAL PLACE ±0.15	MATERIAL AND FINISH	SEE NOTES																																																																						
3 DECIMAL PLACE N/A	REF.	ECN Exxxxx																																																																						
ANGULAR DEGREES ±1°	THIRD ANGLE PROJECTION		DO NOT SCALE DRAWING																																																																					
ENG. REL. NO.																																																																								
Amphenol High Speed Interconnects																																																																								
A Division of Amphenol Corp. www.amphenolcanada.com																																																																								
2X6 SFP EXTREMEPORT WITH LIGHT PIPE OPTIONS AND EMI SPRING FINGER																																																																								
DWG. NO.	P-UE86-4G6620-X0X61			REV A																																																																				
CODE ID NO.	03554	DWG SIZE:	A4	SCALE: 2:3																																																																				
SHEET 1 OF 5																																																																								
1	2	3	4	5	6																																																																			






REVISIONS				
REV.	ECN	DESCRIPTION	DATE	APPROVED
-		-	-	-
-		-	-	-
A		PROPOSAL	APR 04/19	J.SI

NOTES:
1. 0.56 mm DIAMETER HOLES ARE CHASSIS GROUND (99HOLES).

2X6 PCB LAYOUT

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT WRITTEN PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS SPECIFIED OTHERWISE		DRAWN	P. TOMA	APR 04/19	Amphenol High Speed Interconnects A Division of Amphenol Corp. www.amphenolcanada.com					
DIMENSIONS ARE IN MILLIMETERS		CHECKED	J. SI	APR 04/19						
REFERENCE IN PARENTHESES		M.E. APP'D			2X6 SFP EXTREMEPORT WITH LIGHT PIPE OPTIONS AND EMI SPRING FINGER					
GENERAL TOLERANCES		Q.A. APP'D								
1 DECIMAL PLACE	±0.25	DWG APP'D J. SI			APR 04/19	DWG. NO. P-UE86-4G6620-X0X61				
2 DECIMAL PLACE	±0.15	MATERIAL AND FINISH			SEE NOTES					
3 DECIMAL PLACE	N/A	REF.			ECN Exxxxx	REV A				
ANGULAR DEGREES	±1°	THIRD ANGLE PROJECTION			DO NOT SCALE DRAWING					
ENG. REL. NO.						CODE ID NO. 03554	DWG SIZE: A4	SCALE: 3:2	SHEET 4 OF 5	



REVISIONS				
REV.	ECN	DESCRIPTION	DATE	APPROVED
-		-	-	-
-		-	-	-
A		PROPOSAL	APR 04/19	J.SI

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT WRITTEN PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS SPECIFIED OTHERWISE DIMENSIONS ARE IN MILLIMETERS REFERENCE IN PARENTHESES GENERAL TOLERANCES 1 DECIMAL PLACE ±0.25 2 DECIMAL PLACE ±0.15 3 DECIMAL PLACE N/A ANGULAR DEGREES ±1° ENG. REL. NO.		DRAWN P. TOMA CHECKED J. SI M.E. APP'D Q.A. APP'D DWG APP'D J. SI MATERIAL AND FINISH SEE NOTES REF. ECN Exxxxx THIRD ANGLE PROJECTION	APR 04/19 APR 04/19 APR 04/19 DO NOT SCALE DRAWING	Amphenol High Speed Interconnects A Division of Amphenol Corp. www.amphenolcanada.com 2X6 SFP EXTREMEPORT WITH LIGHT PIPE OPTIONS AND EMI SPRING FINGER DWG. NO. P-UE86-4G6620-X0X61 CODE ID NO. 03554 DWG SIZE: A4 SCALE: 2:1 SHEET 5 OF 5		REV A
--	--	---	---	---	--	----------