



Part Number : [2077770002](#)

Product Description : Squba 3.6 Receptacle Terminal, Matte Tin Plating, UL1007/UL1061 Compatible, 18-20 AWG, Reel

Series Number : [207777](#)

Status : Active

Product Category : Crimp Terminals

Documents & Resources

Drawings

[Drawing 2077770002_sd.pdf](#)

[Packaging Design Drawing 2077770000-PK-000.pdf](#)

Specifications

[Application Specification 2077760000-AS-000.pdf](#)

[Product Specification 2077760000-PS-000.pdf](#)

[Test Summary 2077760000-TS-000.pdf](#)

Product Environment Compliance

Compliance

GADSL/IMDS	Compliant with Exemption 33; 44; 34
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2023)8585-DC (23 Jan 2024)
EU RoHS	Compliant per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474

Part Details

General

Status	Active
Category	Crimp Terminals
Series	207777
Description	Squba 3.6 Receptacle Terminal, Matte Tin Plating, UL1007/UL1061 Compatible, 18-20 AWG, Reel
Application	Power, Signal, Wire-to-Wire
Product Family	Squba Sealed Wire-to-Wire Connectors
Product Name	Squba
UPC	191130144792

Electrical

Current - Maximum per Contact	11.5A
Voltage - Maximum	600V

Physical

Durability (mating cycles max)	25
Gender	Female
Material - Metal	Copper Alloy
Material - Plating Mating	Matte Tin
Material - Plating Termination	Matte Tin
Net Weight	0.220/g
Packaging Type	Reel
Plating min - Mating	2.540µm
Plating min - Termination	2.540µm
Termination Interface Style	Crimp or Compression
Wire Insulation Diameter	1.46mm-2.10mm
Wire Size (AWG)	18, 20
Wire Size mm ²	N/A

Use with Part(s)

Description	Part Number
Squba 3.6 Sealed Single Row Receptacle Assemblies	<u>207782</u>

Application Tooling

Global

Description	Part Number
FA2 Mechanical Feed Applicator for Squba 3.6 Receptacle Terminals, 18-20 AWG	<u>2130690800</u>
Hand Crimp Tool for Squba 3.6 Plug and Receptacle Crimp Terminals, 18 AWG	<u>2133090100</u>
Hand Crimp Tool for Squba 3.6 Male and Female Crimp Terminals, 20 AWG	<u>2133090200</u>
Extraction Tool for Squba 3.6 Crimp Terminals, 16-20 AWG	<u>638248900</u>