



AMP-IN

TE Internal #: 3-770565-1
PCB Terminals, PCB Pin, PCB Hole Diameter 1.83 mm [.072 in], 22 - 18 AWG Wire Size, .3 - .9 mm² Wire Size, Through Hole - Solder, Tin Plating, Brass

[View on TE.com >](#)

Terminals & Splices > PCB Terminals



PCB Terminal Type: **PCB Pin**
PCB Thickness (Recommended): **1.57 mm [.062 in]**
PCB Hole Diameter: **1.83 mm [.072 in]**
Profile Height from PCB: **1.73 mm [.068 in]**
Compatible Insulation Diameter (Max): **2.79 mm [.11 in]**

Features

Product Type Features

Terminal Features	Stud Hole
-------------------	-----------

Contact Features

Terminal Plating Finish	Bright
Contact Mating Area Plating Material Thickness	4 µm[157.48 µin]
PCB Terminal Type	PCB Pin
Terminal Plating Material	Tin
Contact Underplating Material	Brass
Terminal Size	Miniature
Terminal Orientation	Straight

Termination Features

Termination Method to Printed Circuit Board	Through Hole - Solder
Product Terminates To	Printed Circuit Board

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------



Dimensions

Extension Below Board	2.29 mm[.09 in]
PCB Thickness (Recommended)	1.57 mm[.062 in]
PCB Hole Diameter	1.83 mm[.072 in]
Profile Height from PCB	1.73 mm[.068 in]
Compatible Insulation Diameter (Max)	2.79 mm[.11 in]
Compatible Insulation Diameter Range	1.52 - 2.79 mm[.06 - .11 in]
Wire Size	.3 - .9 mm ²

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-55 - 105 °C[-67 - 221 °F]

Packaging Features

Packaging Quantity	7000
Packaging Method	Reel

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits




as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 640311-5 MINI AMP-IN 22-18 AWG POST TIN PLTD	TE Part # 3-42642-3 AMP-IN TERM IS 22-20 010PTBR	TE Part # 170072-6 AMP-IN KONTAKT	TE Part # 2151224-1 OCEAN_2.0_Applicator-S-062F110F-RSM
TE Part # 2151224-2 OCEAN_2.0_Applicator-S-062F110F-RSA	TE Part # 2305570-1 Strip Terminal Cutter-Side Feed-No Crimp	TE Part # 7-2151224-7 OCEAN_2.0_SPARE_PART_KIT-062F110F	

Customers Also Bought

TE Part # 2007251-1 SFP+ 1x6 Cage Assembly	TE Part # 60700-2 RING CRIMP 20-16 AWG TPBR	TE Part # 61627-1 .140 DIA PIN 20-14 PTPBR	TE Part # 350436-2 RING TERMINAL 18-14 AWG TPST
TE Part # 62157-2 SPLICE AMVAR600TO3000 .020TPBR	TE Part # 543382-6 INSERT/EXTRACT TIP 25-KIT	TE Part # 174975-2 040 MLC CAP ASSY V 16P	TE Part # 1579008-9 INSERTION TOOL



Documents

Product Drawings

MINI AMP-IN 22-18 AWG SN/BRASS LF

English

CAD Files

Customer View Model

ENG_CVM_CVM_3-770565-1_G.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_3-770565-1_G.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_3-770565-1_G.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English