

60017-3 ✓ ACTIVE

SHUR-PLUG 156

TE Internal #: 60017-3

Crimp Wire Pins, Tabs & Ferrules, Shur-Plug, Mating Pin Diameter

3.96 mm [.156 in], 20 - 16 AWG Wire Size, .5 - 1.3 mm² Wire Size,

SHUR-PLUG 156

[View on TE.com >](#)



Terminals & Splices > Crimp Wire Pins, Tabs & Ferrules



Crimp Wire Terminal Type: **Shur-Plug**

Mating Pin Diameter: **3.96 mm [.156 in]**

Compatible Insulation Diameter Range: **2.54 - 3.56 mm, 3.56 mm [.1 - .14 in, .14 in]**

Wire Size: **.5 - 1.3 mm²**

Features

Product Type Features

Compatible With Discrete Wire Type	Solid, Stranded
------------------------------------	-----------------

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

Contact Features

Crimp Wire Terminal Type	Shur-Plug
Mating Pin Diameter	3.96 mm [.156 in]
Barrel Type	Open
Terminal Plating Material	Unplated
Terminal Orientation	Right Angle

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Dimensions

Compatible Insulation Diameter Range	2.54 - 3.56 mm, 3.56 mm [.1 - .14 in][.14 in]
Wire Size	1021 - 2582 CMA

Barrel Inside Diameter	1.27 mm, 3.04 mm[.05 in][.12 in]
Terminal Material Thickness	.39 mm[.016 in]
Overall Product Length	15.75 mm[.62 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 - 85 °C[-40 - 185 °F]

Packaging Features

Packaging Quantity	5000
Packaging Method	Reel

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 61388-1
SHUR PLUG 156 20-16 AWG PTPBR



TE Part # 170012-2
SHUR PLUG REC 20-16 MM2 0.32 X 13.97 BR



TE Part # 42142-1
SHUR PLUG TERMINAL 18-14 AWG TPBR



TE Part # 42581-2
SHUR PLUG 156 RECEPTACLE 22-18 AWG TPBR




TE Part # 60766-1
SHUR PLUG 156 18-14 AWG BR



TE Part # 42700-1
SHUR PLUG 180 RECEPTACLE 20-16 AWG BR



TE Part # 42749-1
SHUR PLUG 180 REC 20-16 AWG BR



TE Part # 505038-1
SHUR PLUG 180 CRIMP TAB 20-16 AWG BR



TE Part # 42142-2
SHUR PLUG TERMINAL 18-14 AWG BR



TE Part # 2837967-1
OCEAN-2.0-APPLICATOR-S-090F155O-RSM



TE Part # 2837967-2
OCEAN-2.0-APPLICATOR-S-090F155O-RSA



TE Part # 7-2837967-7
OCEAN_2.0_SPARE_PART_KIT-090F155O



TE Part # 7-2837967-1
OCEAN-2.0-APPLICATOR-S-090F155O



TE Part # 7-2837967-2
OCEAN-2.0-APPLICATOR-S-090F155O

Also in the Series | **SHUR-PLUG 156**



Crimp Wire Pins, Tabs & Ferrules(29)



Special Purpose Terminals(1)

Customers Also Bought



TE Part # 282189-5
SPLASH PROOF CONN. W.S.L.



TE Part # 1443996-4
COVER, 60 POS, W/O FUSE HLDR/NO
EXT TEXT



TE Part # 1743059-2
MT-II/JPT SLD 36P PLUG ASSY




TE Part # 936112-1
2.8mm Sealed 3P Cover



TE Part # 2319023-2
8POS, AMP MCP 2.8, REC HSG ASSY,
SLD



TE Part # 2332444-1
DT04-3P-EP10-120, RECEPTACLE ASM-
BLACK



TE Part # 85223-1
E-J MK-II(+) 15P PLUG DBL



TE Part # 2315764-1
16POS, ECONOSEAL, REC HSG ASSY,
SLD



TE Part # 9-1203514-6
COVER FOR 3P FUSE & RELAY ADPT

Documents

Product Drawings

[RIGHT ANGLE SHUR PLUG REC 20-16 0.41 BR](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_60017-3_W.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_60017-3_W.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_60017-3_W.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications



Application Specification

English