



Connectors > Connector Accessories > Connector Caps & Covers



Connector Cover Type: **Protective Cover**

Primary Product Color: **Red**

Primary Product Material: **Glass-Filled PBT**

Number of Positions: **3**

Operating Temperature (Max): **105 °C [158 °F]**

Features

Product Type Features

Sealable	Yes
Connector Cover Type	Protective Cover

Configuration Features

Number of Positions	3
---------------------	---

Body Features

Primary Product Color	Red
Primary Product Material	Glass-Filled PBT

Housing Features

Compatible With Connector Shape	Rectangular
---------------------------------	-------------

Usage Conditions


Operating Temperature (Max)	105 °C[158 °F]
Operating Temperature Range	-30 - 105 °C[-22 - 158 °F]

Packaging Features

Packaging Method	Bag/Box
------------------	---------

Product Compliance

For compliance documentation, visit the product page on TE.com>









EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # 1-2370523-9 CAP, INLINE, POWER VERSA-LOCK, 3x3 KEY A	 TE Part # 1-2381315-3 Power Versa-Lock PLUG, 1X3 KEY A, GWT	 TE Part # 2-2370523-9 CAP, INLINE, POWER VERSA-LOCK, 3X3 KEY B	 TE Part # 3-2378158-3 Power Versa-Lock CAP, 1X3 KEY C
 TE Part # 3-2378159-3 Power Versa-Lock PLUG, 1X3 KEY C	 TE Part # 1-2378158-3 Power Versa-Lock CAP, 1X3 KEY A	 TE Part # 1-2378159-3 Power Versa-Lock PLUG, 1X3 KEY A	 TE Part # 2-2378158-3 Power Versa-Lock CAP, 1X3 KEY B



TE Part # 2-2378159-3
Power Versa-Lock PLUG, 1X3 KEY B

TE Part # 3-2370523-9
CAP, INLINE, POWER VERSA-LOCK, 3X3 KEY C

Also in the Series

Power Versa-Lock 5.0

Connector Caps & Covers(3)

Connector Contacts(12)

Connector Hardware(5)

Connector Seals & Cavity Plugs(9)

Insertion & Extraction Tools(2)

Rectangular Power Connectors(77)

Customers Also Bought

TE Part # 1-770849-4
14P SL156 HSG W/LOC RAMP W/TBS

TE Part # 1376393-1
5MM POWER KEY 6P PLUG HSG NUT

TE Part # 521368-2
ULTRA-POD 250 ASSY REC 22-18 AWG TPBR

TE Part # 1971781-1
PTL RECEPTACLE CONTACT, 14 AWG

TE Part # 1971788-2
PTL TAB CONTACT, 2X18 AWG

TE Part # 1-2378159-3
Power Versa-Lock PLUG, 1X3 KEY A

TE Part # 2-2378158-2
Power Versa-Lock CAP, 1X2 KEY B

TE Part # 2325347-3
Power Versa-Lock INTERFACE SEAL, 1X3



Documents

CAD Files

Customer View Model

ENG_CVM_CVM_2334614-3_A1.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_2334614-3_A1.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2334614-3_A1.3d_igs.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification - Power Versa-Lock Connector System

English

Instruction Sheets

Instruction Sheet (U.S.)

English