

**1-52929-0**


✓ ACTIVE

TE Internal #: 1-52929-0

Spring Spade Terminal, 22 - 16 AWG, #6 / M3.5 Stud Size, 3.56 mm [.14 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated

[View on TE.com >](#)

Terminals &amp; Splices &gt; Spade Terminals &gt; PIDG Short Spring Spade Tongue Terminals

Spade Terminal Type: **Spring Spade Terminal**Wire Size: **509 - 3260 CMA**Stud Size: **#6, M3.5**[All PIDG Short Spring Spade Tongue Terminals \(38\)](#)

## Features

### Product Type Features

Stud Size	#6, M3.5
Sealable	No
Wire Insulation Support Retention Type	Insulation Support

### Contact Features

Spade Terminal Type	Spring Spade Terminal
Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Tin

### Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

### Dimensions

Wire Size	509 - 3260 CMA
Stud Diameter	3.56 mm [.14 in]
Tongue Thickness	.79 mm [.031 in]

Product Length	16.9 mm[.666 in]
Compatible Insulation Diameter (Max)	3.18 mm[.125 in]
Compatible Insulation Diameter Range	2.03 - 3.18 mm[.08 - .125 in]

### Usage Conditions

Insulation Option	Partially Insulated
Operating Temperature Range	105 °C[221 °F]

### Operation/Application

Compatible With Wire Base Material	Copper
Compatible With Wire Plating Material	Tin

### Industry Standards

Government Qualified Terminal	No
-------------------------------	----

### Packaging Features

Packaging Quantity	5000
Packaging Method	Tape Mounted

### Product Compliance

For compliance documentation, visit the product page on [TE.com](http://TE.com)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits

as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts



REPRESENTATION ONLY

TE Part # 47386  
DAHT PG PIDG 26-16 ASSY



TE Part # 58433-3  
PRO CR ASSY, RBY IS9252



TE Part # 58423-1  
DIE, RBY IS9252



TE Part # 169404  
CERTI-LOK DIE



TE Part # 1SET191001R0000  
CRIMP-HT

## Customers Also Bought



TE Part # 52929-1  
PIDG Short Spring Spade Tongue Terminals



TE Part # 2-34541-1  
PIDG SPD 22-16 COMM 22-18MIL 6



TE Part # 8-52929-1  
PIDG Long Spring Spade Tongue Terminals



TE Part # 52949-1  
PG SPR SPD 22-16COMM 22-18MIL6



TE Part # 202800-2  
RECEPT ASSY,160 POS,M-SERIES



TE Part # YCFX26F1108SZN0000  
PLUG ASSY



TE Part # ADP-BNCF-BNCF-R  
BNC Plug to BNC Jack RA



TE Part # 1624197-1  
17P/PC 10KA 6X19FL SPDT PP

## Documents

### Product Drawings

[TERMINAL,PIDG SPR SPD 22-16 6](#)

English

**CAD Files****Customer View Model**[ENG\\_CVM\\_CVM\\_1-52929-0\\_Z.2d\\_dxf.zip](#)

English

**3D PDF**

3D

**Customer View Model**[ENG\\_CVM\\_CVM\\_1-52929-0\\_Z.3d\\_igs.zip](#)

English

**Customer View Model**[ENG\\_CVM\\_CVM\\_1-52929-0\\_Z.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.**Instruction Sheets****AMP\* PIDG\* (VINYL) & PLASTI-GRIP\* SHORT SPRING SPADE TERMINALS FOR BAR**

English

**Instruction Sheet (U.S.)**

English