



Connectors > Connector Accessories > Connector Hardware



Hardware Accessory Function: **Coding & Keying**

Connector Hardware Accessory Type: **Keying Plug**

Primary Product Color: **Natural**

Primary Product Material: **PA 66**

Operating Temperature (Max): **105 °C [221 °F]**

Features

Product Type Features

Hardware Accessory Function	Coding & Keying
Connector Hardware Accessory Type	Keying Plug

Body Features

Primary Product Color	Natural
Primary Product Material	PA 66

Usage Conditions

Operating Temperature (Max)	105 °C[221 °F]
Operating Temperature Range	-55 - 105 °C[-67 - 221 °F]

Industry Standards

UL Flammability Rating	UL 94V-2
------------------------	----------

Packaging Features

Packaging Quantity	1
Packaging Method	Package

Product Compliance



For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts





TE Part # CAT-AM71-C83998J
Cable/Panel Mount Connector, CPC
Series 1



TE Part # CAT-AM71-C83998CC
CPC Connector Housing, Series 4

Customers Also Bought



 TE Part # 206708-1 CPC PLUG ASSEMBLY SIZE 13-9	 TE Part # 206966-7 CABLE SHELL CLAMP SIZE 13	 TE Part # 206430-1 RECPT, SZ 11-4, CPC	 TE Part # 3-641238-2 02P MTA100 CONN ASSY NATL 30AU
 TE Part # 206508-1 TYPE XII KEYING PLUG	 TE Part # 1-111506-6 010 UNIV I/O 30DP SLOT LTCH	 TE Part # 583859-1 HOUSING CSTL 156 C/L 28 POS	 TE Part # 5-456135-0 CRIMPER, INSULATION "O"(.100")
 TE Part # 734360-1 HANDTOOL (HDD-22)	 TE Part # 11102671-00 2000 PSI, 1/4MNPT, 0-5V, Mini DIN 43650C		

Documents

Product Drawings
CMNL KEYING PLUG

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_200821-1_M.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_200821-1_M.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_200821-1_M.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages



M_SERIES_PIN_AND_SOCKET_CONNECTORS

English

SOFT_SHELL_PIN_SOCKET_CONNECTORS_STANDARD_DENSITY

English

Instruction Sheets

Instruction Sheet (U.S.)

English