TE Internal #: 63575-1

Special Purpose Terminals, Grounding Clip, 18 - 14 AWG Wire Size,

.8 - 2 mm² Wire Size, Unplated Plating, Length .675 in [17.1 mm],

Reel

View on TE.com >



Terminals & Splices > Special Purpose Terminals











Special Purpose Terminal Type: Grounding Clip

Wire Size: .8 - 2 mm²

Terminal Material Thickness: .51 mm [.02 in]

Terminal Plating Material: Unplated

Features

Product Type Features

Wire Insulation Support Retention Type	Insulation Support
Sealable	No

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

Contact Features

Barrel Type	Open
Special Purpose Terminal Type	Grounding Clip
Terminal Plating Material	Unplated
Terminal Orientation	Flag

Mechanical Attachment

Wire Insulation Support	With	
-------------------------	------	--

Dimensions

Wire Size	.8 - 2 mm²
Terminal Material Thickness	.51 mm[.02 in]
Product Length	17.1 mm[.675 in]



Compatible Insulation Diameter (Max)	3.56 mm[.14 in]
Compatible Insulation Diameter Range	2.54 - 3.56 mm[.114 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 - 105 °C[-40 - 221 °F]
Packaging Features	
Packaging Quantity	1400
Packaging Method	Reel

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





TE Part # 63895-1 GROUND CLIP 14-18AWG ST



=TE TE Part # 1986548-1 **GROUND CLIP 2X18AWG TPST**



Customers Also Bought




TE Part # 6-1971775-3 PTL 2X3 CAP PANEL MT HIGH TEMP KEY B RED



TE Part # 63097-1 250 PL MKII REC. 18-14AWG TPBR




TE Part # 3-1534796-6 AMP DUOPLUG MK2 CONNECTOR 6P



TE Part # 1-1376388-2 5MM POWER KEY 2P PLUG HSG RED



TE Part # 63733-3



TE Part # 62516-2



TE Part # 171370-6



TE Part # 3-2232701-4



250 PL MKII REC. 18-14AWG PTBR

TE Part # 5-1241961-7 STD TIMER PLUG HSG 3P MK2

Documents

Product Drawings GROUND CLIP 14-18AWG ST

English

CAD Files

3D PDF

3D

Customer View Model ENG_CVM_CVM_63575-1_K.2d_dxf.zip



English

Customer View Model

ENG_CVM_CVM_63575-1_K.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_63575-1_K.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions**of use.

Agency Approvals

UL

English