


TE Internal #: 61397-1
Closed Ring Tongue Terminal, 18 - 14 AWG, #10 Stud Size, 5 mm [.19 in / .197 in] Stud Diameter, Open Barrel, Straight, Tin, Uninsulated
[View on TE.com >](#)



Terminals & Splices > Ring Terminals



Ring Terminal Product Type: **Closed Ring Tongue Terminal**
Wire Size: **1624 - 4106 CMA**
Stud Size: **#10**

Features

Product Type Features

Shape Description	Circular/Oval
Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	#10
Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Support

Configuration Features

Number of Holes	1
-----------------	---

Contact Features

Contact Base Material	Brass
Barrel Type	Open
Terminal Orientation	Straight
Terminal Plating Material	Tin
Contact Underplating Material	Nickel

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------



Dimensions

	.14 in
Wire Size	1624 - 4106 CMA
Stud Diameter	5 mm[.19 in][.197 in]
Tongue Thickness	.76 mm[.03 in]
Product Length	19.81 mm[.78 in]
Barrel Inside Diameter	1.77 mm, 4.31 mm[.07 in][.17 in]
Compatible Insulation Diameter (Max)	4.83 mm[.19 in]
Compatible Insulation Diameter Range	3.56 - 4.83 mm[.14 - .19 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 - 110 °C[-40 - 230 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Industry Standards

Government Qualified Terminal	No
-------------------------------	----

Packaging Features

Packaging Quantity	8000
Packaging Method	Strip/Reel

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts


 TE Part # 60744-2 RING CRIMP 18-14 AWG TPBR	 TE Part # 2150075-1 OCEAN_2.0_APPLICATOR-E-130F240F-REM	 TE Part # 2150075-2 OCEAN_2.0_APPLICATOR-E-130F240FA	 TE Part # 2150095-2 OCEAN_2.0_APPLICATOR-E-080F110OV-REA
 KIT OCEAN_2.0_SPARE_PART_KIT-130F240F	 TE Part # 7-2150075-1 OCEAN_2.0_APPLICATOR-E-130F240F	 TE Part # 7-2150075-2 OCEAN_2.0_APPLICATOR-E-130F240FA	

Customers Also Bought

 TE Part # 1971237-2 PTL RECEPTACLE CONTACT, 2X20 AWG	 TE Part # 770068-1 02P .093 COMM P&S PLUG .248CL	 TE Part # 1-480281-0 FF 250 REC HSG 6P NYLON BLACK	 TE Part # 41531-1 250 FASTON FLAG REC 18-12 AWG NPST
---	---	---	---



TE Part # 60772-3
RING CRIMP 18-14 AWG TPBR




TE Part # 3-521013-2
ULTRA-FAST 250 ASY REC 16-14 AWG TPBR




TE Part # 63315-1
250 FASTON FLAG 18-14 AWG BR



TE Part # 42722-1
RING TONGUE 12-10 AWG BR



TE Part # 60766-1
SHUR PLUG 156 18-14 AWG BR



TE Part # 60635-3
250 FASTON REC 14-10 AWG BR

Documents

Product Drawings

RING TERMINAL CRIMP 18-14 AWG TPBR

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_61397-1_M_c-61397-1-m.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_61397-1_M_c-61397-1-m.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_61397-1_M_c-61397-1-m.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications

Engineering Report

English

Agency Approvals

UL Report

English