



Terminals & Splices > Automotive Terminals



Terminal Type: **Tab**
Mating Tab Width: **1.7 mm [.07 in]**
Mating Tab Thickness: **.65 mm [.025 in]**
Terminal Transmits: **0 - 24 A (Low Power)**
Wire Size: **18 - 15 AWG**

Features

Product Type Features

Sealable	No
Primary Locking Feature	Clean Body

Contact Features

Contact Size	1.7mm
Contact Fabrication	Stamped & Formed
Wire Contact Termination Area Plating Material	Tin
Typical Current Rating	14 A
Crimp Type	F-Crimp
Terminal Type	Tab
Mating Tab Width	1.7 mm[.07 in]
Mating Tab Thickness	.65 mm[.025 in]
Interface Plating	Tin (Sn)

Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------



Product Terminates To	Wire
Dimensions	
Compatible Insulation Diameter Range	1.9 - 2.6 mm[.074 - .1 in]
Wire Size	.75 - 1.5 mm²
Wire Size Search	15 AWG, 16 AWG, 17 AWG, 18 AWG
Tab Length	20.7 mm[.814 in]
Usage Conditions	
Insulation Option	Uninsulated
Operating Temperature (Max)	80 °C, 85 °C, 90 °C, 100 °C, 105 °C[176 °F][185 °F][194 °F][212 °F][221 °F]
Operating Temperature Range	-30 - 105 °C[-22 - 221 °F]
Packaging Features	
Packaging Quantity	4000
Packaging Method	Reel
Other	
Terminal Transmits	0 - 24 A (Low Power)

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products



will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>



Compatible Parts

 TE Part # 9-1579007-1 EXTRACTION TOOL	 TE Part # CAT-M9194-CH8172 MULTILOCK, CONNECTOR HOUSING	 TE Part # 2151887-1 OCEAN_2.0_APPLICATOR-S-090F100F-RSM	 TE Part # 2151887-2 OCEAN_2.0_APPLICATOR-S-090F100F-RSA
---	--	---	---

Also in the Series | Multilock .040

 Automotive Connector Caps & Covers (2)	 Automotive Housings(1)	 Automotive Terminals(2)	 Insertion & Extraction Tools(1)
 Other Automotive Connector Accessories(1)	 PCB Headers & Receptacles(2)		

Customers Also Bought

 TE Part # 1-66253-0 MALE CONTACT ASSY. (STRIP)	 TE Part # 284088-1 .070 NEW GEN RCPT CONT 0.75 T	 TE Part # 1703034-2 SENSOR CONTACT 2,8	 TE Part # 1326141-1 32WAY LAC RECEPTACLE CARRIER H
---	--	---	---



TE Part # 2151426-2
OCEAN_2.0_APPLICATOR-S-140F210O-RSA

TE Part # 2236047-2
32POS,MIXED,RECEPTACLE CONNECTOR,COD B

TE Part # 7-2151426-7
OCEAN_2.0_SPARE_PART_KIT-140F210O

TE Part # 281938-2
MIC MARKII RCPT CONTACT

TE Part # 2819293-1
PIVOTED ARM ASSEMBLY

TE Part # 2819292-1
ARM GUIDE

Documents

Product Drawings

070 SERIES TAB CONTACT

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_282378-1_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_282378-1_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_282378-1_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English

APPLICATION SPECIFICATION FOR 070 SR. MULTILOCK* TAB

English