




Terminals & Splices > Automotive Terminals > TH/.025 CONNECTOR SYSTEM, RECPT AND TAB



Terminal Type: **Tab**

Mating Tab Width: **.64 mm [.025 in]**

Mating Tab Thickness: **.64 mm [.025 in]**

Terminal Transmits: **0 - 24 A (Low Power)**

Wire Size: **22 - 20 AWG**

[All TH/.025 Connector System, Recpt and Tab \(23\)](#)

Features

Product Type Features

Receptacle Style	180°
Sealable	No
Primary Locking Feature	Locking Lance

Contact Features

Contact Size	.64mm
Contact Fabrication	Stamped & Formed
Wire Contact Termination Area Plating Material	Tin
Typical Current Rating	4 A
Crimp Type	F-Crimp
Terminal Type	Tab
Mating Tab Width	.64 mm[.025 in]
Mating Tab Thickness	.64 mm[.025 in]
Interface Plating	Tin (Sn)

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire

Dimensions



Compatible Insulation Diameter Range	1.1 - 1.6 mm
Wire Size	.37 - .56 mm ²
Wire Size Search	20 AWG, 21 AWG, 22 AWG

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature (Max)	80 °C, 85 °C, 90 °C, 100 °C, 105 °C[176 °F][185 °F][194 °F][212 °F][221 °F]
Operating Temperature Range	-40 - 105 °C[-40 - 221 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Packaging Features

Packaging Quantity	10000
Packaging Method	Reel

Other

Terminal Transmits	0 - 24 A (Low Power)
--------------------	----------------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part




numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # CAT-T319-CH8172 TH/.025 CONNECTOR SYSTEM, HOUSING	 TE Part # 1463260-1 DAHT 025 TAB REC G-Tab 22-20 ASSY	 TE Part # 1366865-1 EXT-TOOL FOR 025 TAB	 TE Part # 2151216-1 OCEAN_2.0_APPLICATOR-S- 055F055F-RSM
 TE Part # 2151216-2 OCEAN_2.0_APPLICATOR-S- 055F055F-RSA	 TE Part # 2305570-1 Strip Terminal Cutter-Side Feed-No Crimp	 TE Part # 7-2151216-7 OCEAN_2.0_SPARE_PART_KIT- 055F055F	 TE Part # 7-2151216-1 OCEAN_2.0_APPLICATOR-S-055F055F
 TE Part # 7-2151216-2 OCEAN_2.0_APPLICATOR-S-055F055F	 TE Part # 2-1722368-7 ISOLATION CRIMP PLATE		

Also in the Series | 0.64/025 Connector System


 Automotive Connector Caps & Covers (5)	 Automotive Connector Locks & Position Assurance(1)	 Automotive Housings(138)	 Automotive Terminals(18)
---	---	---	---



Connector Seals & Cavity Plugs(1)




Other Automotive Connector Accessories(5)



PCB Headers & Receptacles(217)

Customers Also Bought



TE Part # 880646-6
POSITIVE LOCK REC.




TE Part # 1612268-1
TH/.025 CONNECTOR SYSTEM,
HOUSING




TE Part # 1599314-1
Timer Connector Housing



TE Part # 626094-2
FF .250 REC 0.5 /1.0 MM2 0.32X19.3
TPBR



TE Part # 170002-7
TERMINAL GROUP NUMBER



TE Part # 2133662-1
REC CONN CVR ASSY,64POS,MQS



TE Part # 880634-1
FF 110 REC 0.5-1.0 MM2 0.25X12.3 BR



TE Part # 2819105-1
HSG FEMALE ASSY 64 WAYS

Documents

Product Drawings

025 TH TAB CONTACT

English

CAD Files

Customer View Model

ENG_CVM_CVM_1674742-1_B.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1674742-1_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1674742-1_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.



Datasheets & Catalog Pages

TH/.025 Connector Series

English

Product Specifications

Application Specification

English

CRIMPING 025 TH TAB CONTACT

Japanese

Application Specification

Japanese

Application Specification

Japanese

CRIMPING 025 TH TAB CONTACT

Japanese

Application Specification

English

Instruction Sheets

025 G Wire to Wire Connector

Japanese

Instruction Sheet (non U.S.)

Japanese

025 G Wire to Wire Connector

Japanese

Instruction Sheet (non U.S.)

Japanese

Instruction Sheet (non U.S.)

English

0.64/2.3 Hybrid Connector (Wire to Board , Wire to Wire)

English

Instruction Sheet (non U.S.)

English

0.64/2.3 Hybrid Connector (Wire to Board, Wire to Wire)

English