




Terminals & Splices > Automotive Terminals



Terminal Type: **Tab**
Mating Tab Width: **6.35 mm [.25 in]**
Mating Tab Thickness: **.8 mm [.031 in]**
Terminal Transmits: **41 - 100 A (High Power)**
Wire Size: **13 - 9 AWG**

Features

Product Type Features

Sealable	No
Primary Locking Feature	Clean Body

Contact Features

Contact Size	6.3mm
Contact Fabrication	Stamped & Formed
Typical Current Rating	46 A
Crimp Type	F-Crimp
Terminal Type	Tab
Mating Tab Width	6.35 mm[.25 in]
Mating Tab Thickness	.8 mm[.031 in]
Interface Plating	Tin (Sn)

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire



Dimensions

Compatible Insulation Diameter Range	2.8 - 4.2 mm
Wire Size	2.5 - 6 mm²
Wire Size Search	9 AWG, 10 AWG, 11 AWG, 12 AWG, 13 AWG

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature (Max)	80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C[176 °F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F][257 °F]
Operating Temperature Range	-40 - 125 °C[-40 - 257 °F]

Packaging Features

Packaging Quantity	1700
Packaging Method	Reel

Other

Terminal Transmits	41 - 100 A (High Power)
--------------------	-------------------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part



numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 1544226-1
PL 3V 6,35 MM NG1

TE Part # 1544148-1
PORTE LANGUETTE ET

TE Part # 2266158-1
OCEAN_2.0_Applicator-S-140F185OV-RSM

TE Part # 2266158-2
OCEAN_2.0_Applicator-S-140F185OV-RSA

TE Part # 2305570-1
Strip Terminal Cutter-Side Feed-No Crimp

TE Part # 7-1579018-0
EXTRACTION TOOL

TE Part # 7-2266158-7
OCEAN_2.0_SPARE_PART_KIT-140F185OV

TE Part # 7-2266158-1
OCEAN_2.0_Applicator-S-140F185OV

TE Part # 7-2266158-2
OCEAN_2.0_Applicator-S-140F185OV

TE Part # 1544226-2
PL 3V 6,35 MM NG1

TE Part # 1544226-3
PL 3V 6,35 MM NG1

Also in the Series | NG Power Terminals and Connectors

Automotive Connector Caps & Covers
(2)

Automotive Housings(61)

Automotive Terminals(28)

Connector Seals & Cavity Plugs(7)



Insertion & Extraction Tools(13)



Other Automotive Connector Accessories(1)

Also in the Series | NG1



Automotive Connector Caps & Covers (2)



Automotive Housings(41)



Automotive Terminals(30)




Connector Seals & Cavity Plugs(8)



Insertion & Extraction Tools(12)


Customers Also Bought



TE Part # 280075-2
FF 375 TAB 3-6MM2 PTBR



TE Part # 282189-5
SPLASH PROOF CONN. W.S.L.



TE Part # 174928-1
070 MLC W-W CAP HSG 3P NATURAL



TE Part # 1544133-1
CLIP 6,35 NG1



TE Part # 1801422-1
RECEPT HOUSING ASSY, 8MM, 2 W




TE Part # 926525-1
PL 250 REC HSG 3P NYLON BLACK



TE Part # 1-872575-5
ZAHNRIEMEN



TE Part # 539229-1
SCHNITTMESSER



TE Part # 9-539331-8
KLEMMHEBEL



TE Part # 1544458-3
BOITIER PC 8 MM 2

Documents

Product Drawings

LANGUETTE 6,3 NG1

English

CAD Files

Customer View Model

ENG_CVM_1544218-1_D.3d_igs.zip

English

Customer View Model

ENG_CVM_1544218-1_D.3d_stp.zip

English

Customer View Model

ENG_CVM_1544218-1_D.2d_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

German

Instruction Sheets

Instruction Sheet (non U.S.)

English