




Switches > DIP & SIP Switches



Switch Contact Plating Material: **Gold Flash**

Case Color: **Black**

Case Material: **High Temperature Nylon**

Sealed Device: **No**

Number of Switches: **2**

Features

Product Type Features

|                       |                       |
|-----------------------|-----------------------|
| Sealed Device         | No                    |
| DIP & SIP Switch Type | DIP                   |
| Actuator Style        | Piano (Side Actuated) |

Configuration Features

|                            |                            |
|----------------------------|----------------------------|
| Number of Positions        | 2                          |
| Number of Switches         | 2                          |
| Configuration (Pole-Throw) | Single Pole - Single Throw |

Electrical Characteristics

|                        |        |
|------------------------|--------|
| Contact Current Rating | .025 A |
| Operating Voltage      | 24 VDC |

Body Features

|                     |          |
|---------------------|----------|
| Actuator Color      | White    |
| Product Orientation | Vertical |
| Case Color          | Black    |



|               |                        |
|---------------|------------------------|
| Case Material | High Temperature Nylon |
|---------------|------------------------|

Contact Features

|                                               |              |
|-----------------------------------------------|--------------|
| Contact Underplating Material                 | Nickel       |
| PCB Contact Termination Area Plating Material | Gold Flash   |
| Switch Contact Plating Material               | Gold Flash   |
| Contact Base Material                         | Copper Alloy |

Termination Features

|                                             |               |
|---------------------------------------------|---------------|
| Termination Method to Printed Circuit Board | Surface Mount |
|---------------------------------------------|---------------|

Housing Features

|                    |                |
|--------------------|----------------|
| Centerline (Pitch) | 2.54 mm[.1 in] |
|--------------------|----------------|

Dimensions

|                |                  |
|----------------|------------------|
| Product Length | 4.98 mm[.196 in] |
| Product Height | 5 mm[.197 in]    |

Usage Conditions

|                             |             |
|-----------------------------|-------------|
| Operating Temperature Range | -20 – 85 °C |
|-----------------------------|-------------|

Packaging Features

|                    |             |
|--------------------|-------------|
| Packaging Quantity | 700         |
| Packaging Method   | Tape & Reel |

Product Compliance

For compliance documentation, visit the product page on TE.com>
















|                                               |                                                                                                                               |
|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| EU RoHS Directive 2011/65/EU                  | Compliant                                                                                                                     |
| EU ELV Directive 2000/53/EC                   | Compliant                                                                                                                     |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold                                                                                       |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JAN 2024 (240)<br>Candidate List Declared Against: JAN 2024 (240)<br>Does not contain REACH SVHC |
| Halogen Content                               | Not Low Halogen - contains Br or Cl > 900 ppm.                                                                                |
| Solder Process Capability                     | Not reviewed for solder process capability                                                                                    |

Product Compliance Disclaimer




This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts

|                                                                                                                                                      |                                                                                                                                                          |                                                                                                                                                            |                                                                                                                                                      |
|------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| <br>TE Part # 4-2319764-1<br>E STACK PIANO 2P G LONG T&R PD OFF    | <br>TE Part # 1-2319764-1<br>E STACK PIANO 2P G LONG TUBE PD OFF       | <br>TE Part # 2319764-1<br>E STACK PIANO 2P G LONG TUBE PD ON          | <br>TE Part # 4-2319764-6<br>E STACK PIANO 2P G SHORT T&R PD OFF |
| <br>TE Part # 1-2319764-6<br>E STACK PIANO 2P G SHORT TUBE PD OFF | <br>TE Part # 5-2319764-6<br>E STACK PIANO 2P G SHORT SEAL T&R PD OFF | <br>TE Part # 2-2319764-6<br>E STACK PIANO 2P G SHORT SEAL TUB PD OFF | <br>TE Part # 3-2319764-6<br>E STACK PIANO 2P G SHORT T&R PD ON |
| <br>TE Part # 2319764-6<br>E STACK PIANO 2P G SHORT TUBE PD ON    | <br>TE Part # 5-2319764-1<br>E STACK PIANO 2P G SHORT SEAL T&R PD ON  | <br>TE Part # 2-2319764-1<br>E STACK PIANO 2P G SHORT SEAL TUBE PD ON | <br>TE Part # 4-2319764-2<br>E STACK PIANO 4P G LONG T&R PD OFF |
| <br>TE Part # 2319764-2<br>E STACK PIANO 4P G LONG TUBE PD ON     | <br>TE Part # 1-2319764-3<br>E STACK PIANO 6P G LONG TUBE PD OFF      | <br>TE Part # 3-2319764-3<br>E STACK PIANO 6P G LONG T&R PD ON        | <br>TE Part # 2319764-3<br>E STACK PIANO 6P G LONG TUBE PD ON   |







TE Part # 4-2319764-8  
E STACK PIANO 6P G SHORT T&R PD OFF



TE Part # 1-2319764-8  
E STACK PIANO 6P G SHORT TUBE PD OFF




TE Part # 5-2319764-8  
E STACK PIANO 6P G SHORT SEAL T&R PD OFF




TE Part # 2-2319764-8  
E STACK PIANO 6P G SHORT SEAL TUB PD OFF

Also in the Series | Alcoswitch DIP EDSP




DIP & SIP Switches(58)


Customers Also Bought



TE Part #2301826-2  
AMPL PLUG HD20, VERT, 9P, B/L,4-40 S/LOC



TE Part #215307-3  
2X3P HV100 REC CON. TE, 7.0MM



TE Part #215307-5  
2X5P HV100 REC CON. TE, 7.0MM




TE Part #5557786-1  
MJ,8POS,R/A,SHLD,PCB GD



TE Part #2-1734592-0  
FPC CONN. 0.5MM PITCH B/C, 20P



TE Part #8-146274-6  
36 MODII HDR SRST B/A .100CL



TE Part #215307-7  
2X7P HV100 REC CON. TE, 7.0MM



TE Part #100616-2  
8/8 MOD.JACK ASSY TE SHIELDED



TE Part #1-1337583-0  
MCX R/A SMT Skt 50Ohm Gold Pltd



Documents

Product Drawings

E STACK PIANO 2P G LONG T&R PD ON

English

CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_3-2319764-1\_A.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_3-2319764-1\_A.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_3-2319764-1\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

SWITCHES\_CORE\_PROGRAM\_CATALOG

English