

TE Internal #: 1-1393127-2

Definite Purpose Contactors, 2 Pole, 240VAC Coil Voltage Rating,
30A Contact Current Rating, 1200Ω Coil Resistance, Panel, 8-32
Screw, 8-32 Screw

[View on TE.com >](#)

Relays & Contactors > Contactors > Definite Purpose Contactors

Number of Poles: **2**Coil Voltage Rating: **240 VAC**Contact Current Rating: **30 A**Coil Resistance: **1200 Ω**Product Mount Type: **Panel**

Features

Configuration Features

Number of Poles	2
-----------------	---

Electrical Characteristics

Contact Switching Voltage (Max)	600 VAC
Coil Voltage Rating	240 VAC
Contact Current Rating	30 A
Coil Resistance	1200 Ω

Contact Features

Contact Material	Silver Cadmium Oxide
------------------	----------------------

Termination Features

Mains Termination & Connection Type	8-32 Screw
Coil Termination & Connection Type	8-32 Screw

Mechanical Attachment

Product Mount Type	Panel
--------------------	-------

Operation/Application

Actuating System	AC
------------------	----

Product Compliance

[For compliance documentation, visit the product page on TE.com >](#)

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Cadmium oxide (10% in Component Part) <small>Article Safe Usage Statements: Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.</small>
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 5-1393158-2
35D013=ENCLOSURE,PR,ASSY,W/BAS

Customers Also Bought



Documents

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_1-1393127-2_C.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1-1393127-2_C.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1-1393127-2_C.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[PRD 10 to 50 Amp Heavy Duty AC or DC Power Relay](#)

English

Product Specifications

Definitions General Purpose Relays

English

Agency Approvals

CSA Certificate

English