




TE Internal #: 62827-1

Quick Disconnects, Tab, 23 - 22 AWG Wire Size, .26 - .33 mm² Wire Size, Straight, Stainless Steel, Unplated Plating, Strip/Reel, Open, Uninsulated

[View on TE.com >](#)

Terminals & Splices > Quick Disconnects



Quick Disconnect Terminal Type: **Tab**

Wire Size: **.26 - .33 mm²**

Terminal Orientation: **Straight**

Contact Base Material: **Stainless Steel**

Features

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

Contact Features

Quick Disconnect Terminal Type	Tab
Terminal Orientation	Straight
Contact Base Material	Stainless Steel
Terminal Plating Material	Unplated
Barrel Type	Open

Termination Features

Product Terminates To	Wire & Cable
-----------------------	--------------

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Dimensions

Terminal Material Thickness	.2 mm[.008 in]
Product Length	15.24 mm[.6 in]
Wire Size	.26 - .33 mm ²



Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 - 250 °C[-40 - 482 °F]

Packaging Features

Packaging Quantity	10000
Packaging Method	Strip/Reel

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




 TE Part # 61148-1 BRUSH HOLDER AMPLIVAR 22-17 AWG PHBZ	 TE Part # 62009-1 BRUSH CONTACT TAB 20-14 AWG PHBZ	 TE Part # 63701-1 WELD TAB 20-16 AWG NPSTL	 TE Part # 62008-1 BRUSH CONTACT TAB 20-14 AWG PHBZ
 TE Part # 63257-1 CONTACT TERMINAL 22-18 AWG TPBR	 TE Part # 63257-2 CONTACT TERMINAL 22-18 AWG TPBR	 TE Part # 2150629-1 OCEAN_2.0_Applicator-E-050F-REM	 TE Part # 2150629-2 OCEAN_2.0_Applicator-E-050F-REA
 TE Part # 62153-1 WELD TAB 20-16 AWG TPSTL	 TE Part # 7-2150629-7 OCEAN_2.0_SPARE_PART_KIT-050F	 TE Part # 7-2150629-1 OCEAN_2.0_Applicator-E-050F	 TE Part # 7-2150629-2 OCEAN_2.0_Applicator-E-050F

Customers Also Bought

 TE Part # 5414363-4 PLUG,CABLE,RTANG,SMB, PB FREE	 TE Part # 5-1393252-6 W67-X2Q12-15=M6/M7/M9/W6/W7	 TE Part # 5787430-1 HDR ASY,VERT,STR TAIL,12.0V	 TE Part # 2-32951-1 PG R 22-16 COMM 22-18 MIL 8
 TE Part # 696010-2 SPLICE BUTT PG 16-14/22-18	 TE Part # 640931-2 RECEPT,PIDG FASTON 16-14 110	 TE Part # 5-146085-1 10 SYSTEM 50 HDR SRST SHRD SN	 TE Part # 9-2176480-3 RA73F 1J 4K99 0.1% 5K RL



TE Part # 1-1393788-6
V23079A1005B301



TE Part # 469766-1
BUSHING, FLYWHEEL REPLACEMENT

Documents

Product Drawings

WELD TAB 24-22 AWG SST

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_62827-1_K.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_62827-1_K.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_62827-1_K.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.