

NEVALO


TE Internal #: 2154828-2

Economy Power Pigtail Cable Assembly, 18 ft [18 m], .823 mm²,
Black, Red, Blue Cable, Single Ended, Economy Power Socket,
PBT, Natural End A, 18 AWG

[View on TE.com >](#)



Cable Assemblies > Copper Cable Assemblies > Power Cable Assemblies



Cable Assembly Configuration: **Single Ended**

Wire Size: **.823 mm²**

Cable Assembly Length: **18 m [18 ft]**

Cable Color: **Black, Red, Blue**

Operating Temperature Range: **-30 - 105 °C [-22 - 221 °F]**

Features

Product Type Features

Cable Assembly Category	Power
Cable Assembly Type	Economy Power Pigtail
Connector Type (End A)	Economy Power Socket

Configuration Features

Number of Positions	3
---------------------	---

Body Features

Cable Exit Angle	180°
Cable Color	Black, Red, Blue
Connector Color (End A)	Natural

Contact Features

Contact Mating Area Plating Material	Tin
Contact Base Material	Copper Alloy

Mechanical Attachment

--	--



Strain Relief	Without
Mating Alignment Type	Keyed

Housing Features

Housing Material	PBT
------------------	-----

Dimensions

Wire Size	18 AWG
-----------	--------

Usage Conditions

Operating Temperature Range	-30 - 105 °C[-22 - 221 °F]
-----------------------------	----------------------------

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Method	Bag
------------------	-----

Other

Cable Assembly Configuration	Single Ended
Cable Assembly Length	18 m[18 ft]

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products



will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # 1744057-3
3.96 EP HDR ASSY 3P W/PEGS




TE Part # 1877285-3
03P EP SHRD HDR ASMY, WHITE


Customers Also Bought




TE Part # 487378-5
006 HOUSING FFC RCPT 100CL SR




TE Part # 6609027-9
5EK1=F7089 S0




TE Part # 2132781-3
03P EP-II HOUSING, NATURAL




TE Part # 62221-1
187 FASTON TAB TPBR




TE Part # 608802-1
CABLE TIE MOUNT, 4-WAY,3/4" SQ




TE Part # 1877285-2
02P EP SHRD HDR ASMY, WHITE



TE Part # 2342836-1
AVC22L FLAT AIO RGB R 500MM/1X6



TE Part # 2342842-1
AVP22M FLAT AIO RGB R 500MM/1X6



TE Part # 2-2176421-1
TLRP 2512 2.0W R030 1% 25PPM 4K RL

Documents

Product Drawings



Cable Assembly EPII 3 Pos

English

CAD Files

Customer View Model

ENG_CVM_CVM_2154828-2_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2154828-2_A.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_2154828-2_A.2d_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

Inverted Thru Board Interconnects

Inverted Thru Board Interconnects

English

5-17737700-9_HPInverted_brochure

English

Agency Approvals

UL Report

English