



Connectors > PCB Connectors > Backplane Connectors > High Speed Backplane Connectors



Number of Positions: 72

Row-to-Row Spacing: 2.5 mm [ .098 in ]

Mating Alignment: With

Mating Alignment Type: Polarization

Number of Rows: 12

Features

Product Type Features

Connector System	Board-to-Board
Connector & Contact Terminates To	Printed Circuit Board
PCB Connector Assembly Type	PCB Mount Receptacle

Configuration Features

Number of Pairs	12
Backplane Architecture	Mezzanine, Traditional Backplane
Number of Positions	72
Number of Rows	12
Number of Columns	6
PCB Mount Orientation	Vertical
Guide Location	Unguided

Body Features

Primary Product Color	Black
-----------------------	-------

Contact Features

Contact Type	Receptacle
Contact Current Rating (Max)	.5 A

Mechanical Attachment



Mating Alignment	With
Mating Alignment Type	Polarization
Connector Mounting Type	Board Mount

Housing Features

Housing Material	Thermoplastic
Centerline (Pitch)	3.9 mm[.153 in]

Dimensions

Row-to-Row Spacing	2.5 mm[.098 in]
--------------------	-----------------

Usage Conditions

Operating Temperature Range	-55 - 105 °C[-67 - 221 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Signal
---------------------	--------

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Method	Tray
------------------	------

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent




chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts




TE Part # 2187544-1  
SW PIR HDR BP, 100OHM, 12X6 DEW




TE Part # 2185279-1  
ASSY, EXTRACTION TOOL



TE Part # 3-2320907-6  
C/A,12P6C 100 OHM PIR CBL  
STRADA WHISPER




TE Part # 5-2320907-6  
C/A,12P6C 100 OHM PIR CBL  
STRADA WHISPER




TE Part # 6-2320907-6  
C/A,12P6C 100 OHM PIR CBL  
STRADA WHISPER

Also in the Series | STRADA Whisper 3.9mm




High Speed Backplane Cable  
Assemblies(16)




High Speed Backplane Connectors(41)

Customers Also Bought







TE Part # 2226784-3  
FORTIS LRM, BACKPLANE, 9 BAY SHELL




TE Part # 4-1734376-8  
USB CONN., B,4P, R/A,W/ SHELL, NATURAL



TE Part # YDTS20G11-35SAV001  
D38999: Square Flange, 11-35 insert




TE Part # YDTS24G17-35PNV001  
RECP ASSY




TE Part # YDTS26G19-32PAV001  
PLUG ASSY

TE Part # 015310090999-M  
SSAR-937-9125-0999



TE Part # YDTS24G25-19SNV001  
RECP ASSY



TE Part # YDTS26G25-35PAV001  
PLUG ASSY

Documents

Product Drawings  
SW PIR VERT RECEPT, 100OHM, 12X6, 15MM  
English

CAD Files  
3D PDF  
3D  
Customer View Model  
ENG\_CVM\_CVM\_2187626-1\_A.2d\_dxf.zip  
English  
Customer View Model  
ENG\_CVM\_CVM\_2187626-1\_A.3d\_igs.zip  
English  
Customer View Model  
ENG\_CVM\_CVM\_2187626-1\_A.3d\_stp.zip  
English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages  
STRADA Whisper 3.9mm 100-Ohm Pair-In-Row Vertical Header Connector Routing Guide  
English

Product Specifications  
Application Specification  
English